PRICES 2022

Bauwerk Parquet overview.

CLICK ON THE DESIRED CONTENT

T +41 71 747 74 74
F +41 71 747 74 75
bauwerk-parkett.com

Valid starting from 10 November 2022 (under reserve)

BAUWERK®
Parquet

AVAILABILITY

Wood is a natural raw material and is purchased once a year. Availability and characteristics depend largely from climatic conditions.

We are also currently experiencing huge delays due to the significant increase in global demand for wood-based materials as well as bottlenecks in several supply chains. For this reason, all items in the Bauwerk product range will now be available on request. Availability and exact delivery dates can only be confirmed following discussion with us. Thank you for your understanding.

WE ARE AT YOUR DISPOSAL

Ieva Melnikaitytė	Customer service manager	ieva.malnikatyte@bauwerk-group.com	+ 370 626 36570	Cyprus, Greece, Portugal, Malta
Salvina Klimienė	Customer service	salvina.klimiene@bauwerk-group.com	+ 370 619 26631	Poland, Slovenia, Kosovo, Serbia
Vaida Jeraminaitė	Customer service	vaida.jeraminaite@bauwerk-group.com	+ 370 671 14927	Lithuania, Asia, India, Chile, Middle East, Mongolia
Kristina Vileikytė	Customer service	kristina.vileikyte@bauwerk-group.com	+370 615 29458	Italy, Spain, Czech Republic, Slovakia, Bulgaria, Hungary, Macedonia, Albania, Latvia, Estonia
Eduardas Voišel	Customer service	eduardas.voisel@bauwerk-group.com	+370 620 98893	Finland, Russia, Belarus, Ukraine, Georgia, Azerbaijan, Armenia, Moldava, Kazakhstan, Croatia, Romania
Vitalja Tamošiūnaitė	Customer service	vitalja.tamosiunaite@bauwerk-group.com	+370 684 06127	Sweden, Denmark, Iceland, Belgium, Netherlands

GRADING

Wood is a multifaceted natural product, and every board is a unique piece. Bauwerk ranks the individual boards according to its appearance using the grading index below. The grading index must be read as follows:
Grading 13 means that all wood characteristics from 1 to 3 can be included. A Grading 35, on the other hand, only contains the wood characteristics 3 to 5.

As a rule of thumb one can say that the lower the number, the calmer the overall aspect of a floor is, and the higher the number, the more lively or rustic the aspect is.

Grading 13

Grading 35

Wood characteristics	**1** **Very regular, uniform**	**2** **Regular**	**3** **Varied**	**4** **Very varied**	**5** **Peculiar characteristics**	**6** **Very lively grain, rustic**
Oak	Pith rays possible	Few small knots and pith rays possible. Subtle vivid hues.	Mid-sized knots, distinct pith rays. Vivid hues possible.	Distinctive knots and pith rays. Sapwood possible. Vivid hues present.	Large knots. Sapwood and pith rays present. Very vivid hues.	Large, distinctive knots, sapwood and pith rays present, very vivid hues, piths and cracks possible
Ash	Pith rays possible	Few small knots possible. Pith rays possible.	Mid-sized knots. Pith rays possible.	Distinctive knots, pith rays and brown heartwood possible. Vivid hues present.	Large knots, brown heartwood. Pith rays possible. Very vivid hues.	Not available with this type of wood
Beech	Pith rays possible	Few small knots possible. Pith rays possible.	Mid-sized knots. Distinct pith rays possible.	Distinctive knots, red heartwood, very visible pith rays and vivid hues present.	Large knots, red heartwood, distinctive pith rays possible and very vivid hues.	Not available with this type of wood
Maple	Pith rays possible	Few small knots and pith rays possible.	Mid-sized knots. Pith rays and subtle vivid hues possible.	Distinctive knots, brown heartwood, very visible pith rays and vivid hues present.	Large knots, brown heartwood, distinctive pith rays possible and very vivid hues.	Not available with this type of wood
Acacia	Pith rays possible	Few small knots and pith rays possible. Subtle vivid hues.	Mid-sized knots, distinct pith rays. Vivid hues possible.	Distinctive knots and pith rays. Vivid hues present.	Large knots. Pith rays present. Very vivid hues.	Not available with this type of wood
Cherry	Pith rays possible	Few small knots and pith rays possible. Subtle vivid hues.	Mid-sized knots, distinct pith rays. Vivid hues possible.	Distinctive knots and pith rays. Sapwood possible. Vivid hues present.	Large knots, sapwood and pith rays present. Very vivid hues.	Not available with this type of wood
Walnut	Pith rays possible	Few small knots and pith rays possible. Subtle vivid hues.	Mid-sized knots, pith rays and vivid hues possible.	Distinctive knots and pith rays. Sapwood possible. Vivid hues present.	Large knots, sapwood and pith rays present. Very vivid hues.	Not available with this type of wood

Pith rays: Also called medullary or wood rays / knots: can also be filled

QUALITY & SERVICE FROM A SWISS MANUFACTURER

As the largest Swiss manufacturer, market leader and leader of innovation, Bauwerk aims at consistently positioning its products and services to guarantee the satisfaction of end customers as well as decision-makers such as architects, planners and investors. In this way, Bauwerk supports the success of your business both directly and indirectly and would like to grow together with you.

Your most important benefits at a glance

- Bauwerk products meet the highest of quality, design and health standards.
- 63% of the Bauwerk product range is made in Switzerland.
- The comprehensive product range, which comprises over 350 items, offers a selection to suit every need and price segment.
- Direct access to the expertise and application support of a manufacturer will give you a head start in the market.
- Thanks to active communication in the property sector, media work and comprehensive marketing activities, Bauwerk can generate demand for you.
- Professional marketing support as well as smart shop-in-shop and marketing tools help you to achieve business success.
- 10 parquet worlds in Switzerland with a product range that is constantly updated and trained consulting teams are available free of charge so you can advise your customers.

PERSONAL WELL-BEING

INGENIOUS DESIGN

SWISS PRECISION

INNOVATIVE PARQUET SOLUTIONS

SYMBOLS AND ICONS



2-layer parquet



3-layer parquet

Solid parquet Prepark

Solid parquet On-Edge

spruce pine underlay

HDF underlay

Cork sub-floor for Prepark

Cork sub-floor for Monopark

Sound insulation felt "Silente" for Cleverpark & Multipark 9.5



Tongue and groove connection 2-layer parquet



Tongue and groove connection 3-layer parquet



5G Connection

Suitable for floor heating



Thickness of the top layer

Full-area bonding

Floating installation

Left and right strips



Left and right strips, with 45° angle



Non-lacquered unfinished

SURFACES, STRUCTURES & BEVELS

Strong surfaces

Bauwerk parquet surfaces impress with their high quality, long-lasting protection, excellent functionality and an even, natural look. Bauwerk surfaces are manufactured in a sustainable way and are recyclable and 100% suitable for healthy living, i.e. free of harmful emissions, nanoparticles and pollutants such as phthalates and plasticisers. Another plus point is that parquet has an antibacterial effect.

Naturally-oiled – sensuous, natural, easily repairable
With its matt look and tangible feel, a naturally oiled parquet appeals to all the senses. The very durable, breathable surface supports the natural effect of the wood. A naturally oiled floor may need slightly more maintenance but more than makes up for it with its low tendency to stain and the fact that it is easy to repair.

B-Protect® - original, durable, easy to care for
The unique surface sealant with the look of raw surface combines a dull matt natural look with the benefits of classic sealant. This Bauwerk innovation is easy to care for and resilient. One special benefit is that even when exposed to light for a long period of time, the colour of wood changes only slightly.

matt sealed - practical, resistant, functional
With a silky matt sheen, the high-quality sealant from Bauwerk reveals the intricacies of the wood and also protects it from heavy use. The hard-wearing, exceptionally easy to care for surface with a very low tendency to stain makes natural floors fit for any living environment.

Structures

Brushing gives the wood a fine, noticeable structure creating subtle contrasts in its reflections. The structure of the wood becomes particularly noticeable when walked on barefoot. Bauwerk Parkett distinguishes between different surface structures: slightly brushed, brushed and deep brushed. If no surface structure is selected, then the product is sanded for a smooth finish.

Bevels

The slight slant of an edge is called a bevel. Bevels emphasise the plank aspect of the floor and give the room a distinctive look.



Without bevel
If the planks do not have a bevel, the room has a calmer and more continuous look.



Bevelled on two sides
Two-sided bevelling is only found on the long sides of each plank, which makes the room look longer.



Bevelled on four sides
Four-sided bevelling gives each individual plank a more pronounced look.

FORMATS

1-STRIP-PLANKS *1-strip-planks to create a spaciously roomy look*



UNICOPARK.....2000 – 4000 x 200 / 250 / 300 / 350 / 395 x 20 mm

SILVERLINE EDITION.....2800 x 260 x 11 mm

CASAPARK 209 | 181 | 139 .....2200 x 209 / 181 / 139 x 14 mm

VILLAPARK .....2100 x 190 x 9.5 mm

STUDIOPARK.....1700 x 150 x 9.5 mm

FORMPARK *Novel laying patterns*



FORMPARK 780 ..... 780 x 260 x 11 mm

FORMPARK 520 ..... 520 x 260 x 11 mm

FORMPARK MINI 570..... 570 x 190 x 9.5 mm

FORMPARK MINI 380 ..... 380 x 190 x 9.5 mm

FORMPARK QUADRATO..... 650 × 130 × 11 mm

FORMPARK ROMBICO ..... 735 × 130 × 9.5 mm

LONG PLANKS *Suitable for rooms of all sizes*



TRENDPARK ..... 1450 x 130 x 11 mm

CLEVERPARK ..... 1250 x 100 x 9.5 / 12.8 mm

STRIPS *For classic or modern interiors*



UNOPARK ..... 470 x 70 x 11 / 12.5 mm

SOLOPARK..... 470 x 70 x 10 mm

MONOPARK ..... 470 x 70 x 9.6 / 10.8 mm

MULTISTRIP *Parquet elements for a ship deck look*



TRIOPARK ..... 2200 x 215 x 14 mm

MULTIPARK.....1200 x 140 x 9.5 / 10 / 12.8 mm

SOLID PARQUET *For a timeless industrial look*



SOLID PARQUET .....160 x 23 x 8 mm

PREPARK..... 480 x 117 x 8 / 10 mm

ON-EDGE .....160 x 8 x 23 mm

PARQUET

CLICK ON THE DESIRED CONTENT

overview of the Bauwerk product range 2 – 5

1-Strip-Planks 7

Unicopark | Exclusive combination of different lengths and widths 9
Silverline Edition | Subtle elegance generously interpreted 9
Casapark | The 3-layer country-style floorboard with character 10
Villapark | The 1-strip plank with the feel-good factor 12
Villapark True Colours Edition | An homage to nature 13
Studiopark | The 1-strip plank that suits any room 15

Formpark 17

Formpark 780 & 520 | Parquet newly interpreted 18
Formpark Mini 570 & 380 | Ample creativity for small surfaces 19
Formpark Quadrato | The classic herringbone pattern in large format 20
Formpark Rombico | Chevron and many more creative patterns 20

Long planks 21

Trendpark | Unconventional and trendy 22
Cleverpark | The classy allrounder 24
Cleverpark Silente | The innovative system solution – silent, sustainable, smooth 25

Strips 27

Unopark | The classic parquet for herringbone installation 28
Solopark | The classic product for projects 29
Monopark | The versatile entry-level product 30
Monopark Comfort | The versatile entry-level product with impact sound insulation 31

Multi strips 33

Triopark | The multi-strip board with 5G-connecting system 34
Multipark | The classic product for quick installation 35
Multipark Silente | The innovative system solution – silent, sustainable, smooth 35

Solid parquet 37

Prepark | The functional solid wood floor 38
Prepark Comfort | The functional solid wood floor with impact sound insulation 38
Solid parquet | A long-lasting piece of Bauwerk tradition 39
On-Edge| Solid and durable 39

Accessories in wood 41

Skirting 42
Stair noses 48
Stair steps, feature strips & ventilation grids 53

Other accessories 55

Cleaning & Care 56
Oil Finish 59
Joint filler & water-based lacquers 60
Primers for adhesives 60
Glue & Trowels 61
Measuring Devices, Sound Insulation & Cover Fleece 62
Warranty-Package 64

Further informations 66

Bauwerk Marketplace – online promotions 68
General terms of business 70

OVERVIEW BAUWERK COLLECTION (excluding Solid parquet)

Product	Format/Thickness	Surfaces	Oak	Oak Ambra	Oak Avena	Oak Avorio	Oak Caffè	Oak Caffelatte	Oak Crema	Oak Creta
Unicopark	2000 – 4000 x 200 – 395 x 20 mm	nol	35/46			35	46			
Unicopark Handcrafted	2000 – 4000 x 200 – 395 x 20 mm	nol				46				
Silverline Edition	2800 x 260 x 11 mm	nol	14*/35			35				
		bpr							14*/35	
Casapark 209	2200 x 209 x 14 mm	nol	14*/15/45	15						15
		bpr							14*/45	
Casapark 181	2200 x 181 x 14 mm	mvs	14*/45							
		nol	14*/15/45	15						15
		bpr							14*/45	
Casapark 139	2200 x 139 x 14 mm	mvs	14*/15/45							
		nol	14*/15/45							
		bpr							14*/45	
Villapark	2100 x 190 x 9.5 mm	mvs	14*/35*							
		nol	14*/ 35*/46		35*	14*/35*				25*
		bpr							14*/25*/35*	
Villapark True Colours Edition	2100 x 190 x 9.5 mm	nol								
Studiopark	1700 x 150 x 9.5 mm	mvs	15*/46							
		nol	15*/46			15*				15*/46
		bpr							15*/46	
Formpark	780/520 x 260 x 11 mm	nol	14/35			14				
Formpark Mini	570/380 x 190 x 9.5 mm	nol	14/35			14				
Formpark Quadrato	650 x 130 x 11 mm	nol	14							
		bpr							14	
Formpark Rombico	735 x 130 x 9.5 mm	nol	14							
Trendpark	1450 x 130 x 11 mm	mvs	14*/35							
		nol	14*/35			35				
		bpr							14*/35	
Cleverpark	1250 x 100 x 9.5 mm	mvs	14*/34							
		nol	14*/34			34				14*
		bpr							14*/34	
Cleverpark Silente	1250 x 100 x 12.8 mm	mvs	14*							
Unopark 11	470 x 70 x 11 mm	mvs	14*							
		nol	14*			14*				
		bpr							14*	
Solopark	470 x 70 x 10 mm	mvs	14*/15							
		nol	14*							
		bpr							15/15*	
Monopark	470 x 70 x 9.6 mm	mvs	13/15		15			15		
		nol	13/15							
		bpr							15	
Monopark Komfort	470 x 70 x 10.8 mm	mvs	13/15							
		nol								
		bpr							15	
Triopark	2200 x 215 x 14 mm	mvs	14*/15							
		nol	14*/15							
Multipark 10	1200 x 140 x 10 mm	mvs	14*							
		nol	14*							
Multipark 9.5	1200 x 140 x 9.5 mm	mvs	14*							
		bpr							14*	
Multipark Silente	1200 x 140 x 12.8 mm	mvs	14*							

mvs = mat lacquered | nol = natural oil | bpr = B-Protect®

Oak Deserto	Oak Fango	Oak Farina	Oak Farro	Oak Fulvo	Oak Fumo	Oak Gold	Oak Grano	Oak Mandorla	Oak Mocca	Oak Nuvola	Oak Roccia	Oak Sasso	Oak Silver
		35/46			46	46							
				46				46					
		14*/35				14*/35							14*/35
		14*/45										15	
		14*/45											
	45#	45										15	
		14*/45											
		45										15	
								14*/35*					
		14*/35*/46				35*		14*/25* 35*/46					
		14*/35*	25*					14*/25* 35*/46				14*/35*	
										25*	25*		
		15*/46						15*/46					
		15*/46						15*/46					
		15*	15*/46					15*/46	15*/46			46	
		14						14					
								14*/35					
14*		14*/35						14*/35					
		14*/35						14*/35				14*/35	
		14*					34	14*/34					
		14*/34						14*/34					
		14*/34	14*					14*/34				14*/34	
		14*											
14*		14*											
		14*						15*					
		15					15	15					
		15						15					
		15						15				15	
		14*											
		14*											
		14*											
		14*											

* = without sapwood | # = including filled cracks

Product	Format/Thickness	Surfaces	Oak Tabacco	Oak black limed	Oak slightly smoked	Oak slightly smoked Cacao	Oak slightly smoked Canneto	Oak slightly smoked Crema	Oak slightly smoked Terra	Oak smoked
Unicopark	2000 – 4000 x 200 – 395 x 20 mm	nol								
Unicopark Handcrafted	2000 – 4000 x 200 – 395 x 20 mm	nol								
Silverline Edition	2800 x 260 x 11 mm	nol								
		bpr								
Casapark 209	2200 x 209 x 14 mm	nol								
		bpr								
Casapark 181	2200 x 181 x 14 mm	mvs								
		nol	45#	45						14*
		bpr								
Casapark 139	2200 x 139 x 14 mm	mvs								14*
		nol		45						
		bpr								
Villapark	2100 x 190 x 9.5 mm	mvs								14*
		nol				15*				14*/24
		bpr						15*		
Villapark True Colours Edition	2100 x 190 x 9.5 mm	nol					15*		15*	
Studiopark	1700 x 150 x 9.5 mm	mvs								
		nol				15*				14*
		bpr								
Formpark	780/520 x 260 x 11 mm	nol								14/24
Formpark Mini	570/380 x 190 x 9.5 mm	nol								14/24
Formpark Quadrato	650 x 130 x 11 mm	nol								14
		bpr								
Formpark Rombico	735 x 130 x 9.5 mm	nol								
Trendpark	1450 x 130 x 11 mm	mvs								14*
		nol	14*		15*					14*
		bpr						15*		
Cleverpark	1250 x 100 x 9.5 mm	mvs								14*
		nol			15*	15*				14*/24
		bpr						15*		
Cleverpark Silente	1250 x 100 x 12.8 mm	mvs								14*
Unopark 11	470 x 70 x 11 mm	mvs								14*
		nol	14*		15*					14*
		bpr								
Solopark	470 x 70 x 10 mm	mvs								
		nol								
		bpr								
Monopark	470 x 70 x 9.6 mm	mvs								14*/24
		nol								14*
		bpr						15*		
Monopark Komfort	470 x 70 x 10.8 mm	mvs								
		nol								
		bpr								
Triopark	2200 x 215 x 14 mm	mvs								
		nol								
Multipark 10	1200 x 140 x 10 mm	mvs								
		nol								
Multipark 9.5	1200 x 140 x 9.5 mm	mvs								
		bpr								
Multipark Silente	1200 x 140 x 12.8 mm	mvs								

Product	Format/Thickness	Surfaces	Oak smoked Crema	Oak smoked Farina	Oak smoked Lava	Maple Canadian	Acacia steamed	Beech steamed	Ash	Ash Farina	Cherry american	Walnut american
Unicopark	2000 – 4000 x 200 – 395 x 20 mm	nol										
Unicopark Handcrafted	2000 – 4000 x 200 – 395 x 20 mm	nol										
Silverline Edition	2800 x 260 x 11 mm	nol										
		bpr										
Casapark 209	2200 x 209 x 14 mm	nol										
		bpr										
Casapark 181	2200 x 181 x 14 mm	mvs										
		nol		14*								
		bpr										
Casapark 139	2200 x 139 x 14 mm	mvs										
		nol										
		bpr										
Villapark	2100 x 190 x 9.5 mm	mvs										
		nol										35
		bpr	14*/24							13		
Villapark True Colours Edition	2100 x 190 x 9.5 mm	nol			14*							
Studiopark	1700 x 150 x 9.5 mm	mvs										
		nol										
		bpr										
Formpark	780/520 x 260 x 11 mm	nol										
Formpark Mini	570/380 x 190 x 9.5 mm	nol										
Formpark Quadrato	650 x 130 x 11 mm	nol										
		bpr										
Formpark Rombico	735 x 130 x 9.5 mm	nol										
Trendpark	1450 x 130 x 11 mm	mvs										
		nol		14*/24								
		bpr	14*									
Cleverpark	1250 x 100 x 9.5 mm	mvs				14*					14*/34	14*/34
		nol										14*/34
		bpr	14*							13		
Cleverpark Silente	1250 x 100 x 12.8 mm	mvs										
Unopark 11	470 x 70 x 11 mm	mvs				15*	14*					
		nol					14*					
		bpr										
Solopark	470 x 70 x 10 mm	mvs										
		nol										
		bpr										
Monopark	470 x 70 x 9.6 mm	mvs				15		13/15	15		13	14/34
		nol										14
		bpr	14*									
Monopark Komfort	470 x 70 x 10.8 mm	mvs										
		nol										
		bpr										
Triopark	2200 x 215 x 14 mm	mvs				15		14				
		nol										
Multipark 10	1200 x 140 x 10 mm	mvs						13*/14*				
		nol										
Multipark 9.5	1200 x 140 x 9.5 mm	mvs										
		bpr										
Multipark Silente	1200 x 140 x 12.8 mm	mvs										

mvs = mat lacquerd | nol = natural oiled | bpr = B-Protect®

* = without sapwood | # = including filled cracks

← back to the table of contents

CASAPARK 209, Oak Sasso 15

Casapark 221 has been replaced by 209 mm.
See page 10

1-STRIP-PLANKS

1-strip-planks to create a spaciously roomy look



UNICOPARK . . . . . 2000 – 4000 x 200 / 250 / 300 / 350 / 395 x 20 mm
SILVERLINE EDITION . . . . . 2800 x 260 x 11 mm
CASAPARK 209 | 181 | 139 . . . . . 2200 x 209 / 181 / 139 x 14 mm
VILLAPARK | TRUE COLOURS EDITION . . . . . 2100 x 190 x 9.5 mm
STUDIOPARK . . . . . 1700 x 150 x 9.5 mm

1-Strip-Planks



FORMPARK 780 . . . . . 780 x 260 x 11 mm
FORMPARK 520 . . . . . 520 x 260 x 11 mm
FORMPARK MINI 570 . . . . . 570 x 190 x 9.5 mm
FORMPARK MINI 380 . . . . . 380 x 190 x 9.5 mm
FORMPARK QUADRATO . . . . . 650 x 130 x 11 mm
FORMPARK ROMBICO . . . . . 735 x 130 x 9.5 mm

Formpark

TRENDPARK . . . . . 1450 x 130 x 11 mm
CLEVERPARK | CLEVERPARK SILENTE . . . . 1250 x 100 x 9.5 / 12.8 mm

Long Planks

UNOPARK . . . . . 470 x 70 x 11 mm
SOLOPARK . . . . . 470 x 70 x 10 mm
MONOPARK | MONOPARK COMFORT . . . . . 470 x 70 x 9.6 / 10.8 mm

Strips



TRIOPARK . . . . . 2200 x 215 x 14 mm
MULTIPARK | MULTIPARK SILENTE . . . . 1200 x 140 x 9.5 / 10 / 12.8 mm

Multi strips



SOLID PARQUET . . . . . 160 x 23 x 8 mm
PREPARK | PREPARK COMFORT . . . . . 480 x 117 x 8 / 10 mm
ON-EDGE . . . . . 160 x 8 x 23 mm

Solid parquet

Careful planning of each individual plank

UNICOPARK

Thanks to the unique modular principle of Unicopark, no two rooms will look the same. With Unicopark, the customer can opt for parquet customised to suit their floorplan. The interplay of the various plank widths with lengths of up to 4 metres gives rise to a fascinating spatial effect within the room and makes Unicopark ideal for expansive interiors.



Perfectly imperfect – Unicopark Handcrafted
Knots and cracks are meticulously teased out by hand, carefully filled and so remain deliberately visible. Traditional brushing, smoothing and planing techniques are then employed to perfectly showcase the finished surface of the wood. This makes every single plank unique, not to mention a tactile experience.

Mix and match 5 widths
With Unicopark, five different widths can be installed.

Unicopark is available in eight colours from very light flour-like shades to very dark coffee-like tones.
See page 9 for the product range.

Lengths from 2 to 4 metres and widths between 200 and 395 mm.

UNICOPARK®

2000 – 4000 × 200/250/300/350/395 × 20 mm



Wood type | Colour	wood index	surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art. No	Price FCA in €/m²	Photos in the current edition of ARTWORK on page/s
Oak	35	brushed	4			●		1014 3823	249,00	
	46	brushed	4			●		1014 3882	215,00	
Oak | Avorio	35		4	●		●		1014 3886	251,00	
	46	handcrafted, deep brushed	4	●		●		1014 3894	235,00	
Oak | Caffè	46	brushed	4	●		●		1014 3891	218,00	
Oak Farina	35		4	●		●		1014 3884	251,00	13–19, 30
	46		4	●		●		1014 3885	217,00	
Oak | Fulvo	46	handcrafted, deep brushed	4	●		●		1014 3898	235,00	
Oak | Fumo	46	brushed	4	●		●		1014 3888	218,00	
Oak | Gold	46	brushed	4	●		●		1014 3887	218,00	
Oak | Mandorla	46	handcrafted, deep brushed	4	●		●		1014 3897	235,00	

SENTINEL HAUS INSTITUT

SILVERLINE EDITION®

2800 × 260 × 11 mm



Package unit: 1 pallet = 24 boxes à 3.64 m² = 87.36 m²

Wood type | Colour	wood index	surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art. No	Price FCA in €/m²	Photos in the current edition of ARTWORK on page/s
Oak	14*	deep brushed	4			●		1001 8849	302,00	
	35	deep brushed	4			●		1001 6949	255,00	
Oak | Avorio	35	deep brushed	4	●		●		1001 9007	258,00	
Oak | Crema	14*	brushed	4				●	1011 8956	305,00	
	35	brushed	4				●	1011 8957	258,00	
Oak | Farina	14*	deep brushed	4	●		●		1001 6950	305,00	35
	35	deep brushed	4	●		●		1001 6951	258,00	
Oak | Gold	14*	deep brushed	4	●		●		1001 6954	305,00	
	35	deep brushed	4	●		●		1001 6955	258,00	88
Oak | Silver	14*	deep brushed	4	●		●		1001 6952	305,00	33 91
	35	deep brushed	4	●		●		1001 6953	258,00	

Cradle to Cradle Certified® Silver for matt sealed and B-Protect® surfaces

Cradle to Cradle Certified® Bronze for naturally oiled surfaces

SENTINEL HAUS INSTITUT

UNICOPARK®

› The grading of Unicopark planks is determined by the number of cracks and knots filled. These product features are exclusive to the Unicopark range.

* without sapwood

SILVERLINE EDITION®

› For production reasons, it can happen that a 2770 mm board is packed in a bundle lot. The number of short boards is limited to 5% of the total. This means that one short board will be found in every fourth bundle lot, on average.

* without sapwood

CASAPARK® 209

2200 × 209 × 14 mm



Package unit: 1 pallet = 50 boxes à 2.76 m² = 138.00 m²

Wood type | Colour	wood index	surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art. No	Price FCA in €/m²	Photos in the current edition of ARTWORK on page/s
Oak	14*	brushed	2			●		1015 1775	140,00	
	15	brushed	2			●		1015 1776	120,00	
	45	brushed	2			●		1015 1777	101,00	
Oak | Ambra	15	brushed	2	●		●		1015 1778	123,00	37
Oak | Crema	14*	brushed	2				●	1015 1784	143,00	
	45	brushed	2				●	1015 1785	104,00	
Oak | Creta	15	brushed	2	●		●		1015 1873	123,00	
Oak | Farina	14*	brushed	2	●		●		1015 1874	143,00	
	14*	brushed	2	●			●	1015 1786	146,00	
	45	brushed	2	●		●		1015 1875	104,00	
	45	brushed	2	●			●	1015 1787	107,00	
Oak | Sasso	15	brushed	2	●		●		1015 1877	123,00	

Smoked and naturally oiled products are excluded

SENTINEL HAUS INSTITUT

CASAPARK® 181

2200 × 181 × 14 mm

Package unit: 40 boxes à 3.19 m² = 127.60 m²

Wood type | Colour	wood index	surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art. No	Price FCA in €/m²	Photos in the current edition of ARTWORK on page/s
Oak	14*	brushed	2		●			1014 1191	117,00	
	14*	brushed	2			●		1002 1280	120,00	
	15	brushed	2			●		1011 4677	106,00	
	45		2		●			1002 1278	84,00	
	45	brushed	2		●			1014 1189	85,00	
	45	brushed	2			●		1002 3264	88,00	
Oak | Ambra	15	brushed	2	●		●		1011 7694	109,00	
Oak | Crema	14*	brushed	2				●	1011 9158	123,00	
	45	brushed	2				●	1011 9159	91,00	
Oak | Creta	15	brushed	2	●		●		1011 7693	109,00	
Oak | Fango	45#	used-look	2	●		●		1011 7906	129,00	
Oak | Farina	14*	brushed	2	●			●	1011 9160	126,00	
	45	brushed	2	●		●		1002 3265	91,00	
	45	brushed	2	●			●	1011 9161	94,00	
Oak | Sasso	15	brushed	2	●		●		1002 1298	109,00	
Oak | Tabacco	45#	used-look	2	●		●		1011 7696	129,00	25
Oak black limed	45		2	●		●		1009 7645	93,00	
Oak smoked°	14*	brushed	2			●		1002 1308	155,00	
Oak smoked | Farina	14*		2	●		●		1002 1313	158,00	

Smoked and naturally oiled products are excluded

SENTINEL HAUS INSTITUT

CASAPARK® 139

2200 × 139 × 14 mm



Package unit: 1 pallet = 42 boxes à 3.06 m² = 128.52 m²

Wood type | Colour	wood index	surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art. No	Price FCA in €/m²	Photos in the current edition of ARTWORK on page/s
Oak	14*	brushed	2		●			1013 8891	108,00	
	14*	brushed	2			●		1002 1274	111,00	
	15		2		●			1011 4678	91,00	
	15	brushed	2			●		1011 4676	95,00	
	45		2		●			1002 1272	75,00	
	45	brushed	2		●			1013 8894	76,00	
	45	brushed	2			●		1011 7683	79,00	
Oak | Crema	14*	brushed	2				●	1011 9156	114,00	39
	45	brushed	2				●	1011 9157	82,00	
Oak | Farina	45	brushed	2	●		●		1011 7684	82,00	
Oak | Sasso	15	brushed	2	●		●		1002 1297	98,00	
Oak black limed	45		2	●		●		1009 7645	84,00	

Smoked and naturally oiled products are excluded

SENTINEL HAUS INSTITUT

CASAPARK

- Casapark products are recommended to be installed fully bonded.
- A floating installation is technically possible. (see Bauwerk Competence)

* without sapwood
\# including filled cracks
° slightly pigmented

USED-LOOK

Parquet that tells a story

Every used look floor tells its very own story and adds a special warm feeling to a room. Worn edges and a beautiful patina characterise these trend products, and the individual signs of use make the floors more attractive over time. These factors also make the used look parquet very easy to treat and look after.

VILLAPARK®

2100 × 190 × 9.5 mm



Package unit: 1 pallet = 45 boxes à 2.40 m² = 108.00 m²

Wood type | Colour	COMPASS	wood index surface		bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art. No	Price FCA in €/m²	Photos in the current edition of ARTWORK on page/s
Oak	●	14*	brushed	2		●			1001 8160	141,00	
	●	14*	deep brushed	2			●		1001 1169	144,00	
	●	35*	brushed	2		●			1001 8161	112,00	
	●	35*	deep brushed	2			●		1001 1170	115,00	
		46°	deep brushed	2			●		1012 4089	94,00	
Oak | Avena		35*	deep brushed	2	●		●		1001 1173	118,00	
Oak | Avorio		14*	deep brushed	2	●		●		1001 9008	147,00	45
		35*	deep brushed	2	●		●		1001 9009	118,00	
Oak | Crema	●	14*	brushed	2				●	1002 2972	147,00	
		25*	brushed	2				●	1012 5206	139,00	47
	●	35*	brushed	2				●	1002 2973	118,00	
Oak | Creta		25*	deep brushed	2	●		●		1014 3310	139,00	
Oak | Farina	●	14*	deep brushed	2	●		●		1001 3853	147,00	42
	●	14*	brushed	2	●			●	1002 3949	150,00	
	●	35*	deep brushed	2	●		●		1001 1172	118,00	
	●	35*	brushed	2	●			●	1002 3950	121,00	
		46°	deep brushed	2	●		●		1012 4090	97,00	
Oak | Farro		25*	slightly brushed	2	●			●	1014 3312	142,00	
Oak | Gold		35*	deep brushed	2	●		●		1001 8159	118,00	
Oak | Mandorla	●	14*	brushed	2	●	●			1013 7622	144,00	
	●	14*	deep brushed	2	●		●		1002 2963	147,00	
	●	14*	brushed	2	●			●	1013 7623	150,00	
		25*	deep brushed	2	●		●		1012 5117	139,00	
		25*	brushed	2	●			●	1012 5898	142,00	
	●	35*	brushed	2	●	●			1013 7621	115,00	
	●	35*	deep brushed	2	●		●		1011 4346	118,00	
	●	35*	brushed	2	●			●	1012 5523	121,00	
		46°	deep brushed	2	●		●		1011 5654	97,00	87
		46°	brushed	2	●			●	1012 5439	100,00	
Oak | Sasso	●	14*	brushed	2	●			●	1013 7624	150,00	
	●	35*	brushed	2	●			●	1011 6488	121,00	
Oak slightly smoked | Cacao		15*	deep brushed	2	●		●		1004 3089	163,00	46
Oak slightly smoked | Crema		15*	brushed	2				●	1011 6485	166,00	41
Oak smoked	●	14*	brushed	2		●			1001 8162	163,00	
	●	14*	deep brushed	2			●		1001 1171	166,00	
		24	brushed	2		●			1001 8163	143,00	
		24	deep brushed	2			●		1001 2813	146,00	
Oak smoked | Crema	●	14*	brushed	2				●	1002 2974	169,00	
		24	brushed	2				●	1002 2975	149,00	
Ash | Farina		13	brushed	2	●			●	1002 3952	132,00	
Walnut American		35	deep brushed	2			●		1001 1168	198,00	83

Cradle to Cradle Certified® Silver for matt sealed and B-Protect® surfaces

Cradle to Cradle Certified® Bronze for naturally oiled surfaces

Smoked products are excluded (doesn't affect slightly smoked products)

SENTINEL HAUS INSTITUT

TRUE COLOURS EDITION®

Villapark-Format, 2100 × 190 × 9.5 mm



Package unit: 1 pallet = 45 boxes à 2.40 m² = 108.00 m²

Wood type | Colour	wood index surface		bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art. No	Price FCA in €/m²	Photos in the current edition of ARTWORK on page/s
Oak | Nuvola	25*	deep brushed	2	●		●		1014 3071	139,00	93
Oak | Roccia	25*	deep brushed	2	●		●		1014 3072	139,00	21
Oak slightly smoked | Canneto	15*	deep brushed	2	●		●		1012 5156	163,00	
Oak slightly smoked | Terra	15*	deep brushed	2	●		●		1013 7625	163,00	101
Oak smoked | Lava	14*	deep brushed	2	●		●		1013 7626	169,00	43

Cradle to Cradle Certified® Bronze for naturally oiled surfaces

Smoked products are excluded (doesn't affect slightly smoked products)

SENTINEL HAUS INSTITUT

VILLAPARK TRUE COLOURS EDITION, Oak slightly smoked Terra

VILLAPARK®

* without sapwood

° For production reasons, every second box can contain one layer with two half-size planks.

TRUE COLOURS EDITION

by Gesa Hansen

True Colours is an homage to nature: fascinatingly subtle and uniquely authentic. A foray into the elements, back to the roots. The colour tones of the new edition underscore the beauty of the wood in its diverse originality. The multi-layer coating technique Next, developed by Bauwerk, perfectly accentuates the colour and gives it an intense depth effect. This results in a distinctly natural look, highlighting the originality of the True Colours Edition and the unique character of every plank, in all its facets.

1-Strip-Planks

HDF-Technology

FOR MAXIMUM BENEFIT

The longevity of parquet is not defined by primarily by the thickness of the wear layer, but the quality of construction, excellent adhesion of the wear layer and precise processing. Bauwerk floors with a core structure made from the natural material HDF are compact high-tech parquet floors. They combine high performance with minimal use of wood resources. Our HDF parquets can often be repaired just as often as parquets with traditional spruce-fir substrates.

HDF technology from Bauwerk offers clear benefits:

1. Compact, resilient and dimensionally stable over the long term

The high density of the core, the full-surface glued top layer and low shrinkage and swelling behaviour guarantee lasting dimensional stability and excellent adhesion of the wear layer. The products with low installation height achieve above-average fire resistance (CF1 'barely flammable').

2. Risk-free repair

Parquet with an HDF core is bonded over the entire surface and is designed from a technological point of view to be sanded as many times as parquet with classic wood cores despite a slim wear layer. Even after several repairs, no visible imprints of the individual spruce-fir strips can be seen in the wear layer (no telegraphing).

3. Ideal for controlled ventilation

Thanks to its stability, HDF parquet from Bauwerk is ideal for buildings with controlled ventilation technology. Its excellent thermal resistance (0.05m2 K/W) also makes HDF parquet ideal for underfloor heating.

4. 100% healthy living

Like all Bauwerk products, HDF parquet is also 100% suitable for healthy living (formaldehyde emissions: E0.5, EPFS standard) and is suitable for Minergie-Eco buildings and construction standards such as Cradle to Cradle®, LEED and Sentinel Haus. Also available with proof of FSC® status on request.

19 Mio. m²
of HDF parquet has already been laid.

2.5–3 mm wear layer
HDF parquet from Bauwerk conserves resources and can be repaired as often as parquet with classic wood cores and a 4 mm wear layer.



The full-surface gluing of the HDF core and top layer ensures high load-bearing capacity, lasting stability, excellent wear layer adhesion and risk-free repair.

BAUWERK®
Parkett
HDF
Technology

STUDIOPARK®

1700 × 150 × 9.5 mm



Package unit: 1 pallet = 45 boxes à 2.3 m² = 103.50 m²

Wood type | Colour	wood index	surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art. No	Price FCA in €/m²	Photos in the current edition of ARTWORK on page/s
Oak	15*	brushed	2		●			1014 3169	104,00	
	15*	deep brushed	2			●		1013 7627	107,00	50
	46°	brushed	2		●			1014 1818	74,00	
	46°	deep brushed	2			●		1013 7630	77,00	
Oak | Avorio	15*	deep brushed	2	●		●		1004 3086	110,00	
Oak | Crema	15*	brushed	2				●	1013 7628	110,00	
	46°	brushed	2				●	1013 7631	80,00	51
Oak | Creta	15*	deep brushed	2	●		●		1014 3176	110,00	
	46°	deep brushed	2	●		●		1014 3178	80,00	
Oak | Farina	15*	brushed	2	●	●			1014 3170	107,00	
	15*	deep brushed	2	●		●		1013 7629	110,00	
	15*	brushed	2	●			●	1004 3084	113,00	
	46°	brushed	2	●	●			1014 3171	77,00	
	46°	deep brushed	2	●		●		1013 7632	80,00	
Oak | Farro	15*	slightly brushed	2	●			●	1014 3183	113,00	
	46°	slightly brushed	2	●			●	1014 3184	83,00	
Oak | Mandorla	15*	brushed	2	●	●			1014 3172	107,00	
	15*	deep brushed	2	●		●		1004 3087	110,00	
	15*	brushed	2	●			●	1004 3085	113,00	
	46°	brushed	2	●	●			1014 3173	77,00	
	46°	deep brushed	2	●		●		1011 6492	80,00	
	46°	brushed	2	●			●	1014 3174	83,00	
Oak | Mocca	15*	brushed	2	●			●	1014 3179	113,00	
	46°	brushed	2	●			●	1014 3181	83,00	
Oak | Sasso	46°	brushed	2	●			●	1014 3185	83,00	
Oak slightly smoked | Cacao	15*	deep brushed	2	●		●		1004 3090	142,00	
Oak smoked	14*	deep brushed	2			●		1002 1695	146,00	49

Cradle to Cradle Certified® Silver for matt sealed and B-Protect® surfaces

Cradle to Cradle Certified® Bronze for naturally oiled surfaces

Smoked products are excluded (doesn't affect slightly smoked products)

SENTINEL HAUS INSTITUT

STUDIOPARK®

* without sapwood
° For production reasons, every second box can contain one layer with two half-size planks

Wood index 46
The rustic wood index 46 is also available in Studiopark format.
The somewhat smaller 1-strip-plank is standing out by an interesting play of colours, cracks and big knots – a lively look at an attractive price.

Award-winning

CRADLE TO CRADLE® SILVER

The 2-layer floors with matt sealed or B-Protect® surface from our production facility in St. Margrethen, which were already Bronze-certified, have now been awarded the Cradle to Cradle® Silver rating. All naturally oiled 2-layer products made in Switzerland are Cradle to Cradle® Bronze certified, while Silente products even have a Gold certificate.

CRADLE TO CRADLE®

Cradle to Cradle® is an innovative and integral approach to sustainability rooted not in reduction but in the reuse of raw materials in accordance with the motto "Waste is sustenance". Five main criteria are evaluated for certification: pure raw materials, recycling potential, energy consumption, water management and working conditions.

CLEVERPARK, Oak Mandorla 34

FORMPARK

Novel laying patterns

1-Strip-Planks

UNICOPARK	2000 – 4000 x 200 / 250 / 300 / 350 / 395 x 20 mm
SILVERLINE EDITION	2800 x 260 x 11 mm
CASAPARK 209 | 181 | 139	2200 x 209 / 181 / 139 x 14 mm
VILLAPARK | TRUE COLOURS EDITION	2100 x 190 x 9.5 mm
STUDIOPARK	1700 x 150 x 9.5 mm

Formpark

FORMPARK 780	780 x 260 x 11 mm
FORMPARK 520	520 x 260 x 11 mm
FORMPARK MINI 570	570 x 190 x 9.5 mm
FORMPARK MINI 380	380 x 190 x 9.5 mm
FORMPARK QUADRATO	650 x 130 x 11 mm
FORMPARK ROMBICO	735 x 130 x 9.5 mm

Long Planks

TRENDPARK	1450 x 130 x 11 mm
CLEVERPARK | CLEVERPARK SILENTE	1250 x 100 x 9.5 / 12.8 mm

Strips

UNOPARK	470 x 70 x 11mm
SOLOPARK	470 x 70 x 10 mm
MONOPARK | MONOPARK COMFORT	470 x 70 x 9.6 / 10.8 mm

Multi strips

TRIOPARK	2200 x 215 x 14 mm
MULTIPARK | MULTIPARK SILENTE	1200 x 140 x 9.5 / 10 / 12.8 mm

Solid parquet

SOLID PARQUET	160 x 23 x 8 mm
PREPARK | PREPARK COMFORT	480 x 117 x 8 / 10 mm
ON-EDGE	160 x 8 x 23 mm

FORMPARK® 780

780 × 260 × 11 mm

Package unit: 1 pallet = 28 boxes à 2.84 m² = 79.52 m²

Wood type | Colour	wood index surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art. No	Price FCA in €/m²	Photos in the current edition of ARTWORK on page/s
Oak	14* deep brushed	4			●		1001 9913	195,00	
	35 deep brushed	4			●		1001 9915	170,00	
Oak | Avorio	14* deep brushed	4	●		●		1001 9919	198,00	53
Oak smoked	14* deep brushed	4			●		1002 1691	218,00	
	24 deep brushed	4			●		1002 1692	193,00	
all "right"-strips									
Oak	14* deep brushed	4			●		1001 9914	195,00	
	35 deep brushed	4			●		1001 9916	170,00	
Oak | Avorio	14* deep brushed	4	●		●		1001 9920	198,00	53
Oak smoked	14* deep brushed	4			●		1002 1693	218,00	
	24 deep brushed	4			●		1002 1694	193,00	
all "left"-strips									

Cradle to Cradle Certified® Bronze for naturally oiled surfaces

Smoked products are excluded (doesn't affect slightly smoked products)

SENTINEL HAUS INSTITUT

FORMPARK® 520

520 × 260 × 11 mm

Package unit: 1 pallet = 42 boxes à 1.89 m² = 79.38 m²

Wood type | Colour	wood index surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art. No	Price FCA in €/m²	Photos in the current edition of ARTWORK on page/s
Oak	14* deep brushed	4			●		1001 9909	190,00	26
	35 deep brushed	4			●		1001 9911	165,00	
Oak | Avorio	14* deep brushed	4	●		●		1001 9917	193,00	53
Oak smoked	14* deep brushed	4			●		1002 1687	213,00	
	24 deep brushed	4			●		1002 1688	188,00	
all "right"-strips									
Oak	14* deep brushed	4			●		1001 9910	190,00	
	35 deep brushed	4			●		1001 9912	165,00	
Oak | Avorio	14* deep brushed	4	●		●		1001 9918	193,00	53
Oak smoked	14* deep brushed	4			●		1002 1689	213,00	
	24 deep brushed	4			●		1002 1690	188,00	
all "left"-strips									

Cradle to Cradle Certified® Bronze for naturally oiled surfaces

Smoked products are excluded (doesn't affect slightly smoked products)

SENTINEL HAUS INSTITUT

FORMPARK® 780 & 520

* without sapwood

PRACTICAL APPLIANCES

On the formpark.bauwerk.com website you'll find important information, picture galleries, exciting references and installation stalment data sheets for Formpark and Formpark Mini as well as a helpful Formpark calculator that allows you to calculate order quantities for the various patterns.

FORMPARK® MINI 570

570 × 190 × 9.5 mm

FSC® Mix 70 %

Package unit: 1 pallet = 48 boxes à 1.95 m² = 93.6 m²

Wood type | Colour	wood index surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art. No	Price FCA in €/m²	Photos in the current edition of ARTWORK on page/s
Oak (FSC® Mix 70%)	14* deep brushed	4			●		1002 4707	136,00	
	35 deep brushed	4			●		1002 4711	124,00	
Oak | Avorio (FSC® Mix 70%)	14* deep brushed	4	●		●		1002 4715	139,00	
Oak smoked (FSC® Mix 70%)	14* deep brushed	4			●		1002 4719	158,00	27
	24 deep brushed	4			●		1002 4723	139,00	
all "right"-strips									
Oak (FSC® Mix 70%)	14* deep brushed	4			●		1002 4708	136,00	
	35 deep brushed	4			●		1002 4712	124,00	
Oak | Avorio (FSC® Mix 70%)	14* deep brushed	4	●		●		1002 4716	139,00	
Oak smoked (FSC® Mix 70%)	14 * deep brushed	4			●		1002 4720	158,00	27
	24 deep brushed	4			●		1002 4724	139,00	
all "left"-strips									

Cradle to Cradle Certified® Bronze for naturally oiled surfaces

Smoked products are excluded (doesn't affect slightly smoked products)

SENTINEL HAUS INSTITUT

FORMPARK® MINI 380

380 × 190 × 9.5 mm

FSC® Mix 70 %

Package unit: 1 pallet = 72 boxes à 1.30 m² = 93.6 m²

Wood type | Colour	wood index surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art. No	Price FCA in €/m²	Photos in the current edition of ARTWORK on page/s
Oak (FSC® Mix 70%)	14* deep brushed	4			●		1002 4705	131,00	
	35 deep brushed	4			●		1002 4709	119,00	
Oak | Avorio (FSC® Mix 70%)	14* deep brushed	4	●		●		1002 4713	134,00	
Oak smoked (FSC® Mix 70%)	14* deep brushed	4			●		1002 4717	153,00	27
	24 deep brushed	4			●		1002 4721	134,00	
all "right"-strips									
Oak (FSC® Mix 70%)	14* deep brushed	4			●		1002 4706	131,00	
	35 deep brushed	4			●		1002 4710	119,00	
Oak | Avorio (FSC® Mix 70%)	14* deep brushed	4	●		●		1002 4714	134,00	
Oak smoked (FSC® Mix 70%)	14* deep brushed	4			●		1002 4718	153,00	27
	24 deep brushed	4			●		1002 4722	134,00	
all "left"-strips									

Cradle to Cradle Certified® Bronze for naturally oiled surfaces

Smoked products are excluded (doesn't affect slightly smoked products)

SENTINEL HAUS INSTITUT

FORMPARK® MINI 570 & 380

* without sapwood

SMALL FORMAT, BIG IMPACT

For those who love architectural patterns and maximum creative freedom: Bauwerk's Formpark Mini brings the fascinating visual characteristics of the unconventional Formpark products to smaller surfaces.

← back to the table of contents

FORMPARK® QUADRATO

650 × 130 × 11 mm

Package unit: 1 pallet = 32 boxes à 2.36 m² = 75.52 m²

Wood type | Colour	wood index surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art. No	Price FCA in €/m²	Photos in the current edition of ARTWORK on page/s
Oak	14*	–			●		1011 6525	118,00	54
Oak | Crema	14*	–				●	1011 6524	121,00	
Oak smoked	14*	–			●		1011 6526	140,00	

Cradle to Cradle Certified® Silver for matt sealed and B-Protect® surfaces

Cradle to Cradle Certified® Bronze for naturally oiled surfaces

Smoked products are excluded (doesn't affect slightly smoked products)

SENTINEL HAUS INSTITUT

FORMPARK® ROMBICO

735 × 130 × 9.5 mm

Package unit: 1 pallet = 42 boxes à 1.53 m² = 64.26 m²

Wood type | Colour	wood index surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art. No	Price FCA in €/m²	Photos in the current edition of ARTWORK on page/s
Oak	14* brushed	–			●		1011 6629	165,00	
Oak | Farina	14* brushed	–	●		●		1011 6630	168,00	55
Oak | Mandorla	14* brushed	–	●		●		1011 6631	168,00	

Smoked products are excluded (doesn't affect slightly smoked products)

SENTINEL HAUS INSTITUT

HERRINGBONE AND OTHER EXCITING LAYING PATTERNS

Formpark Quadrato



Formpark Rombico



FORMPARK® QUADRATO & FORMPARK® ROMBICO

* without sapwood

A HERRINGBONE REVIVAL

The herringbone laying pattern is going through something like a revival in current interior decorating and architecture magazines. This classic and elegant laying pattern lends every room a touch of an urban villa.

Whereas the introduced Formpark Rombico can be installed in the chevron pattern, Formpark Quadrato highlights on the classic herringbone-pattern. The prefect precision-fit allows a relaxed way of installation.

LONG PLANKS

Suitable for rooms of all sizes



UNICOPARK . . . . . 2000 – 4000 x 200 / 250 / 300 / 350 / 395 x 20 mm
SILVERLINE EDITION . . . . . 2800 x 260 x 11 mm
CASAPARK 209 | 181 | 139 . . . . . 2200 x 209 / 181 / 139 x 14 mm
VILLAPARK | TRUE COLOURS EDITION . . . . . 2100 x 190 x 9.5 mm
STUDIOPARK . . . . . 1700 x 150 x 9.5 mm



FORMPARK 780 . . . . . 780 x 260 x 11 mm
FORMPARK 520 . . . . . 520 x 260 x 11 mm
FORMPARK MINI 570 . . . . . 570 x 190 x 9.5 mm
FORMPARK MINI 380 . . . . . 380 x 190 x 9.5 mm
FORMPARK QUADRATO . . . . . 650 x 130 x 11 mm
FORMPARK ROMBICO . . . . . 735 x 130 x 9.5 mm

TRENDPARK . . . . . 1450 x 130 x 11 mm
CLEVERPARK | CLEVERPARK SILENTE . . . . 1250 x 100 x 9.5 / 12.8 mm

UNOPARK . . . . . 470 x 70 x 11 mm
SOLOPARK . . . . . 470 x 70 x 10 mm
MONOPARK | MONOPARK COMFORT . . . . . 470 x 70 x 9.6 / 10.8 mm



TRIOPARK . . . . . 2200 x 215 x 14 mm
MULTIPARK | MULTIPARK SILENTE . . . 1200 x 140 x 9.5 / 10 / 12.8 mm



SOLID PARQUET . . . . . 160 x 23 x 8 mm
PREPARK | PREPARK COMFORT . . . . . 480 x 117 x 8 / 10 mm
ON-EDGE . . . . . 160 x 8 x 23 mm

TRENDPARK®

1450 × 130 × 11 mm



Package unit: 1 pallet = 35 boxes à 2.64 m² = 92.40 m²

Wood type | Colour	COMPASS	wood index	surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art. No	Price FCA in €/m²	Photos in the current edition of ARTWORK on page/s
Oak		14*		–		●			1001 1713	105,00	
	●	14*	brushed	–		●			1013 7633	106,00	
		14*		–			●		1001 3191	108,00	
	●	14*	brushed	–			●		1013 7634	109,00	
	●	35	brushed	–		●			1013 7644	97,00	
	●	35	brushed	–			●		1013 7645	100,00	
Oak | Avorio		35	brushed	–	●		●		1013 7646	103,00	
Oak | Crema		14*		–				●	1009 7281	111,00	
	●	14*	brushed	–				●	1013 7635	112,00	
	●	35	brushed	–				●	1013 7647	103,00	
Oak | Deserto		14*	used-look	–	●		●		1013 8034	148,00	
Oak | Farina		14*		–	●		●		1001 3681	111,00	59
	●	14*	brushed	–	●		●		1013 7637	112,00	
	●	14*	brushed	–	●			●	1013 7636	115,00	
	●	35	brushed	–	●		●		1013 7648	103,00	
	●	35	brushed	–	●			●	1013 7649	106,00	
Oak | Mandorla	●	14*	brushed	–	●	●			1013 7638	109,00	
	●	14*	brushed	–	●		●		1013 7640	112,00	
	●	14*	brushed	–	●			●	1013 7642	115,00	
	●	35	brushed	–	●	●			1013 7650	100,00	
		35		–	●		●		1013 7651	102,00	
	●	35	brushed	–	●		●		1013 7652	103,00	
	●	35	brushed	–	●			●	1013 7653	106,00	
Oak | Sasso	●	14*	brushed	–	●			●	1013 7643	115,00	
	●	35	brushed	–	●			●	1013 7654	106,00	
Oak | Tabacco		14*	used-look	–	●		●		1013 8035	148,00	
Oak slightly smoked		15*		–			●		1013 8033	122,00	58
Oak slightly smoked | Crema		15*	brushed	–				●	1011 6487	125,00	
Oak smoked		14*		–		●			1013 7655	134,00	
	●	14*	brushed	–		●			1013 7656	135,00	
		14*		–			●		1001 1718	137,00	
	●	14*	brushed	–			●		1013 7657	138,00	
Oak smoked | Crema	●	14*	brushed	–				●	1013 7658	141,00	
Oak smoked | Farina		14*		–	●		●		1001 1720	140,00	
		24		–	●		●		1001 5018	117,00	

Cradle to Cradle Certified® Silver for matt sealed and B-Protect® surfaces

Cradle to Cradle Certified® Bronze for naturally oiled surfaces

Smoked products are excluded (doesn't affect slightly smoked products)

SENTINEL HAUS INSTITUT

Ordering products with proof of FSC® compliance

All parquet products marked 'FSC® 100%' or 'FSC® Mix 70%' in the Bauwerk price list are always delivered with proof of FSC® compliance (as a statement on our delivery documents). All other 2-layer products (except for North American wood types) can be ordered with proof of FSC® compliance on request.

FSC www.fsc.org FSC® C009732

The mark of responsible forestry

Important to know

› if proof of FSC® compliance is required for a project, one can use both, either products certified as FSC® 100% or also ones certified as FSC® Mix 70%

› proof of FSC® compliance is provided not as a certificate, but as information on the invoice.

If you have any questions, or if you would like to order products with proof of FSC® compliance, please ask your personal contact person.

TRENDPARK®

› Because of production reasons the boxes can contain some shorter strips. These strips can easily be used as start or end piece or be inserted in the surface.

* without sapwood

CLEVERPARK®

1250 × 100 × 9.5 mm



Package unit: 1 pallet = 48 boxes à 2.00 m² = 96.00 m²

Wood type | Colour	COMPASS	wood index	surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art. No	Price FCA in €/m²	Photos in the current edition of ARTWORK on page/s
Oak		14		–		●			1001 1650	75,00	
	●	14	brushed	–		●			1013 7659	76,00	
		14		–			●		1001 7488	78,00	
	●	14	brushed	–			●		1001 9901	79,00	
	●	34	brushed	–		●			1013 7666	66,00	
	●	34	brushed	–			●		1013 7667	69,00	
Oak | Avorio		34	brushed	–	●		●		1001 9905	72,00	61
Oak | Crema		14		–				●	1002 3102	81,00	67
	●	14	brushed	–				●	1002 2976	82,00	
		34		–				●	1003 9222	71,00	
	●	34	brushed	–				●	1004 3124	72,00	
Oak | Creta		14	brushed	–	●		●		1014 3313	82,00	
Oak | Farina		14		–	●	●			1001 1636	78,00	
		14		–	●		●		1013 7660	81,00	
	●	14	brushed	–	●		●		1001 9902	82,00	
		14		–	●			●	1002 3922	84,00	63
	●	14	brushed	–	●			●	1002 3103	85,00	
	●	34	brushed	–	●		●		1013 5854	72,00	
	●	34	brushed	–	●			●	1004 3125	75,00	
Oak | Farro		14	slightly brushed	–	●			●	1014 3314	85,00	
Oak | Grano		34		–	●	●			1001 8178	68,00	
Oak | Mandorla	●	14	brushed	–	●	●			1013 7663	79,00	
	●	14	brushed	–	●		●		1012 3585	82,00	
	●	14	brushed	–	●			●	1012 3586	85,00	
	●	34	brushed	–	●	●			1013 7668	69,00	
	●	34	brushed	–	●		●		1002 2968	72,00	
	●	34	brushed	–	●			●	1004 3075	75,00	
Oak | Sasso	●	14	brushed	–	●			●	1013 7665	85,00	64
	●	34	brushed	–	●			●	1011 6490	75,00	
Oak slightly smoked		15*		–			●		1013 8038	87,00	
Oak slightly smoked | Cacao		15*	brushed	–	●		●		1004 3091	91,00	
Oak slightly smoked | Crema		15*	brushed	–				●	1011 6486	91,00	
Oak smoked		14*		–		●			1001 1641	88,00	
	●	14*	brushed	–		●			1013 7669	89,00	
		14*		–			●		1013 7670	91,00	
	●	14*	brushed	–			●		1001 9903	92,00	
		24	brushed	–			●		1001 9904	83,00	
Oak smoked | Crema	●	14*	brushed	–				●	1002 3106	95,00	65

Long Planks

CLEVERPARK®

1250 × 100 × 9.5 mm



Package unit: 1 pallet = 48 boxes à 2.00 m² = 96.00 m²

Wood type | Colour	COMPASS	wood index	surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art. No	Price FCA in €/m²	Photos in the current edition of ARTWORK on page/s
Maple Canadian		14*		–		●			1001 1634	70,00	
Ash | Farina		13	brushed	–	●			●	1002 3923	91,00	
Cherry American		14*		–		●			1001 1645	87,00	
		34		–		●			1001 2797	71,00	
Walnut American		14*		–		●			1001 1647	127,00	
		14*		–			●		1001 3222	130,00	
		34		–		●			1001 2064	112,00	
		34		–			●		1009 7683	115,00	

Cradle to Cradle Certified® Silver for matt sealed and B-Protect® surfaces

Cradle to Cradle Certified® Bronze for naturally oiled surfaces

Smoked products are excluded (doesn't affect slightly smoked products)

SENTINEL HAUS INSTITUT

CLEVERPARK® SILENTE

1250 × 100 × 12.8 mm

Package unit: 1 pallet = 48 boxes à 1.50 m² = 72.00 m²

Wood type | Colour	wood index	surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art. No	Price FCA in €/m²	Photos in the current edition of ARTWORK on page/s
Oak	14*		–		●			1001 9906	109,00	
Oak | Farina	14*		–	●	●			1001 9907	112,00	
Oak smoked	14*		–		●			1001 9908	122,00	

Cradle to Cradle Certified® Gold für Cleverpark Silente Produkte

Smoked products are excluded (doesn't affect slightly smoked products)

SENTINEL HAUS INSTITUT

Long Planks

CLEVERPARK®

› Because of production reasons the boxes can contain some shorter strips. These strips can easily be used as start or end piece or be inserted in the surface.

* without sapwood

CLEVERPARK® SILENTE

› Cleverpark Silente impresses through a very good ambient sound reduction as well as an optimal impact sound insulation. Therefore it is the ideal product for new constructions but especially for renovation.

› The Bauwerk Silente-products need to be installed by using Bauwerk MS40. Should another type of glue be used, the manufacturer's guarantee automatically expires and no liabiltiy for possible damages can be granted.

* without sapwood

← back to the table of contents

Parquet that has a story to tell

USED-LOOK SURFACE

Used-look products tell a story and give a room a feeling of warmth. The worn edges and beautiful patina are typical of these on-trend products. It is the traces of use that give these floors their distinctive appearance, and they will only get more beautiful over time. This makes used look products easy to handle and care for.

The structure of the wood is clearly visible through the patina and gives it its unique charm that captivates and makes you dream about times gone by. Its 'used' look is exactly what makes these floors the perfect partner for a modern furnishing style with personality.

3 colours

Used-look is available in the shades Tabacco, Deserto and Tango.

All used-look surfaces are naturally oiled

Casapark page 10
Trendpark page 22
Unopark page 28

STRIPS

For classic or modern interiors



UNICOPARK . . . . . 2000 – 4000 x 200 / 250 / 300 / 350 / 395 x 20 mm
SILVERLINE EDITION . . . . . 2800 x 260 x 11 mm
CASAPARK 209 | 181 | 139 . . . . . 2200 x 209 / 181 / 139 x 14 mm
VILLAPARK | TRUE COLOURS EDITION . . . . . 2100 x 190 x 9.5 mm
STUDIOPARK . . . . . 1700 x 150 x 9.5 mm

1-Strip-Planks



FORMPARK 780 . . . . . 780 x 260 x 11 mm
FORMPARK 520 . . . . . 520 x 260 x 11 mm
FORMPARK MINI 570 . . . . . 570 x 190 x 9.5 mm
FORMPARK MINI 380 . . . . . 380 x 190 x 9.5 mm
FORMPARK QUADRATO . . . . . 650 x 130 x 11 mm
FORMPARK ROMBICO . . . . . 735 x 130 x 9.5 mm

Formpark

TRENDPARK . . . . . 1450 x 130 x 11 mm
CLEVERPARK | CLEVERPARK SILENTE . . . . 1250 x 100 x 9.5 / 12.8 mm

Long Planks

UNOPARK . . . . . 470 x 70 x 11 mm
SOLOPARK . . . . . 470 x 70 x 10 mm
MONOPARK | MONOPARK COMFORT . . . . . 470 x 70 x 9.6 / 10.8 mm

Strips



TRIOPARK . . . . . 2200 x 215 x 14 mm
MULTIPARK | MULTIPARK SILENTE . . . . 1200 x 140 x 9.5 / 10 / 12.8 mm

Multi strips



SOLID PARQUET . . . . . 160 x 23 x 8 mm
PREPARK | PREPARK COMFORT . . . . . 480 x 117 x 8 / 10 mm
ON-EDGE . . . . . 160 x 8 x 23 mm

Solid parquet

← back to the table of contents

UNOPARK® 11

470 × 70 × 11 mm (“right” strips)



Package unit: 1 pallet = 36 boxes à 2.64 m² = 95.04 m²

Wood type | Colour	wood index	surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art. No	Price FCA in €/m²	Photos in the current edition of ARTWORK on page/s
Oak	14*		–		●			1013 8902	76,10	
	14*		–			●		1013 8903	80,30	
Oak | Crema	14*		–				●	1013 8994	84,60	

SENTINEL HAUS INSTITUT

UNOPARK® 11

470 × 70 × 11 mm (“right” and “left” strips)

Package unit: 1 pallet = 36 boxes à 2.64 m² = 95.04 m²

Wood type | Colour	wood index	surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art. No	Price FCA in €/m²	Photos in the current edition of ARTWORK on page/s
Oak	14*		–		●			1013 8999	77,40	
	14*		–			●		1013 9000	81,80	
Oak | Avorio	14*	slightly brushed	–	●		●		1013 9373	87,80	
Oak | Crema	14*		–				●	1013 9002	86,20	
Oak | Deserto	14*	used-look	–	●		●		1013 9374	132,30	
Oak | Farina	14*		–	●		●		1013 9004	86,20	
Oak | Tabacco	14*	used-look	–	●		●		1013 9375	132,30	69
Oak slightly smoked	15*		–			●		1001 9956	106,00	
Oak smoked	14*		–		●			1000 2600	107,30	
	14*		–			●		1001 1732	111,40	
Maple Canadian	15*		–		●			1015 3185	95,50	
Acacia steamed	14*		–		●			1000 3569	108,40	
	14*		–			●		1015 3186	113,00	

SENTINEL HAUS INSTITUT

SOLOPARK®

470 × 70 × 10 mm



Package unit: 1 pallet = 36 boxes à 2.64 m² = 95.04 m²

Wood type | Colour	wood index	surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art. No	Price FCA in €/m²	Photos in the current edition of ARTWORK on page/s
Oak	14*		–		●			1013 9010	72,00	
	14*		–			●		1013 9011	76,30	
	15		–		●			1013 9012	69,70	
Oak | Crema	14*		–				●	1013 9015	80,70	
	15		–				●	1013 9016	78,50	
Oak | Farina	14*		–	●	●			1013 9018	76,30	
	14*		–	●		●		1013 9019	80,70	
Oak | Mandorla	15		–	●	●			1015 3292	74,10	
	15		–	●		●		1015 3293	76,90	
Oak smoked	14*		–		●			1013 9056	100,70	
	14*		–			●		1013 9057	105,10	

Smoked products are excluded (doesn't affect slightly smoked products)

SENTINEL HAUS INSTITUT

UNOPARK® 11 & SOLOPARK®

› Because of production reasons the boxes can contain some shorter strips. These strips can easily be used as start or end piece or be inserted in the surface.

* without sapwood

MONOPARK®

470 × 70 × 9.6 mm (“right” strips)



Package unit: 1 pallet = 36 boxes à 2.11 m² = 75.96 m²

Wood type | Colour	COMPASS	wood index surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art. No	Price FCA in €/m²	Photos in the current edition of ARTWORK on page/s
Oak	●	15	–		●			1000 5325	64,60	
	●	15	–			●		1001 8499	68,90	
Oak | Avena		15	–	●	●			1001 3668	68,90	
Oak | Caffelatte		15	–	●	●			1001 3669	68,90	
Oak | Crema	●	15	–				●	1002 3902	73,20	
Oak | Farina		15	–	●	●			1000 8675	68,90	
	●	15	–	●		●		1001 6944	73,20	
	●	15	–	●			●	1002 3903	77,40	70
Oak | Grano		15	–	●	●			1001 8378	68,90	
Oak | Mandorla	●	15	–	●	●			1013 9061	68,90	
	●	15	–	●		●		1011 7160	73,20	
	●	15	–	●			●	1011 7159	77,40	
Oak | Sasso	●	15	–	●			●	1011 7158	77,40	
Oak slightly smoked | Crema		15*	–				●	1011 7157	97,70	
Oak smoked	●	14*	–		●			1000 5327	93,40	71
	●	14*	–			●		1001 6982	97,70	
		24	–		●			1000 6898	87,10	
Oak smoked | Crema	●	14*	–				●	1002 3900	102,00	
Maple Canadian		15	–		●			1000 5316	75,60	
Beech steamed		13	–		●			1015 3182	60,40	
		15	–		●			1015 3181	57,70	
Ash		15	–		●			1000 6717	66,80	
Cherry American		13	–		●			1000 5329	94,20	
Walnut American		14	–		●			1000 5330	117,40	
		14	–			●		1001 6651	121,80	
		34	–		●			1000 6531	102,30	

Smoked products are excluded (doesn't affect slightly smoked products)

SENTINEL HAUS INSTITUT

MONOPARK®

470 × 70 × 9.6 mm (“right” and “left” strips)

Package unit: 1 pallet = 36 boxes à 2.11 m² = 75.96 m²

Wood type | Colour	wood index surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art. No	Price FCA in €/m²
Oak	13	–		●			1015 3183	71,90
	13	–			●		1015 3184	76,20
	15	–		●			1014 1851	66,40
	15	–			●		1012 9419	70,70
Oak | Crema	15	–				●	1012 9386	75,00
Oak | Farina	15	–				●	1012 9422	79,20

SENTINEL HAUS INSTITUT

MONOPARK® COMFORT

470 × 70 × 10.8 mm

Package unit: 1 pallet = 36 boxes à 1.84 m² = 66.24 m²

Wood type | Colour	wood index surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art. No	Price FCA in €/m²	Photos in the current edition of ARTWORK on page/s
Oak	13	–		●			1011 7891	85,10	
	15	–		●			1011 7889	79,60	
Oak | Crema	15	–				●	1011 7895	88,20	

SENTINEL HAUS INSTITUT

CLEANING & CARE

To preserve the beauty of a parquet floor for a long time, Bauwerk has a selected range of cleaning and care products that are tailored to our parquet. You can find this range on pages 54-56 along with a practical care oil matrix.

A summary of general information about cleaning and care can also be found in the "Good to know" flyer on our website: *bauwerk-parkett.com*

MONOPARK® & MONOPARK® COMFORT

› Because of production reasons the boxes can contain some shorter strips. These strips can easily be used as start or end piece or be inserted in the surface.

* without sapwood

Strips

Navigate your way to sales success

BAUWERK COMPASS

Bauwerk Compass enables you to guide your customers effortlessly through 75 Bauwerk products and offer them the right format depending on their wishes, size of room or budget. With a simple core range of 75 top sellers in the Bauwerk 2-layer range and a clever sales concept, you can focus on the essentials: the wishes and needs of your customers.

Components for providing successful advice:

- Bauwerk logo and Bauwerk values
- The Bauwerk guarantee package
- Quick sample board for sample carcase
- 11 sample boards for sample carcase
- Colour-neutral format bands
- Bauwerk marketing tools

MULTI STRIPS

Parquet elements for a ship deck look



UNICOPARK . . . . . 2000 – 4000 x 200 / 250 / 300 / 350 / 395 x 20 mm
SILVERLINE EDITION . . . . . 2800 x 260 x 11 mm
CASAPARK 209 | 181 | 139 . . . . . 2200 x 209 / 181 / 139 x 14 mm
VILLAPARK | TRUE COLOURS EDITION . . . . . 2100 x 190 x 9.5 mm
STUDIOPARK . . . . . 1700 x 150 x 9.5 mm

1-Strip-Planks



FORMPARK 780 . . . . . 780 x 260 x 11 mm
FORMPARK 520 . . . . . 520 x 260 x 11 mm
FORMPARK MINI 570 . . . . . 570 x 190 x 9.5 mm
FORMPARK MINI 380 . . . . . 380 x 190 x 9.5 mm
FORMPARK QUADRATO . . . . . 650 x 130 x 11 mm
FORMPARK ROMBICO . . . . . 735 x 130 x 9.5 mm

Formpark

TRENDPARK . . . . . 1450 x 130 x 11 mm
CLEVERPARK | CLEVERPARK SILENTE . . . . 1250 x 100 x 9.5 / 12.8 mm

Long Planks

UNOPARK . . . . . 470 x 70 x 11 / 12.5 mm
SOLOPARK . . . . . 470 x 70 x 10 mm
MONOPARK | MONOPARK KOMFORT . . . . . 470 x 70 x 9.6 / 10.8 mm

Stripd



TRIOPARK . . . . . 2200 x 215 x 14 mm
MULTIPARK | MULTIPARK SILENTE . . . . 1200 x 140 x 9.5 / 10 / 12.8 mm

Multi strips



KLEBEPARKETT . . . . . 160 x 23 x 8 mm
PREPARK | PREPARK KOMFORT . . . . . 480 x 117 x 8 / 10 mm
HOCHKANT . . . . . 160 x 8 x 23 mm

Solid parquet

TRIOPARK®

2200 × 215 × 14 mm

Package unit: 1 pallet = 50 boxes à 2.84 m² = 142.00 m²

Wood type | Colour	wood index surface	bevel on sides	stained	mat lacquered	natural oiled	Art. No	Price FCA in €/m²	Photos in the current edition of ARTWORK on page/s
Oak	14*	–		●		1002 4111	70,70	
	14*	–			●	1002 4110	75,10	
	15	–		●		1002 4113	63,50	
	15	–			●	1002 4112	67,80	
Oak | Farina	14*	–	●	●		1002 4115	75,10	
	14*	–	●		●	1002 4114	79,20	
Maple Canadian	15	–		●		1014 3694	88,70	
Beech steamed	14	–		●		1002 4119	64,40	

Naturally oiled products are excluded

SENTINEL HAUS INSTITUT

MULTIPARK® 10

1200 × 140 × 10 mm



Package unit: 1 pallet = 35 boxes à 2.69 m² = 94.15 m²

Wood type | Colour	wood index surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art. No	Price FCA in €/m²	Photos in the current edition of ARTWORK on page/s
Oak	14*	–		●			1011 6507	64,60	
	14* brushed	–			●		1011 6510	70,40	
Beech steamed	13	–		●			1015 3305	59,40	
	14	–		●			1015 3306	58,00	

Cradle to Cradle Certified® Silver for matt sealed and B-Protect® surfaces

Cradle to Cradle Certified® Bronze for naturally oiled surfaces

SENTINEL HAUS INSTITUT

MULTIPARK® 9.5

1200 × 140 × 9.5 mm



Package unit: 1 pallet = 40 boxes à 2.18 m² = 87.20 m²

Wood type | Colour	wood index surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art. No	Price FCA in €/m²	Photos in the current edition of ARTWORK on page/s
Oak	14*	–		●			1013 7672	56,60	
Oak | Crema	14*	–				●	1013 7673	65,30	
Oak | Farina	14*	–	●			●	1013 7674	69,60	

Cradle to Cradle Certified® Silver for matt sealed and B-Protect® surfaces

SENTINEL HAUS INSTITUT

MULTIPARK® SILENTE

1200 × 140 × 12.8 mm

Package unit: 1 pallet = 40 boxes à 1.51 m² = 60.40 m²

Wood type | Colour	wood index surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art. No	Price FCA in €/m²	Photos in the current edition of ARTWORK on page/s
Oak	14*	–		●			1013 7675	95,40	

Cradle to Cradle Certified® Gold für Multipark Silente Produkte

SENTINEL HAUS INSTITUT

Multi strips

TRIOPARK®

* without sapwood

5G-INTERLOCKING SYSTEM

Triopark ship deck flooring is basing on the 5G-interlocking system. The so-called "single-action" method is a proven, user friendly and fast connection method.



MULTIPARK® 10, MULTIPARK® 9.5 & MULTIPARK® SILENTE

› Because of production reasons the boxes can contain some shorter strips. These strips can easily be used as start or end piece or be inserted in the surface.

› The Multipark-Silente-Product features the same advantages as the Cleverpark-Silente-Products (page 25).

* without sapwood

← back to the table of contents

Quiet
Sustainable
Gentle

The innovative system solution – quiet, sustainable and gentle

BAUWERK SILENTE

With Silente technology, Bauwerk has developed an innovative system solution that combines Bauwerk parquet products with the Silente footfall and sound insulation underlay to achieve excellent sound reduction and optimum improvement in footfall sound. With Cleverpark and Multipark Silente, the mat is already applied to the underside of the product.



CRADLE TO CRADLE® GOLD

Our Silente products are based on the cradle-to-cradle principle. In other words, a closed loop system where the quality of all raw materials is ensured. Bauwerk parquet should never become a waste product or consume any unnecessary energy that harms the environment.

* tested by IHD Dresden & EMPA, Dübendorf (IHD-W431)
° by ÖTI Wien & EMPA, Dübendorf (EN ISO10140-1-5:2010)

SOLID PARQUET

For a timeless industrial look

1-Strip-Planks

UNICOPARK	2000 – 4000 x 200 / 250 / 300 / 350 / 395 x 20 mm
SILVERLINE EDITION	2800 x 260 x 11 mm
CASAPARK 209 | 181 | 139	2200 x 209 / 181 / 139 x 14 mm
VILLAPARK | TRUE COLOURS EDITION	2100 x 190 x 9.5 mm
STUDIOPARK	1700 x 150 x 9.5 mm

Formpark

FORMPARK 780	780 x 260 x 11 mm
FORMPARK 520	520 x 260 x 11 mm
FORMPARK MINI 570	570 x 190 x 9.5 mm
FORMPARK MINI 380	380 x 190 x 9.5 mm
FORMPARK QUADRATO	650 x 130 x 11 mm
FORMPARK ROMBICO	735 x 130 x 9.5 mm

Long Planks

TRENDPARK	1450 x 130 x 11 mm
CLEVERPARK | CLEVERPARK SILENTE	1250 x 100 x 9.5 / 12.8 mm

Strips

UNOPARK	470 x 70 x 11mm
SOLOPARK	470 x 70 x 10 mm
MONOPARK | MONOPARK COMFORT	470 x 70 x 9.6 / 10.8 mm

Multi strips

TRIOPARK	2200 x 215 x 14 mm
MULTIPARK | MULTIPARK SILENTE	1200 x 140 x 9.5 / 10 / 12.8 mm

Solid parquet

SOLID PARQUET	160 x 23 x 8 mm
PREPARK | PREPARK COMFORT	480 x 117 x 8 / 10 mm
ON-EDGE	160 x 8 x 23 mm

← back to the table of contents

PREPARK®

480 × 117 × 8 mm



Package unit: 1 pallet = 50 boxes à 3.80 m² = 190.00 m²

Wood type | Colour	wood index surface	bevel on sides	satin lacquered	Art. No	Price FCA in €/m²	Photos in the current edition of ARTWORK on page/s
Oak | Mosaic	14	–	●	1100 9809	65,30	
Oak | Parallel	14	–	●	1100 9840	65,30	73

PREPARK® COMFORT

480 × 117 × 10 mm

Package unit: 1 pallet = 50 boxes à 3.01 m² = 150.50 m²

Wood type | Colour	wood index surface	bevel on sides	satin lacquered	Art. No	Price FCA in €/m²	Photos in the current edition of ARTWORK on page/s
Oak | Mosaic	14	–	●	1100 9807	77,70	
	15	–	●	1000 3179	74,50	
Oak | Parallel	14	–	●	1100 9808	77,70	
	15	–	●	1000 3180	74,50	

With a laminated 2 mm thick cork-sublayer for better walking comfort and impact sound reduction.

SENTINEL HAUS INSTITUT

PREPARK® & PREPARK® COMFORT



Mosaic | Parallel

THE PRACTICAL MASSIVE FLOORING

Quick and uncomplicated installation is guaranteed thanks to the prepared elements prefabricated in the factory including lacquering.

SOLID PARQUET FSC® 100%

160 × 23 × 8 mm



Package unit: Mosaic = 36 boxes à 4.92 m² = 177.12 m² | Parallel = 36 boxes à 4.92 m² = 177.12 m² | English = 21 boxes à 4.92 m² = 103.32 m²

Wood type | Colour	wood index surface	bevel on sides	Art. No	Price FCA in €/m²	Photos in the current edition of ARTWORK on page/s
Oak | Mosaic (FSC® 100%)	12	–	1100 9721	34,00	
	24*	–	1100 9722	32,20	
	35	–	1100 9720	30,00	
Oak | Parallel (FSC® 100%)	12	–	1100 9739	35,70	
	24*	–	1100 9740	33,80	
	35	–	1100 9738	31,70	
Oak | English (FSC® 100%)	12	–	1100 9757	39,20	
	24*	–	1100 9758	36,50	
	35	–	1100 9756	34,90	

Bottom side with net

SENTINEL HAUS INSTITUT

ON-EDGE FSC® 100%

160 × 8 × 23 mm



Package unit: 23 mm = 36 boxes à 1.64 m² = 59.04 m²

Wood type | Colour	wood index surface	bevel on sides	Art. No	Price FCA in €/m²	Photos in the current edition of ARTWORK on page/s
Oak (FSC® 100%)	15	–	1101 0734	56,00	45

SENTINEL HAUS INSTITUT

SOLID PARQUET

Solid parquet, Format 160 mm / * = without sapwood



Mosaic | Parallel | English

ON-EDGE

On-edge, Format 320 x 160 mm



Solid parquet

Back to the table of contents

A love for detail

SPECIAL PARQUET SOLUTIONS

"Wood is changeable and flexible, which makes it the perfect material to design your living space consciously with your individual creations."

Reference: Herrenausstatter Connery, DE | Unopark Oak smoked & slightly smoked in herringbone | Foto: Yannick Wegner

ACCESSORIES IN WOOD

A love for detail

SKIRTING

Skirting

STAIR STEPS & STAIR NOSES

Stair steps & stair noses

VENTILATION GRIDS

Ventilation grids

SKIRTING MATRIX

	SOLID SKIRTING	MDF		VENEERED SKIRTING						
	Coverline 2400/10/20	**Profile "Old Berlin" 2500/60/18**	**Profile "Old Berlin" 2500/120/18**	**Classicline Kubus 2700/58/16**	**Classicline Kubus 2700/40/16**	**Classicline Kubus 2700/58/12**	**Classicline Kubus 2700/40/12**	**Softline F 2400/38/18**	**Cube 2700/20/17.5**	**Classicline Kubus 2700/95/16**
White covering after RAL 9010				■	■	■	■	■	■	■
White covering after RAL 9016				■	■	■	■			■
White laminated after RAL 9003		■	■							
Black							■			
Oak	■			■	■	■	■	■	■	■
Oak unfinished	■									
Oak | Ambra					■		■			
Oak | Avena					■	■	■			
Oak | Avorio					■		■			■
Oak | Caffè										■
Oak | Caffelatte					■	■	■			
Oak | Crema	■			■	■	■	■			■
Oak | Creta					■		■			
Oak | Deserto							■			
Oak | Fango					■		■			
Oak | Farina	■			■	■	■	■	■	■	■
match Oak Farina B-Protect®					■		■			
Oak | Farro					■		■			
Oak | Fulvo										■
Oak | Fumo										■
Oak | Gold					■		■			■
Oak | Grano					■		■			
Oak | Mandorla					■		■			■
match Oak Mandorla B-Protect®					■		■			
Oak Mocca					■		■			
Oak | Nuvola					■		■			
Oak | Roccia					■		■			
Oak | Sasso					■		■			
match Oak Sasso B-Protect®					■		■			
Oak | Silver										■
Oak | Tabacco							■			
Oak slightly smoked					■		■			
Oak slightly smoked | Cacao					■		■			
Oak slightly smoked | Canneto					■		■			
Oak slightly smoked | Terra					■		■			
Oak smoked	■			■	■	■	■		■	
Oak smoked | Crema					■		■			
Oak smoked | Farina					■		■			
Oak smoked | Lava					■		■			
Oak black limed					■		■			
Maple Canadian					■		■			
Acacia steamed					■		■			
Beech steamed					■					
Beech unsteamed					■		■			
Ash					■					
Ash | Farina							■			
Cherry American					■		■			
Walnut American					■	■	■			

SOLID SKIRTING

Solid Skirting. Available in bundles only. Due to production-related variances, the individual board lengths can vary between 1800 and 3750 mm. Most lengths are between 3000 and 3500 mm, and a bundle lot is guaranteed to have 25 running metres.

Description	Format mm	Wood types	mat lacquered	Art. No	Price FCA in €/m¹
Coverline M 2400/10 	**10/20/17** **Length:** **2400 mm** **Bundle lot 24 m¹**	Oak unfinished		1009 7718	6,20
		Oak	●	1009 7720	6,60
		Oak Crema	●	1009 7721	7,90
		Oak Farina	●	1009 7722	7,50
		Oak smoked	●	1009 7723	7,50

› All mat lacquered skirting boards also go well with nature oiled floors.

VENEERED SKIRTING – CLASSICLINE

Veneered skirting. Bundle with 10 pieces. Available in bundles only.

Description	Format mm	Wood type | Colour	mat lacquered	Art. No	Price FCA in €/m¹
Classicline Kubus 2700/95 	**95/16/16** **Length: 2700 mm** **Bundle lot 27 m¹**	White covering after RAL 9010	●	1014 3780	10,40
		White covering after RAL 9016	●	1014 3781	10,40
		Oak	●	1014 3782	10,10
		Oak Avorio	●	1014 3783	12,70
		Oak Caffè	●	1014 3784	12,70
		Oak Crema	●	1014 3785	12,70
		Oak Farina	●	1014 3786	12,70
		Oak Fulvo	●	1014 3788	12,70
		Oak Fumo	●	1014 3790	12,70
		Oak Gold	●	1014 3791	12,70
		Oak Mandorla	●	1014 3792	12,70
		Oak Silver	●	1014 3794	12,70

› All mat lacquered skirting boards also go well with nature oiled floors.

Skirting

VENEERED SKIRTING – CLASSICLINE

Veneered Skirting. Bundle with 10 pieces.
Available in bundles only.

Description	Format mm	Wood types	mat lacquered	Art. No	Price FCA in €/m¹
Classicline Kubus 2700/58 	**58/16/16 Length: 2700 mm Bundle lot 27 m¹**	White covering after RAL 9010	●	1011 8508	6,10
		White covering after RAL 9016	●	1011 8509	6,10
		Oak	●	1000 9546	6,00
		Oak Crema	●	1009 7689	7,20
		Oak Farina	●	1001 1931	7,20
		Oak smoked	●	1000 9539	7,20
Classicline Kubus 2700/40 	**40/16/16 Length: 2700 mm Bundle lot 27 m¹**	White covering after RAL 9010	●	1011 8510	5,20
		White covering after RAL 9016	●	1011 8511	5,20
		Oak	●	1000 9444	5,10
		Oak | Ambra	●	1011 7969	6,40
		Oak | Avena	●	1001 1924	6,40
		Oak | Avorio	●	1001 8976	6,40
		Oak | Caffelatte	●	1001 1923	6,40
		Oak | Crema	●	1002 3179	6,40
		Oak | Creta	●	1011 7974	6,40
		Oak | Fango	●	1011 7997	6,40
		Oak | Farina	●	1001 1926	6,40
		match Oak Farina B-Protect®	●	1002 4240	6,40
		Oak | Farro	●	1014 3508	6,40
		Oak | Gold	●	1001 8906	6,40
		Oak | Grano	●	1001 8908	6,40
		Oak | Mandorla	●	1002 3180	6,40
		match Mandorla B-Protect®	●	1009 7690	6,40
		Oak | Mocca	●	1014 0045	6,40
		Oak | Nuvola	●	1014 3511	6,40
		Oak | Roccia	●	1014 3509	6,40
		Oak | Sasso	●	1013 8375	6,40
		match Oak Sasso B-Protect®	●	1011 9834	6,40
		Oak slightly smoked	●	1002 2232	6,40
		Oak slightly smoked | Cacao	●	1009 7691	6,40
		Oak slightly smoked | Canneto	●	1012 5425	6,40
		Oak slightly smoked | Terra	●	1013 8371	6,40
		Oak smoked	●	1000 9450	6,40
		Oak smoked | Crema	●	1002 4169	6,40
		Oak smoked | Farina	●	1001 1927	6,40
		Oak smoked | Lava	●	1013 8373	6,40
		Oak black limed	●	1002 2234	6,40
		Maple Canadian	●	1000 9446	5,30
		match Maple Canadian B-Protect®	●	1009 7693	6,40
		Acacia steamed	●	1002 4142	6,40
		Beech steamed	●	1000 9445	5,20
		Beech unsteamed	●	1011 8512	5,20
		Ash	●	1002 4246	6,40
		Cherry American	●	1000 9448	5,50
		Walnut American	●	1000 9449	5,50

› All mat lacquered skirting boards also go well with nature oiled floors.

VENEERED SKIRTING – CLASSICLINE

Veneered Skirting. Bundle with 10 pieces.
Available in bundles only.

Description	Format mm	Wood types	mat lacquered	Art. No	Price FCA in €/m¹
Classicline Kubus 2700/58 	**58/12/12 Length: 2700 mm Bundle lot 27 m¹**	White covering after RAL 9010	●	1011 8513	5,70
		White covering after RAL 9016	●	1011 8514	5,70
		Oak	●	1001 1944	5,60
		Oak Avena	●	1001 1917	7,00
		Oak Caffelatte	●	1001 1916	7,00
		Oak Crema	●	1009 7696	7,00
		Oak Farina	●	1001 1919	7,00
		Oak smoked	●	1001 1949	7,00
		Walnut American	●	1001 1950	6,00
Classicline Kubus 2700/40 	**40/12/12 Length: 2700 mm Bundle lot 27 m¹**	White covering after RAL 9010	●	1011 8516	5,10
		White covering after RAL 9016	●	1011 8517	5,10
		Black	●	1011 8518	6,80
		Oak	●	1001 1781	5,00
		Oak | Ambra	●	1011 7999	6,30
		Oak | Avena	●	1001 1913	6,30
		Oak | Avorio	●	1001 8975	6,30
		Oak | Caffelatte	●	1001 1912	6,30
		Oak | Crema	●	1002 3174	6,30
		Oak | Creta	●	1011 8000	6,30
		Oak | Deserto	●	1002 4147	6,30
		Oak | Fango	●	1011 8001	6,30
		Oak | Farina	●	1001 1915	6,30
		match Oak Farina B-Protect®	●	1002 4241	6,30
		Oak | Farro	●	1014 3462	6,30
		Oak | Gold	●	1001 8898	6,30
		Oak | Grano	●	1001 8900	6,30
		Oak | Mandorla	●	1002 3175	6,30
		match Mandorla B-Protect®	●	1009 7697	6,30
		Oak | Mocca	●	1014 0043	6,30
		Oak | Nuvola	●	1014 3507	6,30
		Oak | Roccia	●	1014 3505	6,30
		Oak | Sasso	●	1013 8376	6,30
		match Oak Sasso B-Protect®	●	1011 9833	6,30
		Oak | Tabacco	●	1002 4148	6,30
		Oak slightly smoked	●	1002 2226	6,30
		Oak slightly smoked | Cacao	●	1009 7698	6,30
		Oak slightly smoked | Canneto	●	1012 5424	6,30
		Oak slightly smoked | Terra	●	1013 8372	6,30
		Oak smoked	●	1001 1794	6,30
		Oak smoked | Crema	●	1002 4168	6,30
		Oak smoked | Farina	●	1001 1793	6,30
		Oak smoked | Lava	●	1013 8374	6,30
		Oak black limed	●	1011 3449	6,30
		Maple Canadian	●	1001 1797	5,20
		match Maple Canadian B-Protect®	●	1009 7699	6,20
		Acacia steamed	●	1002 4149	6,30
		Beech unsteamed	●	1011 8564	5,10
		Ash | Farina	●	1002 2229	6,30
		Cherry American	●	1001 1799	5,30
		Walnut American	●	1001 1800	5,90

› All mat lacquered skirting boards also go well with nature oiled floors.

VENEERED SKIRTING – SOFTLINE

Veneered Skirting. Bundle with 10 pieces.
Available in bundles only.

Description	Format mm	Wood types	mat lacquered	Art. No	Price FCA in €/m¹
Softline F 2400/38 	**38/18/12** **Length: 2400 mm** **Bundle lot 24 m¹**	White covering after RAL 9010	●	1011 8566	4,90
		Oak	●	1011 8568	4,80
		Oak Farina	●	1101 1239	4,80

› All mat lacquered skirting boards also go well with nature oiled floors.

LAMINATED SKIRTING (ON MDF BACKING MATERIAL)

Laminated skirting on MDF backing material. Bundle with 10 pieces. Available in full bundles only..

Description	Format mm	Wood types	mat lacquered	Art. No	Price FCA in €/m¹
Profile "Old Berlin" 2500/60 	**60/18/9** **Length: 2500 mm** **Bundle lot 25 m¹**	White laminated after RAL 9003	●	1002 4238	5,30
Profile "Old Berlin" 2500/120	**120/18/9** **Length: 2500 mm** **Bundle lot 12,5 m¹**	White laminated after RAL 9003	●	1002 4239	8,90
Plinth blocks 	**125/21/21** **Package unit** **4 pieces**	White covering after RAL 9003	●	1002 4173	30,00
	65/21/21 **Package unit** **4 pieces**	White covering after RAL 9003	●	1002 4172	21,00

› All mat lacquered skirting boards also go well with nature oiled floors.

VENEERED SKIRTING – CUBE

Veneered Skirting. Bundle with 10 pieces.
Available in bundles only.

Description	Format mm	Wood types	mat lacquered	Art. No	Price FCA in €/m¹
Cube 2700/20 	**20/17.5/17.5** **Length: 2700 mm** **Bundle lot 27 m¹**	White covering after RAL 9010	●	1011 8569	5,90
		Oak	●	1002 3170	5,10
		Oak Farina	●	1002 3171	5,70
		Oak smoked	●	1002 3172	5,70

› All mat lacquered skirting boards also go well with nature oiled floors.

FARINA SKIRTING MATRIX

What Farina products can be combined with which Skirting? The table below helps you find this out.

Format	Surface treatment	Matching skirting boards
Casapark | Villapark | Studiopark | Formpark Rombico | Trendpark | Cleverpark | Solopark | Monopark (Comfort) | Triopark	natural oiled	1001 1915 (Classicline Kubus 2700/40/12) 1001 1926 (Classicline Kubus 2700/40/16) 1001 1919 (Classicline Kubus 2700/58/12) 1001 1931 (Classicline Kubus 2700/58/16) 1002 3171 (Cube) 1101 1239 (Softline F2400/38/18)
Casapark | Cleverpark (Silente) | Unopark 11 | Solopark | Monopark (Comfort) | Triopark | Multipark 10	mat lacquered	1101 1239 (Softline F2400/38/18) 1001 1915 (Classicline Kubus 2700/40/12) 1001 1926 (Classicline Kubus 2700/40/16) 1001 1919 (Classicline Kubus 2700/58/12) 1001 1931 (Classicline Kubus 2700/58/16) 1002 3171 (Cube 2700/20) / 1009 7722 (Coverline M 2400/10/20)
Casapark | Villapark | Studiopark | Trendpark | Cleverpark | Monopark (Comfort) | Multipark 9.5	B-Protect®	1002 4241 (Classicline Kubus 2700/40/12) 1002 4240 (Classicline Kubus 2700/40/16)
Silverline Edition | Unicopark	natural oiled	1014 3786 (Classicline Kubus 95/16/16)

Top 10 skirting box

The handy skirting board presentation of the ten most-sold colours and the five most used profiles.

Art. no.: 1001 8986

Skirting

Tasteful integration

PARQUET STAIRS

No matter the type of staircase, be it cantilever, classic, modern, straight or spiral: with stair steps, stair noses or panels from Bauwerk one can create sophisticated, creative solutions. All these products are produced in our factory in Switzerland. A new and unique production technology allows to fold stair noses without harming its surface.



Your advantages
- consistency in colour, gloss level and surface finish
- innovative production technology: no damaging of the surface
- swiss product in best Bauwerk quality
- efficient solutions thanks to prefabricated step-panels or steps
- endless freedom of design

Prefabricated panels for stair steps

By using large-size step-panels from Bauwerk, you can easily and efficiently customize two individual stair steps on site - no matter how complex the staircase is. Take advantage from this clever stair solution from Bauwerk, making two out of one.

Stairs made brilliantly simple
- for straight, curved and spiral staircases
- ustomization of two „ready to install“ steps
- the staircase is walkable again within short
- available in 3 lengths and all surfaces from the current assortment

step rectangular shape

step conical shape I

step conical shape II

Your contact:
Rolf Baumberger
T +41 71 747 72 08, *rolf.baumberger@bauwerk.com*

Andreas Kamber
T +41 71 747 74 91, *andreas.kamber@bauwerk.com*

STEP *(with solid edge or tongue / groove)*

Large-size panel for stair steps, made from parquet, wood type oak, carrier plate MDF 4 mm, both longitudinal sides with stair nosing 40 mm high, mitre joint, beveled edge, comes with solid edge or tongue / groove connection, shipdeck installation pattern, surface according to parquet, formats according to table.

Product group	Width step	Length of steps 1100 (Art. No.)	Price FCA in €*	Length of steps 1400 (Art. No.)	Price FCA in €*	Length of steps 1700 (Art. No.)	Price FCA in €*
Silverline Edition	700	1003 9129	536,07	1003 9130	680,25	1003 9131	826,52
Casapark 209	804	1003 9132	369,06	1003 9133	470,00	1003 9134	570,63
Casapark 181	825	1003 9135	347,29	1003 9136	441,63	1003 9137	536,25
Casapark 139	756	1003 9138	272,87	1003 9139	423,34	1003 9140	514,98
Villapark	680	1003 9141	376,22	1003 9142	478,10	1003 9143	459,55
Studiopark	820	1003 9144	311,09	1003 9145	395,09	1003 9146	479,64
Trendpark	700	1003 9150	311,09	1003 9151	395,09	1003 9152	479,64
Cleverpark	720	1003 9156	282,17	1003 9157	358,48	1003 9158	435,48
Unopark/Solopark	760	1003 9162	303,97	1003 9163	386,84	1003 9164	469,85
Monopark	760	1003 9159	282,17	1003 9160	358,15	1003 9161	435,48
Triopark	780/752	1003 9165	282,17	1003 9166	325,81	1003 9167	435,48

RISER *(with tongue / groove)*

Riser for large-size panel, made from parquet, wood type oak, carrier plate MDF 4 mm, comes with solid edge or tongue / groove connection, shipdeck installation pattern, surface according to parquet, formats according to table.

Product group	Width step	Length of steps 1100 (Art. No.)	Price FCA in €*	Length of steps 1400 (Art. No.)	Price FCA in €*	Length of steps 1700 (Art. No.)	Price FCA in €*
Silverline Edition	260	1003 9168	152,26	1003 9169	192,73	1003 9170	233,82
Casapark 209	209	1003 9171	108,60	1003 9172	137,80	1003 9173	167,30
Casapark 181	181	1003 9174	94,20	1003 9175	119,50	1003 9176	145,07
Casapark 139	278	1011 8004	131,79	1011 8005	167,85	1011 8006	203,63
Villapark	190	1003 9177	108,60	1003 9178	137,80	1003 9179	167,30
Studiopark	300	1003 9180	101,32	1003 9181	129,69	1003 9182	157,37
Trendpark	260	1003 9186	101,32	1003 9187	129,69	1003 9188	157,37
Cleverpark	200	1003 9192	86,79	1003 9193	111,40	1003 9194	135,28
Unopark/Solopark	210	1003 9198	94,20	1003 9199	119,50	1003 9200	145,07
Monopark	210	1003 9195	86,79	1003 9196	111,40	1003 9197	135,28
Triopark	215	1003 9201	86,79	1003 9202	111,40	1003 9203	135,28

GENERAL INFORMATION

Order on commission (C) / 20% surcharge on small quantities of up to 5 units / Other types of wood, oak smoked, oak slightly smoked and used-look-products available on request / Other installation patterns available on request



Step (with solid edge or tongue / groove)



Riser (with tongue / groove)



STAIR NOSES, MADE FROM PARQUET *(groove/edging)*

Standard type suitable for Villapark, Trendpark, Cleverpark, Monopark, Casapark and Triopark.
Angle 90°, horizontal section with groove, vertical section with tongue. Made from parquet, mitre joint, beveled edge.

Format	Wood type | Colour	wood index	surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art. No	Price FCA in €/m¹
Villapark – 150/40 Length: 2100 mm Bundle lot 4.20 m¹	**Oak**	14	deep brushed	2			●		1011 7618	69,85
	Oak | Avorio	14	deep brushed	2	●		●		1011 7619	71,30
	Oak | Crema	14	brushed	2				●	1011 7620	71,30
	Oak | Farina	14	deep brushed	2	●		●		1011 7621	71,30
	Oak | Farina	14	brushed	2	●			●	1011 7623	72,75
	Oak | Mandorla	14	deep brushed	2	●		●		1011 7624	71,30
	Oak | Mandorla	14	brushed	2	●			●	1012 5486	72,75
	Oak smoked	14	deep brushed	2			●		1011 7622	77,10
Trendpark – 90/40 Length: 1450 mm Bundle lot 2.90 m¹	**Oak**	14		–			●		1014 3605	68,95
Cleverpark – 60/40 Length: 1250 mm Bundle lot 2.50 m¹	**Oak**	14		–		●			1011 7628	61,15
	Oak	14		–			●		1011 7629	62,60
	Oak | Avorio	34	brushed	–	●		●		1014 3607	64,05
	Oak | Crema	14		–				●	1012 5487	64,05
	Oak | Crema	14	brushed	–				●	1011 7630	64,05
	Oak | Farina	14	brushed	–	●			●	1011 7632	65,50
	Oak | Mandorla	14	brushed	–	●		●		1013 9438	64,05
Monopark° – 100/40 Length: 1400 mm Bundle lot 2.80 m¹	**Oak**	13		–		●			1011 7635	66,95
	Oak	13		–			●		1011 7636	68,40
	Oak | Crema	15		–				●	1011 7639	69,85
Casapark – 100/40 Length: 2200 mm Bundle lot 4.40 m¹	**Oak**	14	brushed	2			●		1011 7640	68,40
	Oak	14		2		●			1011 7641	66,95
	Oak | Crema	14	brushed	2				●	1011 7642	69,85
	Oak | Farina	14	brushed	2	●		●		1012 5488	69,85
	Oak | Sasso	14	brushed	2	●		●		1011 7645	69,85
Casapark – 142/40 Length: 2200 mm Bundle lot 4.40 m¹	**Oak | Ambra**	15	brushed	2	●		●		1013 9466	71,30
	Oak | Farina	14	brushed	2	●			●	1012 5489	72,75
Triopark – 161/40 Length: 2200 mm Bundle lot 4.40 m¹	**Oak**	14		–		●			1011 7646	68,40

GENERAL INFORMATION

› Available in bundles only.
° Due to production reasons these stair noses do have transverse joints.

STAIR NOSING
with tongue/edge band
made from parquet





STAIR NOSES, MADE FROM PARQUET *(groove/tongue)*

Standard type suitable for Villapark, Trendpark, Cleverpark, Monopark, Casapark and Triopark.
Angle 90°, horizontal section with groove, vertical section with edging. Made from parquet, mitre joint, beveled edge.

Format	Wood type | Colour	wood index	surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art. No	Price FCA in €/m¹
Villapark – 150/40 Length: 2100 mm Bundle lot 4.20 m¹	**Oak**	14	deep brushed	2			●		1011 7647	65,50
	Oak | Avorio	14	deep brushed	2	●		●		1011 7648	66,95
	Oak | Crema	14	brushed	2				●	1011 7649	66,95
	Oak | Farina	14	deep brushed	2	●		●		1011 7650	66,95
	Oak | Farina	14	brushed	2	●			●	1011 7651	68,40
	Oak | Mandorla	14	deep brushed	2	●		●		1011 7653	66,95
	Oak | Mandorla	14	brushed	2	●			●	1012 5490	68,40
	Oak smoked	14	deep brushed	2			●		1011 7652	72,75
Trendpark – 90/40 Length: 1450 mm Bundle lot 2.90 m¹	**Oak**	14		–			●		1014 3606	65,50
Cleverpark – 60/40 Length: 1250 mm Bundle lot 2.50 m¹	**Oak**	14		–		●			1011 7657	56,80
	Oak	14		–			●		1011 7658	58,25
	Oak | Avorio	34	brushed	–	●		●		1014 3608	59,70
	Oak | Crema	14		–				●	1012 5491	59,70
	Oak | Crema	14	brushed	–				●	1011 7659	59,70
	Oak | Farina	14	brushed	–	●			●	1011 7661	61,15
	Oak | Mandorla	14	brushed	–	●		●		1013 9439	59,70
Monopark° – 100/40 Length: 1400 mm Bundle lot 2.80 m¹	**Oak**	13		–		●			1011 7664	62,60
	Oak	13		–			●		1011 7665	64,05
	Oak | Crema	15		–				●	1011 7668	65,50
Casapark – 100/40 Length: 2200 mm Bundle lot 4.40 m¹	**Oak**	14	brushed	2			●		1011 7669	64,05
	Oak	14		2		●			1011 7670	62,60
	Oak | Crema	14	brushed	2				●	1011 7671	65,50
	Oak | Farina	14	brushed	2	●		●		1012 5492	65,50
	Oak | Sasso	14	brushed	2	●		●		1011 7674	65,50
Casapark – 142/40 Length: 2200 mm Bundle lot 4.40 m¹	**Oak | Ambra**	15	brushed	2	●		●		1013 9467	66,95
	Oak | Farina	14	brushed	2	●			●	1012 5493	68,40
Triopark – 175/40 Length: 2200 mm Bundle lot 4.40 m¹	**Oak**	14		–		●			1011 7675	64,05

GENERAL INFORMATION

› Available in bundles only.
° Due to production reasons these stair noses do have transverse joints.

STAIR NOSING
with tongue and groove
made from parquet





SPECIAL STAIR NOSES, MADE FROM PARQUET

Special assortment to match all types of parquet. Dimensions, angle and finishing details variable. Lenghts up to 2200 mm. Anti slippery profile available on demand.

Wood type | Colour	Format	satin lacquered	mat lacquered	natural oiled	B-Protect®	Art. No	Price FCA in €/m¹	unit
Oak		●	●	●	●	1002 3427	104,40	m¹
Oak coloured			●	●	●	1002 3441	105,85	m¹
Oak smoked			●	●	●	1002 3443	114,55	m¹
Ash			●			1002 3444	101,50	m¹
Ash coloured					●	1002 3445	102,95	m¹
Beech steamed			●			1002 3447	101,50	m¹
Beech unsteamed			●			1002 3448	101,50	m¹
Maple Canadian			●			1002 3449	105,85	m¹
Acacia steamed			●	●		1002 3450	107,30	m¹
Cherry American			●			1002 3451	107,30	m¹
Walnut American			●	●		1002 3452	130,55	m¹
Edging								
Edging (loose) made from parquet top layers	Length 470–700 mm, Width 10–70 mm, thickness corresponding to relevant top layer					1002 4140	41,65	piece
Anti slippery profile								
Anti slippery profile in bulk, 10 mm large beige						1002 3395	20,60	m¹
Anti slippery profile in bulk, 10 mm large black						1002 3396	20,60	m¹
Anti slippery profile in bulk, 10 mm large grey						1002 3397	20,60	m¹
Anti slippery profile in bulk, 10 mm large brown						1002 3398	20,60	m¹
Anti slippery profile in bulk, 20 mm large black						1002 3399	20,60	m¹
Anti slippery profile in bulk, 20 mm large grey						1002 3400	20,60	m¹
Anti slippery profile in bulk, 20 mm large brown						1002 3401	20,60	m¹
Anti slippery profile in bulk, 20 mm large beige						1002 3402	20,60	m¹
Anti slippery profile fixed, over the whole length of the stair nose						1002 3497	34,65	m¹
Surcharge for clipped off ends						1002 3499	15,15	m¹

GENERAL INFORMATION STAIR NOSES SPECIAL

- Manufactured from parquet (own production).
- Length and angle as requested and mitred
- Comes either with tongue/edge band, tongue/groove or 5G connection
- 20% surcharge on small quantities up to 5 metres.
- Due to production reasons these stair noses do have transverse joints.

STAIR NOSING
with tongue/edge band made from parquet



STAIR NOSING
with tongue and groove or 5G made from parquet



STAIR TREADS

We can make one-sided or two-sided stair treads on request. The visible edge is slightly beveled or rounded. Surfaces are sealed or naturally oiled. These treads are made to measure for each order. Price and delivery times available on request.

CLOSED TREADS
Full tread 4-6 sided with insert



TREADS
Single angled tread



ANGLED STEPS
Stair angle 90 degrees



FASCIA BOARD
made from parquet



FEATURE STRIPS

		Format	satin lacquered	mat lacquered	non-lacquered	Art. No	Price FCA in €/m¹
Prefinished parquet feature strips, solid. Adapted for Unopark and Trendpark.							
	**Maple european Length: 1000 mm Bundle lot 20 m¹**	11 mm*	●			1002 3706	9,15
		11 mm*			●	1002 3707	9,15
	Wenge Length: 1000 mm Bundle lot 20 m¹	11 mm		●		1014 3207	13,00
		11 mm			●	1002 3709	13,00
		9.5 mm			●	1014 3209	12,15
		9.5 mm		●		1014 3208	12,15
Tongue only (Bundle lot 50 m¹)						1002 3705	1,70

› Available in full bundles only (feature strips)
* while stocks last

← back to the table of contents

VENTILATION GRID / WALL PANEL

We produce ventilation grids and wall elements for all Bauwerk parquets on customization.



Different models of ventilation grids from the Villapark Oak range

A LOVE OF DETAIL BROCHURE

Everything from a single source. Bauwerk parquet offers a wide range of possibilities for designing your living space, from treads and skirting boards to ventilation grilles.

Item numbers, 2021 edition:
1014 4060 german | 1014 4063 french
1014 4062 italy | 1014 4061 english

ACCESSOIRIES

CLEANING & CARE

PRIMER, GLUE & TROWELS

MEASURING DEVICES

SOUND INSULATION MATS & COVER FLEECE

CLEANING

suitable for all surfaces

CLEANING PRODUCTS	Package unit	Art. No	Price FCA in €/unit	unit
Bauwerk Parquet Cleaner For regular cleaning. Add to mopping water.	Container 1 liter Box of 10 pieces	1101 0989	10,70	container
BASIC CLEANER				
Bauwerk Intensive Cleaner | Basic Cleaner for heavily contaminated surfaces and for removing old layers of care products. Apply pure.	Container 1 liter	1101 0992	16,80	container
SPOT REMOVER for all surfaces Bauwerk				
Bauwerk Universal Spot Remover Spray Removes dark rings and spots on oiled surfaces effectively.	Container 0.15 liter	1014 3558	12,90	container
SPOT REMOVER for natural-oiled surfaces				
Bauwerk Tannin Spot Remover Spray For dealing with rust, iron oxide and greying	Container 0.25 liter	1014 3555	28,55	container
Bauwerk Universal Spot Remover Plus For dealing with oil and grease	Container 1 liter	1014 3556	51,00	container
CLEANING DEVICES AND CLEANING WIPES				
Bona mops with telescoping handle (with cloth) surface mop for regular parquet care.	1 piece Box of 10 pieces	1001 8936	57,70	piece
Bauwerk Spraymop Mop with practical spray function, including Bauwerk parquet cleaner and microfiber cleaning cloth	1 piece	1012 4109	58,10	piece
Bauwerk microfiber cleaning cloth suitable for Bauwerk Spraymop and Bona mop	1 piece	1012 4110	19,90	piece
Refillable Bauwerk Spray Mop 0.65 liter Without content	Container 0.65 liter	1012 5638	9,40	container
Refillable Spray Mop 4 liter Ready-to-use cleaner in disposable container, **(not suitable with Bauwerk Spraymop 1012 4109)**	Container 4 liter	1002 2242	45,40	container

Care oil matrix *for natural oiled parquet*



CARE OF NATURALLY OILED PARQUET

For first treatment and maintenance

MOP CARE	Package unit	Art. No	Price FCA in €/unit	unit
Bauwerk Mop Care also for cleaning of lightely dirty parquets.	Container 1 liter, Box of 12 pieces	1101 0994	23,55	liter
BAUWERK CARE OIL "ECO" (Watery care oil with short drying time, VOC-free. consumption: 1 liter/ 40 – 50 m²)				
Bauwerk Care oil "Eco" (Colourless)	Container 1 liter, Box of 12 pieces	1002 2243	28,10	liter
Bauwerk Care oil Eco (White)	Container 1 liter, Box of 12 pieces	1002 2244	35,20	liter
BAUWERK CARE OIL (Care oil with short drying time, solvent-based, consumption: 1 liter/ 50 – 60 m²)				
Bauwerk Care oil (Colourless)	Container 1 liter, Box of 6 pieces	1101 0996	26,05	liter
	Container 2.5 liter	1101 0997	24,65	liter
Bauwerk Care oil | White	Container 1 liter, Box of 6 pieces	1001 8888	30,50	liter
Bauwerk Care oil | Grey	Container 1 liter, Box of 6 pieces	1001 8890	30,50	liter
Bauwerk Care oil | Beige	Container 1 liter, Box of 6 pieces	1001 8889	30,50	liter
Bauwerk Care oil | Light Brown	Container 1 liter, Box of 6 pieces	1001 8886	30,50	liter
Bauwerk Care oil | Golden Brown	Container 1 liter, Box of 6 pieces	1001 8887	30,50	liter
Bauwerk Care oil | Brown	Container 1 liter, Box of 6 pieces	1001 8885	30,50	liter
Bauwerk Care oil | Black	Container 1 liter, Box of 6 pieces	1001 8884	30,50	liter
BAUWERK CARE OIL PLUS (Care oil with high solid content for first treatment and maintenance, consumption: 1 liter/ 50 m²)				
Bauwerk Care oil Plus | Colourless	Container 1 liter, Box of 6 pieces	1012 6153	31,10	liter
Bauwerk Care oil Plus | White	Container 1 liter, Box of 6 pieces	1012 6154	35,70	liter
Bauwerk Care oil Plus | Grey	Container 1 liter, Box of 6 pieces	1012 6157	35,70	liter
Bauwerk Care oil Plus | Golden Brown	Container 1 liter, Box of 6 pieces	1012 6156	35,70	liter
Bauwerk Care oil Plus | Brown	Container 1 liter, Box of 6 pieces	1013 5500	35,70	liter
Bauwerk Care oil Plus | Black	Container 1 liter, Box of 6 pieces	1012 6155	35,70	liter

CARE OF LACQUERED PARQUET

Care of parquet with lacquered and mat lacquered surfaces

	Package unit	Art. No	Price FCA in €/unit	unit
Bauwerk parquet care "Eco" Water based care product for initial treatment and maintenance. Apply undiluted and let dry. consumption: 1 litre for approx. 100 m²	Container 1 liter, Box of 12 pieces	1002 3187	23,15	liter
Bauwerk Wax Polish Polish for an initial treatment to protect edges directly after laying. Apply undiluted and polish. consumption: 1 litre for approx. 200 m². ***Bauwerk Wax Polish is not intended for B-Protect® surfaces***	Container 1 liter	1002 2750	44,00	liter

CLEANING AND MAINTENANCE SET

Product	Package unit	Art. No	Price FCA in €/unit	unit
Bauwerk Cleaning and Care Set for oiled surfaces Parquet cleaner, mop and care oil "Eco" colourless	1 piece	1014 3559	58,10	piece
Bauwerk Cleaning and Care "Eco" set for parquet with lacquered, mat lacquered and B-Protect® surfaces Parquet cleaner, parquet care "Eco"	1 piece	1002 3212	31,75	piece

Bauwerk MS40 – efficient and 100% suitable for healthy living

- 10-year warranty
- Optimized recipe
- Cradle to Cradle Gold-certified
- Outstanding ridge formation
- Fast hardening and increased initial adhesion
- Highly reduces risk of hollow spots, especially with large-size elements
- Direct bonding on different materials possible
  If you have any questions, please contact our application engineer

10 YEARS BAUWERK PRODUCT WARRANTY BAUWERK Parquet

CERTIFIED cradle to cradle GOLD

GEV-EMICODE EC 1 PLUS sehr emissionsarm

SENTINEL HAUS INSTITUT

REPAIR OIL

For adjusting the colour of parquet, stairs, furniture, etc. Consumption: approx. 1 litre/20 m²

Product	Package unit	Art. No	Price FCA in €/unit	unit
Bauwerk Repair oil | Colourless	Container 1 liter, Box of 6 pieces	1012 5634	41,80	liter
Bauwerk Repair oil | Ambra	Container 1 liter, Box of 6 pieces	1011 8494	50,70	liter
Bauwerk Repair oil | Argento	Container 1 liter, Box of 6 pieces	1001 8116	50,70	liter
Bauwerk Repair oil | Avena	Container 1 liter, Box of 6 pieces	1001 3901	50,70	liter
Bauwerk Repair oil | Avorio	Container 1 liter, Box of 6 pieces	1002 4027	50,70	liter
Bauwerk Repair oil | Cacao	Container 1 liter, Box of 6 pieces	1009 7710	50,70	liter
Bauwerk Repair oil | Caffè	Container 1 liter, Box of 6 pieces	1014 3560	50,70	liter
Bauwerk Repair oil | Caffelatte	Container 1 liter, Box of 6 pieces	1001 3903	50,70	liter
Bauwerk Repair oil | Creta	Container 1 liter, Box of 6 pieces	1011 8495	50,70	liter
Bauwerk Repair oil | Deserto	Container 1 liter, Box of 6 pieces	1001 8117	50,70	liter
Bauwerk Repair oil | Fango	Container 1 liter, Box of 6 pieces	1011 8496	50,70	liter
Bauwerk Repair oil | Farina	Container 1 liter, Box of 6 pieces	1001 3900	50,70	liter
Bauwerk Repair oil | Fulvo	Container 1 liter, Box of 6 pieces	1014 3562	50,70	liter
Bauwerk Repair oil | Fumo	Container 1 liter, Box of 6 pieces	1014 3563	50,70	liter
Bauwerk Repair oil | Gold	Container 1 liter, Box of 6 pieces	1001 8120	50,70	liter
Bauwerk Repair oil | Mandorla	Container 1 liter, Box of 6 pieces	1004 3419	50,70	liter
Bauwerk Repair oil | Sasso	Container 1 liter, Box of 6 pieces	1002 2950	50,70	liter
Bauwerk Repair oil | Silver	Container 1 liter, Box of 6 pieces	1001 8121	50,70	liter
Bauwerk Repair oil | Tabacco	Container 1 liter, Box of 6 pieces	1001 8118	50,70	liter
REPAIR OIL TRUE COLOURS EDITION 2-component repair oil for adjusting the colours of the True Colours Edition, consumption: approx. 1 litre/20 m²				
Bauwerk Repair oil | Canneto	Container 1 liter, Box of 6 pieces	1012 5485	50,20	liter
Bauwerk Repair oil | Terra	Container 1 liter, Box of 6 pieces	1013 9283	50,20	liter
Bauwerk Repair oil | Lava	Container 1 liter, Box of 6 pieces	1013 9281	50,20	liter
Bauwerk Repair oil | Nuvola	Container 1 liter, Box of 6 pieces	1014 3564	50,20	liter
Bauwerk Repair oil | Roccia	Container 1 liter, Box of 6 pieces	1014 3565	50,20	liter

BAUWERK B-PROTECT® REPAIR

2-component repair oil for colour matching to True Colours Edition colours, approx. 1 litre/20 m2 required

Product	Package unit	Art. No	Price FCA in €/unit	unit
Bauwerk B-Protect® Repair | Crema light	Container 30 ml	1014 5746	27,10	piece
Bauwerk B-Protect® Repair | Crema dark	Container 30 ml	1014 5747	27,10	piece
Bauwerk B-Protect® Repair | Farina	Container 30 ml	1014 5748	27,10	piece
Bauwerk B-Protect® Repair | Sasso	Container 30 ml	1014 5749	27,10	piece
Bauwerk B-Protect® Repair | Mandorla	Container 30 ml	1014 5750	27,10	piece
Bauwerk B-Protect® Repair | Oak smoked Crema light	Container 30 ml	1014 5751	27,10	piece
Bauwerk B-Protect® Repair | Oak smoked Crema dark	Container 30 ml	1014 5752	27,10	piece
Bauwerk B-Protect® Repair | Mocca	Container 30 ml	1015 2824	27,10	piece
Bauwerk B-Protect® Repair | Farro	Container 30 ml	1015 2825	27,10	piece
Bauwerk B-Protect® Repair | Ash Farina	Container 30 ml	1015 2826	27,10	piece
Bauwerk B-Protect® Repair | Oak slightly smoked	Container 30 ml	1015 2827	27,10	piece

JOINT FILLER

JOINT FILLER		Package unit	Art. No	Price FCA in €/unit	unit
Bona Mix & Fill Plus | Joint filler for raw parquet for mixing with sanding dust. Water-based and colourless.		Container 5 liter pallett: 132×5 liter	1001 3899	20,80	liter

PRIMER FOR GLUES

	Label	Package unit	Art. No		Price FCA in €/unit	unit
Bauwerk Primer PLUS (Concentrate) Primer under Bauwerk F5 on flow anhydrite. Classification EC1 Plus.	GEV-EMICODE EC 1 PLUS very low emission	Container 5 liter	1000 4115	S	10,00	liter
Bona R590 Moisture barrier on cement screed with a moisture content of up to max. 5 %. Only in combination with Bauwerk MS40 or MS35. Classification EC1 Plus (please use trowel type A3)	GEV-EMICODE EC 1 PLUS very low emission	Container 8 kg	1009 7716	S	24,00	kg
Bona D501 | Dust-binding primer for silane-based adhesives Bauwerk MS40 and MS35.	GEV-EMICODE EC 1 PLUS very low emission	Container 5 liter	1014 3557	S	11,25	kg

Bauwerk glue scale

Format	MS 40*	MS 35*	F5**	Adhesive Trowel type
Unicopark* **	✔			**2/4**
Silverline Edition | Villapark | Studiopark	✔	✔		**2**
Casapark	✔	✔		**4**
Formpark 780 & 520 | Formpark Mini 570 & 380 | Formpark Quadrato | Formpark Rombico	✔	✔		**2**
Trendpark | Cleverpark	✔	✔		**2**
Unopark | Solopark | Monopark | Monopark Comfort	✔	✔	✔	**1**
Multipark 10 | Multipark 9.5	✔	✔		**2**
Solid parquet | On-edge	✔ [1]		✔	**1**
Prepark | Prepark Comfort	✔	✔	✔	**1**
Cleverpark Silente | Mulitpark Silente	✔			**2**
Triopark	✔	✔		**4**
Bauwerk Silente mat	✔			**1**

✔ Recommended by Bauwerk ✔ Possible alternative

Note:

* for cement screeds with an increased moisture content of up to max. 5% apply first Bona R590 moisture barrier

** when applying F5 on calcium sulphate flowing screed, apply first Bauwerk Primer Plus

*** In harsh and very dry indoor climate conditions, we recommend using an adhesive classified as 'hard elastic', as per ISO EN 17178. Simply ask our Application Technology unit regarding the best-suited hard elastic adhesive.

[1] Applies to oiled surfaces, for lacquered surfaces only use Bona lacquer

General Information

› this table is applicable for examined, suitable subfloors for parquet such as cement-, calcium sulphate- and calcium sulphate flowing screed, chipboards and fibreboards.

› all types of glue listed in this overview are suitable for underfloor heating

› for any further information please address to your Bauwerk contact person

GLUE & TROWEL

MS-HYBRID PARQUET ADHESIVE	Label	Package unit	Art. No	Price FCA in €/unit	unit	
Bauwerk MS40 Silane-modified-prepolymer single-component parquet adhesive.	eco 1 / GEV-EMICODE EC 1 PLUS very low emission / cradle to cradle GOLD / SENTINEL HAUS INSTITUT	Container 15 kg Palette: 44×15 kg	1000 4114	9,65	kg	
Bauwerk MS35 Silane-modified-prepolymer single-component parquet adhesive.	eco 1 / GEV-EMICODE EC 1 PLUS very low emission / SENTINEL HAUS INSTITUT	Container 15 kg Palette: 44×15 kg	1000 9142	8,35	kg	
Bona Quantum Hard elastic 1-component silane-modified adhesive.	eco 1 / GEV-EMICODE EC 1 PLUS very low emission	Container 15 kg Palette: 44×15 kg	1014 5215	13,95	kg	
DISPERSION ADHESIVES						
Bauwerk F5 | Dispersion adhesive with reduced swelling for raw and prefinished parquet.	eco 1 / GEV-EMICODE EC 1 PLUS very low emission / SENTINEL HAUS INSTITUT	Container 22 kg Palette: 24×22 kg	1000 4109	5,01	kg	
ADHESIVE TROWEL						
Bauwerk adhesive Trowel, Type 1, 18 cm large **(TKB Type B6)** rate of application approx. 850 g/m²		1 piece, Box of 10 pieces	1000 4272	4,00	piece	△
Bauwerk adhesive Trowel, Type 1, 25 cm large **(TKB Type B6)** rate of application approx. 850 g/m²		1 piece, Box of 10 pieces	1000 5456	4,75	piece	△
Bauwerk adhesive Trowel, Type 2, 18 cm large **(TKB Type B10)** rate of application approx. 1000 g/m²		1 piece, Box of 10 pieces	1000 4273	4,00	piece	△
Bauwerk adhesive Trowel, Type 2, 25 cm large **(TKB Typ eB10)** rate of application approx. 1000 g/m²		1 piece, Box of 10 pieces	1000 5457	4,75	piece	△
Bauwerk adhesive Trowel, Type 4, 18 cm large **(TKB Type B13)** rate of application approx. 1250 g/m²		1 piece, Box of 10 pieces	1002 3680	6,10	piece	△
BBauwerk adhesive Trowel, Type 4, 25 cm large **(TKB Type B13)** rate of application approx. 1250 g/m²		1 piece, Box of 10 pieces	1002 3681	6,15	piece	△
Bauwerk adhesive Trowel, Type A3, 25 cm large For the application of Bona R590. Rate of application approx. 500 g/m²		1 piece, Box of 10 pieces	1001 3961	5,95	piece	△

MEASURING DEVICES

MEASURING DEVICES	Package unit	Art. No	Price FCA in €/unit	unit
Fidbox® V6 Sensor for measuring and recording of temperature and humidity under the parquet	1 piece	1002 3183	284,20	piece
FP Desktop Professional Software to read out and analyse Fidbox V6. Available for download under www.floorprotector.at. Smart USB-Dongle 4.0 is sent by Floor Protector after download and registration.	**Annual subscription 120 €**			

SOUND INSULATION MAT & COVER FLEECE

IMPACT-SOUND ABSORPTION MAT to be fully bonded or for floating installation	Package unit	Art. No	Price FCA in €/unit	unit
Bauwerk Silente, ambient- and impact sound absorbtion mat* Long-term flexible mat for full area bonding underneath Bauwerk parquet. Also suitable for floating installation.	Roll 7.5 m² width 100 cm ca. 3.4 mm thick	1002 1415	13,00	m²
IMPACT-SOUND ABSORPTION MAT only for floating installation				
Cork underlayer Cork for floating installation.	Roll 30 m², width 100 cm, ca. 2 mm thick	1101 1466	4,95	m²
Viscoh Air | Only or floating installation.	Roll 12.5 m², width 100 cm, ca. 2 mm thick	1011 9821	5,30	m²
IMPACT-SOUND ABSORPTION MAT to be fully bonded				
Cork Also for glue down installation.	Roll 32.20 m², width 41.50 cm, ca. 2 mm thick	1000 1293	6,75	m²
COVER FLEECE				
Cover Fleece Breathable, self adherend and water tight, to protect the parquet floor	Roll 50 m², width 100 cm, ca. 2 mm thick	1002 2248	4,65	m²

* The Bauwerk Silente-products need to be installed by using Bauwerk MS40. Should another type of glue be used, the manufacturer's guarantee automatically expires and no liabiltiy for possible damages can be granted.

CASAPARK 209, Oak Ambra 15

Make a mark together

THE BAUWERK WARRANTY PACKAGE

Every floor by Bauwerk is a unique piece, an authentic element of living space, made by Bauwerk following top quality standards, and professionally installed by you as a Bauwerk Partner. With the individually numbered Bauwerk ID, we can seal the deal on this cooperation.

With Bauwerk ID, the client gets an attractive warranty package for their registered floor, including:

› *An aluminium Bauwerk ID with your personal identification number*
› *A 10-year product warranty after successful registration*
› *1 set of cleaning and care products, matched to the type of parquet*
› *Special cleaning and care tips for the floor*

Ordering and installing a Bauwerk ID

Order a warranty package for every residential unit. For every format, there is either a package suitable for natural oiled, lacquered or natural waxed surfaces. **Important:** Before the floor is installed, please determine the optimal location for the Bauwerk ID with the client. The warranty extension only becomes valid for the Bauwerk product after it is registered and the Bauwerk ID is installed.

Your advantages:

› Increased customer satisfaction: The warranty is an important service for end customers.
› Customers can access the lodged information at any time (product and contact details) even when the property is sold.
› Installed Bauwerk IDs promote recommendations.
› Bauwerk reminds end customers of the required floor cleaning and care which increases demand for your services as well as for cleaning and care products.

WARRANTY PACKAGE

The warranty package for your customers

Product	Package unit	Art. No	Price FCA in €/unit
Warranty package for oiled surfaces | Bauwerk Parquet Cleaner, Bauwerk Mop Care and Bauwerk Care oil "Eco" (Colourless)	1 piece	see matrix	125,35
Warranty package for parquet with lacquered, mat lacquered and B-Protect® surfaces | Bauwerk Cleaning and Care "Eco"	1 piece	see matrix	98,05

Parquet formats	Surface treatment	
	natural oiled	**B-Protect®, mat lacquered**
Silverline / Formpark	1014 3537	1012 3345
Unicopark 200 mm	1014 3548	–
Unicopark 250 mm	1014 3549	–
Unicopark 300 mm	1014 3550	–
Unicopark 350 mm	1014 3551	–
Unicopark 395 mm	1014 3552	–
Casapark 139	1014 3538	1002 4677
Casapark 181	1014 3539	1002 4679
Casapark 209	1014 3540	1002 4681

Parquet formats	Surface treatment	
	natural oiled	**B-Protect®, mat lacquered**
Villapark / Formpark Mini	1014 3541	1002 4683
Studiopark	1014 3542	1002 4685
Formpark Rombico	1014 3543	
Trendpark Formpark Quadrato	1014 3544	1002 4687
Cleverpark	1014 3545	1002 4689
Unopark / Monopark / Solopark	1014 3546	1002 4692
Unopark 12.5	–	1013 9278
Multipark	1014 3547	1002 4698

CASAPARK 209, Oak Farina 45

← back to the table of contents

MARKETING TOOLS

A perfect presentation for satisfied customers

Take advantage of our versatile marketing tools for the optimal customer experience at every touch point of the buying process.

Especially in the first phases of the buying process a visit to your showroom is decisive for customers. Thanks to the modular shop-in-shop concept, the customer can see and feel Bauwerk parquet also in your showroom. Take advantage and provide the customer also with important informational material and brochures.

Your sales representative will be pleased to support you in selecting the optimal sales tools.

BAUWERK SHOP-IN-SHOP: THE PERFECT SHOWCASE FOR YOU

The proven, modular shop-in-shop combines a professional look with optimal product presentation. Bauwerk offers you full support to create an attractive presence.

Interested? Get in touch with Bauwerk.

BROCHURES FOR YOUR CLIENTS

Artwork 2021
An inspiring magazine with useful tips and news for conscious living space design.
A perfect tool for consultations.

Art. No Issue 2021:
1014 4068 german | 1014 4071 french
1014 4070 italian | 1014 4069 english

Healthy living
Under the slogan of Healthy Living, Bauwerk makes an important contribution to improving quality of life. This brochure contains all information about this topic.

Art. No:
1015 1639 german | 1015 1640 french
1015 1641 italian | 1015 1642 english

Style Book Silverline Edition
Inspiring room pictures, background information and colour overview.

rtikel-Nummern Issue 2021:
1014 4048 german | 1014 4051 french
1014 4050 italian | 1014 4049 english

Style Book Unicopark
Inspiring room pictures, background information and colour overview.

Art. No Issue 2021:
1014 4056 german | 1014 4059 french
1014 4058 italian | 1014 4057 english

Style Book True Colours Edition
Designer Gesa Hansen loves wood as a material: its smell and texture, its natural character. She has created the new True Colours edition in cooperation with Bauwerk, inspired by nature and its elements.

Art. No Issue 2021:
1014 4044 german | 1014 4047 french
1014 4046 italian | 1014 4045 english

Style Book Formpark
Inspiring room pictures, background information, colour overview and installation options.

Art. No Issue 2021:
1014 4052 german | 1014 4055 french
1014 4054 italian | 1014 4053 english

A love for detail
Custom solutions for stairs, ventilation grids and other elements. The Bauwerk product range offers countless combinations for designing architectural details.

Art. No:
1012 3721 german | 1012 3722 french
1012 3723 italian | 1012 6044 english

User guide for parquet flooring
This brochure is provided to the client once the floor is completed. With product - information and tips on handling and maintaining parquet floors.

Art. No:
1015 1627 german | 1015 1629 french
1015 1630 italian | 1015 1631 english

Good to know
Cleaning & Care
With proper cleaning and care, parquet will bring you joy for a long time. This brochure offers a number of useful tips about this.

Art. No:
1015 1643 german | 1015 1644 french
1016 1645 italian | 1015 1646 english

Good to know
Warranty package & Bauwerk ID
Useful information about the Bauwerk warranty package and Bauwerk ID.

Art. No:
1015 1561 german | 1015 1562 french
1015 1563 italian | 1015 1564 english

Good to know Renovation
Useful information about renovation.

Art. No:
1015 1647 german | 1015 1648 french
1015 1649 italian | 1015 1650 english

← back to the table of contents

DIGITAL TOLLS FOR YOU

Online promotions in the Bauwerk Marketplace

At marketplace.bauwerk-parkett.com, you can find over 200 parquet floors at attractive net prices. Browse wherever you are and order your favourites in just a few clicks. Your order will be processed immediately by your personal sales adviser and shipped. We hope you have lots of fun buying Bauwerk Parkett online.

Questions?
Get in touch with your Bauwerk contact or send an email to: *marketplace@bauwerk.com*

Online parquet visualiser for remote consultations

The Bauwerk parquet visualiser supports you and your customers when making a decision about a new parquet floor. A photograph of the room in question can be taken on a smartphone or tablet and the image uploaded to the visualiser. The user can now choose from over 200 Bauwerk parquet floors and alter the colour, format and installation pattern. The tool makes choosing a suitable parquet floor much easier and turns the decision process into an interactive experience.

Try it out now and let your customers know:
visualizer.bauwerk-parkett.com

Free Artwork shipping service for your website

By adding a simple button to your website, you can benefit from the free Artwork shipping service. This is how it works:

1. Position the order button with a simple link on your website.
2. Your customer orders Artwork via a web form.
3. Bauwerk ships Artwork to the desired address free of charge.
4. You receive the contact details of your customer via email.
5. Your customer will then receive an invitation to register for a consultation with you.

The forms and emails will contain your company logo and address.
Interested? Register for details with your external sales advisor.

Order the magazine
to your home
Click here

A glimpse into our parquet production

THE WAY OF PARQUET

We have been producing parquet with reliability and precision to meet the highest demands for more than 80 years, and we are proud of our Swiss origins. The path from tree trunk to round timber to finished parquet is long, but well thought out. We value quality in every aspect.

1 ORIGIN OF WOOD

97 per cent of the wood we process comes from Europe, and only 3 per cent from North America (e.g. walnut).

2 SAW MILL

A third of our demand for timber is covered by our own sawmills in Russia, Lithuania and Croatia.

3 KILN DRYING

Since 2017, we have been carrying out raw-material-oriented processing steps, such as kiln drying and cutting of lamellas directly in the growth areas. This way, it is possible for us to usefully create value in the country of origin, causing less environmental pollution thanks to the lower weight of dried wood.

4 TOP LAYER PRODUCTION

Nevertheless, our main site in Switzerland is still the focus of any further processing as our brand stands for Swiss quality.

5 GLUING AND PRESSING

The top layer and the base are bonded to each other and compressed.

97%
of the wood comes from Europe

6 SURFACE PROCESSING

The brushing and coating require a lot of finesse, as every piece of wood is unique. The challenge here is to achieve a consistent gloss level and shade.

100%
of the wood comes from controlled sources.

7 PROFILING AND FINAL QUALITY CONTROL

Final processing includes profiling and edge treatment: precision is required here so that the planks can be laid together quickly and without difficulty at the construction site. As a final quality inspection, the planks are manually checked and sorted if necessary.

The quality of the product is controlled 14 times during its manufacture

8 STORAGE

The parquet is then neatly packaged to protect it against humidity. This way, 63 per cent of the Bauwerk range of products is currently produced at the St.Margrethen site, which is not going to change in the future.

63%
of the Bauwerk product range is produced in Switzerland

GENERAL TERMS OF BUSINESS AND RETURN CONDITIONS

Our general terms of business are to be found on the Bauwerk website under the following link:
http://www.bauwerk-parkett.com/en/terms-and-conditions.html
for download and/or for printing.

All important conditions in context with your order are clearly specified on our order confirmation.
In addition, the following return conditions apply:

Return conditions

- Return of goods (up to a max. of 5 % of the relevant delivery) are only accepted within 30 days after date of the invoice. Thereafter, returns are not accepted anymore.
- Damaged and/or opened boxes, solid parquet mosaic and on-edge, promotion and best value (2nd choice) articles specially produced articles, parquet from exotic timbers and skirting are excluded from the right to return.
- Solely accepted are goods in perfect condition and packed in its original packaging.
- Generally, a deduction of 40% is made on the net value of the goods. The goods need to be returned at the customers expense to our central warehouse.
- Possible, further incurring costs will be deducted.

ORIGIN OF WOOD & CERTIFICATES

As of November 2022. Subject to changes in certification standards each year.

All the types of wood we use come from managed forests. In 2020, 49% of the wood and wood-based materials used were either FSC® or PEFC®-certified. Although not all of the volume required can be procured on the market with FSC® or PEFC® certification, all the wood used comes from managed, sustainable forests. The legality of the wood's origin is checked by internal and independent external audits.

Wood specie	*Herkunft*
Spruce	Schweiz, Europe
Oak / Oak smoked	Europe
Ash	Europe
Beech	Europe
Acacia steamed	Europe
Walnut american	USA, Europe
Maple canadian	Canada
Cherry american	USA

FSC®: Bauwerk Parkett manufactures hardwood floors made from tropical wood types and additional selected products in the standard range with FSC® status. These FSC® products are marked as such in the price list, either as FSC® 100% (products with spruce-fir substrate) or as FSC® Mix 70% (products with HDF substrate). The required proof that such a product is FSC®-certified is listed on the delivery and invoice documents. Non-FSC® products cannot be declared as such retrospectively.

Eco-Institut-Label: The Eco-Institut Label is recognised as an international quality seal for low-pollutant, low-emission products by e.g. the building assessment programmes LEED, BREEAM and DGNB. The certified Bauwerk products were tested by the Eco-Institut for any emissions or substances that may be harmful to health and meet the strict requirements. The table to the right shows a selection of the permitted limits.

Eco-Institut parameters	*Limits*
TVOC after 28 days	≤ 300 µg/m³
Formaldehyde after 28 days	≤ 36 µg/m³
Ammonia after 28 days (smoked products only)	≤ 100 µg/m³
Mutagenic substances and substances toxic to human reproduction	≤ 1 µg/m³ per individual value
AOX, EOX, phthalates, organotin compounds	individual limits

Cradle to Cradle®: All our 2-layer products manufactured at our facility in St. Margrethen have all been awarded at least the Cradle to Cradle® Bronze certificate. Floors made there with matt sealed and B-Protect® surfaces achieve Cradle to Cradle® Silver, while all Bauwerk Silente products are even certified Cradle to Cradle® Gold.

ecobau Zertifizierung (CH): several Bauwerk Parkett products as well as some glue and accessory products are tested by the ecobau association for their suitability for Minergie-ECO buildings and ecoDevis. The respective rating is marked in the price list. If the construction project requires an eco2 rating, spruce-fir products with proof of FSC® status can be used without restriction.

All of our printed products have been **Cradle to Cradle® Bronze** certified since 2021.

Höchste Ökoeffektivität
Cradle to Cradle® zertifizierte
Druckprodukte von Lokay

© Bauwerk Parkett | 11.2022