

# PRICES 2023

Bauwerk Parquet overview



Valid starting from 1<sup>st</sup> May 2023 (under reserve)  
Version International, Euro

**BAUWERK®**  
*Parquet*

# AVAILABILITY

Wood is a natural raw material and is purchased once a year. Availability and characteristics depend largely from climatic conditions.

<b>S stock program</b> quantities below 150 m <sup>2</sup> are normally available within 2 weeks	<b>C commission program</b> quantities below 150 m <sup>2</sup> are normally available within 4 weeks	<b>A Accumulation</b> by product, available depending upon production	<b>AA on demand</b> please contact your personal contact at Bauwerk
---	--	--	--

Availability information for quantities over 150 m<sup>2</sup> will be provided on request

## WE ARE AT YOUR DISPOSAL

Ieva Melnikaitytė	Customer service manager Lithuania	ieva.melnikaityte@bauwerk-group.com	+ 370 626 36570	Chile, Middle East, Turkey, India, Cyprus, Greece, Portugal, Malta
Salvina Klimienė	Customer service	salvina.klimiene@bauwerk-group.com	+ 370 619 26631	Poland, Slovenia, Bulgaria, Macedonia, Montenegro, Bosnia and Herzegovina
Gediminas Petruškevičius	Customer service	gediminas.petruskevicius@bauwerk-group.com	+370 618 28 349	Sweden, Lithuania, Romania
Kristina Vileikytė	Customer service	kristina.vileikyte@bauwerk-group.com	+370 615 29458	Spain, Latvia, Estonia, Asia, Israel
Eduardas Voišel	Customer service	eduardas.voisel@bauwerk-group.com	+370 620 98893	Finland, Ukraine, Georgia, Azerbaijan, Armenia, Moldova, Kazakhstan, Croatia, Czech Republic, Slovakia, Hungary
Vitalija Tamošiūnaitė	Customer service	vitalija.tamosiunaite@bauwerk-group.com	+370 684 06127	Denmark, Iceland, Belgium, Netherlands

# CONTENT

## 1-Strip-Planks

Unicopark   Exclusive combination of different lengths and widths	13
Silverline Edition   Subtle elegance generously interpreted	13
Casapark   The 3-layer country-style floorboard with character	14
Villapark   The 1-strip plank with the feel-good factor	16
Villapark True Colours Edition   An homage to nature	17
Studiopark   The 1-strip plank that suits any room	19

## Formpark

Formpark 780 & 520   Parquet newly interpreted	22
Formpark Mini 570 & 380   Ample creativity for small surfaces	23
Formpark Quadrato   The classic herringbone pattern in large format	25
Formpark Rombico   Chevron and many more creative patterns	25

## Long planks

Trendpark   Unconventional and trendy	26
Cleverpark 1250   The classy allrounder	28
Cleverpark Silente   The innovative system solution – silent, sustainable, smooth	29
Cleverpark 900   Clever meets creative	30

## Strips

Unopark   The classic parquet for herringbone installation	31
Solopark   The classic product for projects	32
Monopark   The versatile entry-level product	33
Monopark Comfort   The versatile entry-level product with impact sound insulation	34

## Multi strips

Triopark   The multi-strip board with 5G-connecting system	35
Multipark   The classic product for quick installation	36
Multipark Silente   The innovative system solution – silent, sustainable, smooth	36

## Solid parquet

Prepark   The functional solid wood floor	37
Prepark Comfort   The functional solid wood floor with impact sound insulation	37
Solid parquet   A long-lasting piece of Bauwerk tradition	38
On-Edge   Solid and durable	38

## Accessories in wood

Skirting	45
Stair noses	50
Stair steps & feature strips	56
Ventilation grids	57

## Other accessories

Bauwerk Warranty-Package	60
Cleaning & Care	61
Oil Finish	61
Primers for adhesives	65
Bauwerk Hard Wax Oil	65
Glue & Trowels	66
Measuring Devices, Sound Insulation & Cover Fleece	68
Sound Insulation & Cover Fleece	69

## Further information

Grading	4	General terms of business	70
Surfaces, structures and bevels	5	Origin of wood & certificates	72
Formats	11	Bauwerk Marketing-Tools	74
Bauwerk Compass	39		

# GRADING

Wood is a multifaceted natural product, and every board is a unique piece. Bauwerk ranks the individual boards according to its appearance using the grading index below. The grading index must be read as follows:  
Grading 13 means that all wood characteristics from 1 to 3 can be included. A Grading 35, on the other hand, only contains the wood characteristics 3 to 5.

As a rule of thumb one can say that the lower the number, the calmer the overall aspect of a floor is, and the higher the number, the more lively or rustic the aspect is.

Wood characteristics	Grading 13			Grading 35		
	1 Very regular, uniform	2 Regular	3 Varied	4 Very varied	5 Peculiar characteristics	6 Very lively grain, rustic
Oak	Pith rays possible	Few small knots and pith rays possible. Subtle vivid hues.	Mid-sized knots, distinct pith rays. Vivid hues possible.	Distinctive knots and pith rays. Sapwood possible. Vivid hues present.	Large knots. Sapwood and pith rays present. Very vivid hues.	Large, distinctive knots, sapwood and pith rays present, very vivid hues, pits and cracks possible
Ash	Pith rays possible	Few small knots possible. Pith rays possible.	Mid-sized knots. Pith rays possible.	Distinctive knots, pith rays and brown heartwood possible. Vivid hues present.	Large knots, brown heartwood. Pith rays possible. Very vivid hues.	Not available with this type of wood
Beech	Pith rays possible	Few small knots possible. Pith rays possible.	Mid-sized knots. Distinct pith rays possible.	Distinctive knots, red heartwood, very visible pith rays and vivid hues present.	Large knots, red heartwood, distinctive pith rays possible and very vivid hues.	Not available with this type of wood
Maple	Pith rays possible	Few small knots and pith rays possible.	Mid-sized knots. Pith rays and subtle vivid hues possible.	Distinctive knots, brown heartwood, very visible pith rays and vivid hues present.	Large knots, brown heartwood, distinctive pith rays possible and very vivid hues.	Not available with this type of wood
Acacia	Pith rays possible	Few small knots and pith rays possible. Subtle vivid hues.	Mid-sized knots, distinct pith rays. Vivid hues possible.	Distinctive knots and pith rays. Vivid hues present.	Large knots. Pith rays present. Very vivid hues.	Not available with this type of wood
Cherry	Pith rays possible	Few small knots and pith rays possible. Subtle vivid hues.	Mid-sized knots, distinct pith rays. Vivid hues possible.	Distinctive knots and pith rays. Sapwood possible. Vivid hues present.	Large knots, sapwood and pith rays present. Very vivid hues.	Not available with this type of wood
Walnut	Pith rays possible	Few small knots and pith rays possible. Subtle vivid hues.	Mid-sized knots, pith rays and vivid hues possible.	Distinctive knots and pith rays. Sapwood possible. Vivid hues present.	Large knots, sapwood and pith rays present. Very vivid hues.	Not available with this type of wood

Pith rays: Also called medullary or wood rays / knots: can also be filled

# SURFACES, STRUCTURES & BEVELS

## Strong surfaces

Bauwerk parquet surfaces impress with their high quality, long-lasting protection, excellent functionality and an even, natural look. Bauwerk surfaces are manufactured in a sustainable way and are recyclable and 100% suitable for healthy living, i.e. free of harmful emissions, nanoparticles and pollutants such as phthalates and plasticisers. Another plus point is that parquet has an antibacterial effect.

### Natural oiled parquet: appealing to the senses, natural, easy-to-repair

With its matte look and tangible feel, a natural oiled parquet appeals to all the senses. The very durable, breathable surface supports the natural effect of the wood. A natural oiled floor may need slightly more maintenance but more than makes up for it with its low tendency to stain and the fact that it is easy to repair.

### B-Protect®: natural surface and invisible protection

The unique surface sealant with the look of raw surface combines a dull matt natural look with the benefits of classic sealant. This Bauwerk innovation is easy to care for and resilient. One special benefit is that even when exposed to light for a long period of time, the colour of wood changes only slightly.

### Mat lacquered: practical, long-lasting, functional


With a silky matt sheen, the high-quality sealant from Bauwerk reveals the intricacies of the wood and also protects it from heavy use. The hard-wearing, exceptionally easy to care for surface with a very low tendency to stain makes natural floors fit for any living environment.

## Structures

Brushing gives the wood a fine, noticeable structure creating subtle contrasts in its reflections. The structure of the wood becomes particularly noticeable when walked on barefoot. Bauwerk Parquet distinguishes between different surface structures: slightly brushed, brushed and deep brushed. If no surface structure is selected, then the product is sanded for a smooth finish.


## Bevels

The slight slant of an edge is called a bevel. Bevels emphasise the plank aspect of the floor and give the room a distinctive look.




Without bevel

If the planks do not have a bevel, the room has a calmer and more continuous look.



Bevelled on two sides

Two-sided bevelling is only found on the long sides of each plank, which makes the room look longer.



Bevelled on four sides

Four-sided bevelling gives each individual plank a more pronounced look.

# BAUWERK PARQUET ASSORTMENT

(excluding Solid parquet)

Product	Format/Thickness	Surfaces	Oak	Oak Ambra	Oak Avena	Oak Avorio	Oak Caffè	Oak Caffiatte	Oak Caramello	Oak Crema
			nol	mvs	bpr	nol	mvs	bpr	nol	nol
<b>Unicopark</b>	2000 – 4000 x 200 – 395 x 20 mm	nol	35/46			35	46			
<b>Unicopark Handcrafted</b>	2000 – 4000 x 200 – 395 x 20 mm	nol				46				
<b>Silverline Edition</b>	2800 x 260 x 11 mm	nol	14*/35			35				14*/35
		bpr								
<b>Casapark 209</b>	2200 x 209 x 14 mm	nol	14*/15/45	15						14*/45
		bpr								
<b>Casapark 181</b>	2200 x 181 x 14 mm	mvs	14*/45							
		nol	14*/15/45	15						
		bpr								14*/45
<b>Casapark 139</b>	2200 x 139 x 14 mm	mvs	14*/15/45							
		nol	14*/15/45							
		bpr								14*/45
<b>Villapark</b>	2100 x 190 x 9.5 mm	mvs	14*/35*							
		nol	14*/35*			35*	14*/35*			
		bpr								14*/25*/35*
<b>Villapark True Colours Edition</b>	2100 x 190 x 9.5 mm	nol								
<b>Studiopark</b>	1700 x 150 x 9.5 mm	mvs	15*/46							
		nol	15*/46			15*/46				15*/46
		bpr								
<b>Formpark</b>	780/520 x 260 x 11 mm	nol	14*/35			14*				
<b>Formpark Mini</b>	570/380 x 190 x 9.5 mm	nol	14*/35			14*				
<b>Formpark Quadrato</b>	650 x 130 x 11 mm	nol	14*						14*	
		bpr	14*							14*
<b>Formpark Rombico</b>	735 x 130 x 9.5 mm	nol	14*							
<b>Trendpark</b>	1450 x 130 x 11 mm	mvs	14*/35							
		nol	14*/35			35				
		bpr								14*/35
<b>Cleverpark 1250</b>	1250 x 100 x 9.5 mm	mvs	14*/34							
		nol	14*/34			34				14*/34
		bpr								
<b>Cleverpark 900</b>	900 x 100 x 9.5 mm	mvs	14*/34						34	
		nol	14*/34							14*/34
		bpr								
<b>Cleverpark Silente</b>	1250 x 100 x 12.8 mm	mvs	14*							
<b>Unopark</b>	470 x 70 x 11 mm	mvs	14*							
		nol	14*			14*				
		bpr								14*
<b>Solopark</b>	470 x 70 x 10 mm	mvs	14*/15							
		nol	14*							
		bpr								15/15*
<b>Monopark</b>	470 x 70 x 9.6 mm	mvs	13/15		15			15		
		nol	13/15							
		bpr								15
<b>Monopark Comfort</b>	470 x 70 x 10.8 mm	mvs	13/15							
		nol								
		bpr								15
<b>Triopark</b>	2200 x 215 x 14 mm	mvs	14*/15							
		nol	14*/15							
<b>Multipark 10</b>	1200 x 140 x 10 mm	mvs	14*							
		nol	14*							
<b>Multipark 9.5</b>	1200 x 140 x 9.5 mm	mvs	14*							
		bpr								14*
<b>Multipark Silente</b>	1200 x 140 x 12.8 mm	mvs	14*							

mvs = mat lacquered | nol = natural oiled | bpr = B-Protect®

Oak Creta	Oak Deserto	Oak Fango	Oak Farina	Oak Farro	Oak Fulvo	Oak Fumo	Oak Gold	Oak Grano	Oak Mandorla	Oak Mocca	Oak Nuvola	Oak Roccia
35/46			46		46		46		46			
		14*/35				14*/35						
15			14*/45									
			14*/45									
15		45*	45									
			14*/45									
			45									
25*			14*/35*/46			35*						
			14*/35*	25*								
											25*	25*
			15*/46									
15*/46			15*/46									
			15*	15*/46						15*/46	15*/46	
			14*							14*		
			14*							14*		
			14*							14*		
14*			14*/35							14*/35	14*	
			14*/35							14*/35		
			14*				34	14*/34				
14*			14*/34							14*/34		
			14*/34	14*						14*/34		
			14*/34							34		
			14*/34							34		
			14*									
14*			14*									
			14*							15*		
			15				15	15				
			15							15		
			15							15		
			14*									
			14*									
			14*									
			14*									

\* = without sapwood | # = including filled cracks

Product	Format/Thickness	Surfaces	Oak Sasso	Oak Silver	Oak Tabacco	Oak black limed	Oak slightly smoked	Oak slightly smoked Cacao	Oak slightly smoked Canneto	Oak slightly smoked Crema
										
<b>Unicopark</b>	2000 – 4000 x 200 – 395 x 20 mm	nol								
<b>Unicopark Handcrafted</b>	2000 – 4000 x 200 – 395 x 20 mm	nol								
<b>Silverline Edition</b>	2800 x 260 x 11 mm	nol		14*/35						
		bpr								
<b>Casapark 209</b>	2200 x 209 x 14 mm	nol	15							
		bpr								
		mvs								
<b>Casapark 181</b>	2200 x 181 x 14 mm	nol	15		45*	45				
		bpr								
		mvs								
<b>Casapark 139</b>	2200 x 139 x 14 mm	nol	15			45				
		bpr								
		mvs								
<b>Villapark</b>	2100 x 190 x 9.5 mm	nol						15*		
		bpr	14*/35*							15*
<b>Villapark True Colours Edition</b>	2100 x 190 x 9.5 mm	nol							15*	
		mvs								
<b>Studiopark</b>	1700 x 150 x 9.5 mm	nol						15*		
		bpr	46							
<b>Formpark</b>	780/520 x 260 x 11 mm	nol								
<b>Formpark Mini</b>	570/380 x 190 x 9.5 mm	nol								
<b>Formpark Quadrato</b>	650 x 130 x 11 mm	nol								
<b>Formpark Rombico</b>	735 x 130 x 9.5 mm	nol								
		mvs								
<b>Trendpark</b>	1450 x 130 x 11 mm	nol			14*		15*			
		bpr	14*/35							15*
		mvs								
<b>Cleverpark 1250</b>	1250 x 100 x 9.5 mm	nol					15*	15*		
		bpr	14*/34							15*
		mvs								
<b>Cleverpark 900</b>	900 x 100 x 9.5 mm	nol								
		bpr								
<b>Cleverpark Silente</b>	1250 x 100 x 12.8 mm	mvs								
		mvs								
<b>Unopark</b>	470 x 70 x 11 mm	nol			14*		15*			
		bpr								
		mvs								
<b>Solopark</b>	470 x 70 x 10 mm	nol								
		bpr								
		mvs								
<b>Monopark</b>	470 x 70 x 9.6 mm	nol								
		bpr	15							15*
		mvs								
<b>Monopark Comfort</b>	470 x 70 x 10.8 mm	nol								
		bpr								
		mvs								
<b>Triopark</b>	2200 x 215 x 14 mm	nol								
		mvs								
<b>Multipark 10</b>	1200 x 140 x 10 mm	nol								
		mvs								
<b>Multipark 9.5</b>	1200 x 140 x 9.5 mm	nol								
		mvs								
<b>Multipark Silente</b>	1200 x 140 x 12.8 mm	mvs								

mvs = mat lacquered | nol = natural oiled | bpr = B-Protect®

										
14*	14*									
14*										
14*										
14*/24										35
	14*/24							13		
15*			14*							
14*										
14*/24										
14*/24										
14*										
14*		14*/24								
14*			14*							
14*				14*						
14*/24									14*/34	14*/34
	14*							13		
14*										
14*			15*	14*						
14*				14*						
14*										
14*/24			15		13/15	15		13	14/34	
14*									14	
14*										
			15		14					
					13*/14*					

\* = without sapwood | # = including filled cracks

---

*Cleverpark long-plank parquet 900*


# CLEVER MEETS CREATIVE




CLEVERPARK 900, Oak Mandorla 34, laying pattern N° 12



# PARQUET RANGE



UNICOPARK . . . . .	2000 – 4000 x 200 / 250 / 300 / 350 / 395 x 20 mm
SILVERLINE EDITION . . . . .	2800 x 260 x 11 mm
CASAPARK 209   181   139 . . . . .	2200 x 209 / 181 / 139 x 14 mm
VILLAPARK   TRUE COLOURS EDITION . . . . .	2100 x 190 x 9.5 mm
STUDIOPARK . . . . .	1700 x 150 x 9.5 mm



FORMPARK 780 . . . . .	780 x 260 x 11 mm
FORMPARK 520 . . . . .	520 x 260 x 11 mm
FORMPARK MINI 570 . . . . .	570 x 190 x 9.5 mm
FORMPARK MINI 380 . . . . .	380 x 190 x 9.5 mm
FORMPARK QUADRATO . . . . .	650 x 130 x 11 mm
FORMPARK ROMBICO . . . . .	735 x 130 x 9.5 mm




TRENDPARK . . . . .	1450 x 130 x 11 mm
CLEVERPARK   CLEVERPARK SILENTE . . .	1250 / 900 x 100 x 9.5 / 12.8 mm



UNOPARK . . . . .	470 x 70 x 11 mm
SOLOPARK . . . . .	470 x 70 x 10 mm
MONOPARK   MONOPARK COMFORT . . . . .	470 x 70 x 9.6 / 10.8 mm



TRIOPARK . . . . .	2200 x 215 x 14 mm
MULTIPARK   MULTIPARK SILENTE. . .	1200 x 140 x 9.5 / 10 / 12.8 mm



SOLID PARQUET . . . . .	160 x 23 x 8 mm
PREPARK   PREPARK COMFORT . . . . .	480 x 117 x 8 / 10 mm
ON-EDGE . . . . .	160 x 8 x 23 mm

1-Strip-Planks

Formpark

Long planks

Strips

Multi strips

Solid parquet


*Careful planning of each individual plank*

# UNICOPARK

Thanks to the unique modular principle of Unicopark, no two rooms will look the same. With Unicopark, the customer can opt for parquet customised to suit their floorplan. The interplay of the various plank widths with lengths of up to 4 metres gives rise to a fascinating spatial effect within the room and makes Unicopark ideal for expansive interiors.

## Perfectly imperfect – Unicopark Handcrafted

Knots and cracks are meticulously teased out by hand, carefully filled and so remain deliberately visible. Traditional brushing, smoothing and planing techniques are then employed to perfectly showcase the finished surface of the wood. This makes every single plank unique, not to mention a tactile experience.



## Mix and match 5 widths

With Unicopark, five different widths can be installed.

Unicopark is available in eight colours from very light flour-like shades to very dark coffee-like tones.

See page 13 for the product range.



Lengths from 2 to 4 metres and widths between 200 and 395 mm.

# UNICOPARK®


2000 – 4000 × 200/250/300/350/395 × 20 mm



Wood type   Colour	New	grading surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art.No	availability	Price FCA in €/m²
<b>Oak</b>	35	brushed	4		●			1014 3823	AA	213,00
	46	brushed	4		●			1014 3882	AA	184,00
<b>Oak   Avorio</b>	35		4	●	●			1014 3886	AA	215,00
	46	handcrafted, deep brushed	4	●	●			1014 3894	AA	210,00
<b>Oak   Caffè</b>	46	brushed	4	●	●			1014 3891	AA	187,00
<b>Oak   Farina</b>	35		4	●	●			1014 3884	AA	215,00
	46		4	●	●			1014 3885	AA	186,00
<b>Oak   Fulvo</b>	46	handcrafted, deep brushed	4	●	●			1014 3898	AA	210,00
<b>Oak   Fumo</b>	46	brushed	4	●	●			1014 3888	AA	187,00
<b>Oak   Gold</b>	46	brushed	4	●	●			1014 3887	AA	187,00
<b>Oak   Mandorla</b>	46	handcrafted, deep brushed	4	●	●			1014 3897	AA	210,00

# SILVERLINE EDITION®

2800 × 260 × 11 mm



Package unit: 1 pallet = 24 boxes à 3.64 m² = 87.36 m²

Wood type   Colour	New	grading surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art.No	availability	Price FCA in €/m²
<b>Oak</b>	14*	deep brushed	4		●			1001 8849	C	258,00
	35	deep brushed	4		●			1001 6949	L	218,00
<b>Oak   Avorio</b>	35	deep brushed	4	●	●			1001 9007	C	221,00
	14*	deep brushed	4			●		1011 8956	C	261,00
<b>Oak   Crema</b>	35	deep brushed	4			●		1011 8957	C	221,00
	14*	deep brushed	4	●	●			1001 6950	L	261,00
<b>Oak   Farina</b>	35	deep brushed	4	●	●			1001 6951	C	221,00
	14*	deep brushed	4	●	●			1001 6954	C	261,00
<b>Oak   Gold</b>	35	deep brushed	4	●	●			1001 6955	C	221,00
	14*	deep brushed	4	●	●			1001 6952	C	261,00
<b>Oak   Silver</b>	35	deep brushed	4	●	●			1001 6953	C	221,00
	14*	deep brushed	4	●	●					

PRODUCT   CERTIFICATES	Cradle to Cradle® Certified Silver	Cradle to Cradle® Certified Bronze	Eco-Institut-Label
Unicopark			
Silverline Edition	for B-Protect® surfaces	✓	Excl. smoked products, incl. slightly smoked products

You will find an overview of the certificates on p. 73

# UNICOPARK®



- The grading of Unicopark planks is determined by the number of cracks and knots filled. These product features are exclusive to the Unicopark range.

# SILVERLINE EDITION®



- For production reasons, it can happen that a 2770 mm board is packed in a bundle lot. The number of short boards is limited to 5% of the total. This means that one short board will be found in every fourth bundle lot, on average.

\* without sapwood

# CASAPARK® 209

2200 × 209 × 14 mm



Package unit: 1 pallet = 50 boxes à 2.76 m² = 138.00 m²

Wood type | Colour

New  
grading  
surface

bevel on sides  
stained  
mat lacquered  
natural oiled  
B-Protect®  
tongue and groove  
good availability

Art.No

Price FCA  
in €/m²

Oak	14*	brushed	2		●	1015 1775	S	140,00
	15	brushed	2		●	1015 1776	S	120,00
	45	brushed	2		●	1015 1777	S	101,00
Oak   Ambra	15	brushed	2	●	●	1015 1778	S	123,00
Oak   Crema	14*	brushed	2		●	1015 1784	S	143,00
	45	brushed	2		●	1015 1785	S	104,00
Oak   Creta	15	brushed	2	●	●	1015 1873	S	123,00
Oak   Farina	14*	brushed	2	●	●	1015 1874	S	143,00
	14*	brushed	2	●	●	1015 1876	S	146,00
	45	brushed	2	●	●	1015 1875	S	104,00
	45	brushed	2	●	●	1015 1787	S	107,00
Oak   Sasso	15	brushed	2	●	●	1015 1877	S	123,00

# CASAPARK® 181

2200 × 181 × 14 mm



Package unit: 40 boxes à 3.19 m² = 127.60 m²

Wood type | Colour

New  
grading  
surface

bevel on sides  
stained  
mat lacquered  
natural oiled  
B-Protect®  
tongue and groove  
good availability

Art.No

Price FCA  
in €/m²

Oak	14*	brushed	2	●		1014 1191	S	117,00
	14*	brushed	2		●	1002 1280	S	120,00
	15	brushed	2		●	1011 4677	S	106,00
	45	brushed	2	●		1002 1278	S	84,00
	45	brushed	2	●		1014 1189	S	85,00
	45	brushed	2		●	1002 3264	S	88,00
	45	brushed	2	●	●	1011 7694	S	109,00
Oak   Ambra	15	brushed	2	●	●	1011 7694	S	109,00
Oak   Crema	14*	brushed	2		●	1011 9158	S	123,00
	45	brushed	2		●	1011 9159	S	91,00
Oak   Creta	15	brushed	2	●	●	1011 7693	S	109,00
Oak   Fango	45*	used-look	2	●	●	1011 7906	S	122,00
Oak   Farina	14*	brushed	2	●	●	1011 9160	S	126,00
	45	brushed	2	●	●	1002 3265	S	91,00
	45	brushed	2	●	●	1011 9161	S	94,00
Oak   Sasso	15	brushed	2	●	●	1002 1298	S	109,00
Oak   Tabacco	45*	used-look	2	●	●	1011 7696	S	122,00
Oak black limed	45		2	●	●	1009 7646	S	90,00
Oak smoked°	14*	brushed	2	●	●	1002 1308	S	155,00
Oak smoked   Farina	14*		2	●	●	1002 1313	S	157,00

# CASAPARK® 139

2200 × 139 × 14 mm



Package unit: 1 pallet = 42 boxes à 3.06 m<sup>2</sup> = 128.52 m<sup>2</sup>

Wood type | Colour

New  
grading  
surface

bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art.No	availability	Price FCA in €/m <sup>2</sup>
----------------	---------	---------------	---------------	------------	--------	--------------	----------------------------------

<b>Oak</b>	14*	brushed	2	●	1013 8891	S	108,00
	14*	brushed	2		1002 1274	S	111,00
	15		2	●	1011 4678	S	91,00
	15	brushed	2		1011 4676	S	95,00
	45		2	●	1002 1272	S	75,00
	45	brushed	2	●	1013 8894	S	76,00
	45	brushed	2		1011 7683	S	79,00
<b>Oak   Crema</b>	14*	brushed	2		1011 9156	S	114,00
	45	brushed	2		1011 9157	S	82,00
<b>Oak   Farina</b>	45	brushed	2	●	1011 7684	S	82,00
<b>Oak   Sasso</b>	15	brushed	2	●	1002 1297	S	98,00
<b>Oak black limed</b>	45		2	●	1009 7645	S	81,00
<b>Oak smoked°</b>	14*	brushed	2	●	1013 8898	S	129,00

PRODUCT |  
CERTIFICATES

Eco-Institut-Label

Casapark	Excl. smoked products, incl. slightly smoked products Excluded natural oiled products
----------	---

You will find an overview of the certificates on p. 73

## CASAPARK®



- › Casapark products are recommended to be installed fully bonded.
- › A floating installation is technically possible. (see Bauwerk Competence)
- \* without sapwood
- # including filled cracks
- ° slightly pigmented

## USED-LOOK


*Parquet that tells a story*



Every used look floor tells its very own story and adds a special warm feeling to a room. Worn edges and a beautiful patina characterise these trend products, and the individual signs of use make the floors more attractive over time. These factors also make the used look parquet very easy to treat and look after.

# VILLAPARK®

2100 × 190 × 9.5 mm




Package unit: 1 pallet = 45 boxes à 2.40 m² = 108.00 m²

Wood type   Colour	N <sub>w</sub>	CO <sub>M</sub> PASS*	grading surface	b <sub>surf</sub> on sides	stained	mat lacquered	natural oiled	B. Protect®	Art.No	availability	Price FCA in €/m²
Oak	●	14*	brushed	2	●				1001 8160	C	141,00
	●	14*	deep brushed	2		●			1001 1169	S	144,00
	●	35*	brushed	2	●	●			1001 8161	S	112,00
	●	35*	deep brushed	2		●			1001 1170	S	115,00
	●	46°	brushed	2	●				1015 5452	S	91,00
	●	46°	deep brushed	2		●			1012 4089	S	94,00
Oak   Avena		35*	deep brushed	2	●	●			1001 1173	S	118,00
Oak   Avorio		14*	deep brushed	2	●	●			1001 9008	S	147,00
		35*	deep brushed	2	●	●			1001 9009	S	118,00
Oak   Crema	●	14*	brushed	2		●			1002 2972	S	147,00
		25*	brushed	2		●			1012 5206	S	139,00
	●	35*	brushed	2		●			1002 2973	S	118,00
	●	46°	brushed	2		●			1015 5453	S	97,00
Oak   Creta		25*	deep brushed	2	●	●			1014 3310	S	139,00
Oak   Farina	●	14*	deep brushed	2	●	●			1001 3853	S	147,00
	●	14*	brushed	2	●		●		1002 3949	S	150,00
	●	35*	deep brushed	2	●	●			1001 1172	S	118,00
	●	35*	brushed	2	●		●		1002 3950	S	121,00
	●	46°	deep brushed	2	●	●			1012 4090	S	97,00
	●	46°	brushed	2	●		●		1015 5454	S	100,00
Oak   Farro		25*	slightly brushed	2	●		●		1014 3312	C	142,00
Oak   Gold		35*	deep brushed	2	●	●			1001 8159	S	118,00
Oak   Mandorla	●	14*	brushed	2	●	●			1013 7622	C	144,00
	●	14*	deep brushed	2	●		●		1002 2963	C	147,00
	●	14*	brushed	2	●		●		1013 7623	C	150,00
		25*	deep brushed	2	●	●			1012 5117	S	139,00
		25*	brushed	2	●		●		1012 5898	S	142,00
	●	35*	brushed	2	●	●			1013 7621	S	115,00
	●	35*	deep brushed	2	●		●		1011 4346	S	118,00
	●	35*	brushed	2	●		●		1012 5523	S	121,00
	●	46°	brushed	2	●	●			1015 5455	S	94,00
	●	46°	deep brushed	2	●		●		1011 5654	S	97,00
	●	46°	brushed	2	●		●		1012 5439	S	100,00
Oak   Sasso	●	14*	brushed	2	●		●		1013 7624	C	150,00
	●	35*	brushed	2	●		●		1011 6488	C	121,00
	●	46°	brushed	2	●		●		1015 5456	C	100,00
Oak slightly smoked   Cacao		15*	deep brushed	2	●	●			1004 3089	S	163,00
Oak slightly smoked   Crema		15*	brushed	2		●			1011 6485	S	163,00
Oak smoked	●	14*	brushed	2		●			1001 8162	S	163,00
	●	14*	deep brushed	2		●			1001 1171	S	166,00
		24	brushed	2		●			1001 8163	A	143,00
		24	deep brushed	2		●			1001 2813	A	146,00
Oak smoked   Crema	●	14*	brushed	2		●			1002 2974	S	169,00
		24	brushed	2		●			1002 2975	A	149,00
Ash   Farina		13	brushed	2	●		●		1002 3952	S	132,00
Walnut American		35	deep brushed	2		●			1001 1168	C	198,00

# TRUE COLOURS EDITION®

Villapark format, 2100 × 190 × 9.5 mm



Package unit: 1 pallet = 45 boxes à 2.40 m² = 108.00 m²

Wood type   Colour	New	grading surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art.No	availability	Price FCA in €/m²
Oak   Nuvola	25*	deep brushed	2	●	●			1014 3071	C	139,00
Oak   Roccia	25*	deep brushed	2	●	●			1014 3072	C	139,00
Oak slightly smoked   Canneto	15*	deep brushed	2	●	●			1012 5156	C	163,00
Oak slightly smoked   Terra	15*	deep brushed	2	●	●			1013 7625	C	163,00
Oak smoked   Lava	14*	deep brushed	2	●	●			1013 7626	C	169,00

PRODUCT   CERTIFICATES	Cradle to Cradle® Certified Silver	Cradle to Cradle® Certified Bronze	Eco-Institut-Label
Villapark   Villapark True Colours Edition	for B-Protect® surfaces	✓	Excl. smoked products, incl. slightly smoked products

You will find an overview of the certificates on p. 73

## VILLAPARK®



\* without sapwood

- For production reasons, every second box can contain one layer with two half-size planks.
- Bauwerk Compass consists of a simple core assortment of 75 top sellers of the Bauwerk two-layer range and a smart sales concept - to find the right product for your customer.

## TRUE COLOURS EDITION



by Gesa Hansen

True Colours is an homage to nature: fascinatingly subtle and uniquely authentic. A foray into the elements, back to the roots. The colour tones of the new edition underscore the beauty of the wood in its diverse originality. The multi-layer coating technique Next, developed by Bauwerk, perfectly accentuates the colour and gives it an intense depth effect. This results in a distinctly natural look, highlighting the originality of the True Colours Edition and the unique character of every plank, in all its facets.

# EFFICIENT AND CONSISTENT

The longevity of parquet is not defined primarily by the thickness of the wear layer, but the quality of construction, excellent adhesion of the wear layer and precise processing. Bauwerk floors with a core structure made from the natural material HDF are compact high-tech parquet floors. They combine high performance with minimal use of wood resources. Our HDF parquets can often be repaired just as often as parquets with traditional spruce-fir substrates.

## Sign for quality

### 1 Permanently form stable

Solid sub layers or the HDF technology from Bauwerk prevent marks in the top layer. The high-performance construction allows for a thinner top layer, which can be renovated several times.

### 2 High-quality glued

The high-quality, full-surface gluing ensures perfect adhesion of the top layer throughout the entire life cycle and corresponds to our demand of 100 % healthy living.

### Precise and accurate to size

Precision is a prerequisite for maximum usability:


- 3 True to size top layer thickness
- 4 Straight edges
- 5 Intact top layer

### Efficient


Spruce-fir products from Bauwerk promise a quick installation. Thanks to their compact support structure, HDF products allow additional time savings during installation..

### Traceable

Tested, certified performance characteristics and a documented product origin make quality traceable.




Bauwerk spruce-fir underlayer



Bauwerk high-density fibreboard (HDF) underlayer

# STUDIO PARK®

1700 × 150 × 9.5 mm



Package unit: 1 pallet = 45 boxes à 2.3 m² = 103.50 m²

Wood type   Colour	New	grading surface	bend on sides	stained	mat lacquered	natural oiled	B-Protect®	Art.No	availability	Price FCA in €/m²
Oak	15*	brushed	2	●				1014 3169	C	104,00
	15*	deep brushed	2		●			1013 7627	S	107,00
	46°	brushed	2	●				1014 1818	C	74,00
	46°	deep brushed	2		●			1013 7630	S	77,00
Oak   Avorio	15*	deep brushed	2	●	●			1004 3086	S	110,00
	46°	deep brushed	2	●	●			1015 7471	S	80,00
Oak   Crema	15*	brushed	2		●			1013 7628	S	110,00
	46°	brushed	2		●			1013 7631	S	80,00
Oak   Creta	15*	deep brushed	2	●	●			1014 3176	C	110,00
	46°	deep brushed	2	●	●			1014 3178	C	80,00
Oak   Farina	15*	brushed	2	●	●			1014 3170	C	107,00
	15*	deep brushed	2	●	●			1013 7629	S	110,00
	15*	brushed	2	●		●		1004 3084	S	113,00
	46°	brushed	2	●	●			1014 3171	C	77,00
	46°	deep brushed	2	●	●			1013 7632	S	80,00
Oak   Farro	15*	slightly brushed	2	●		●		1014 3183	C	113,00
	46°	slightly brushed	2	●		●		1014 3184	C	83,00
Oak   Mandorla	15*	brushed	2	●	●			1014 3172	C	107,00
	15*	deep brushed	2	●	●			1004 3087	S	110,00
	15*	brushed	2	●		●		1004 3085	S	113,00
	46°	brushed	2	●	●			1014 3173	C	77,00
	46°	deep brushed	2	●	●			1011 6492	S	80,00
	46°	brushed	2	●		●		1014 3174	C	83,00
Oak   Mocca	15*	brushed	2	●		●		1014 3179	C	113,00
	46°	brushed	2	●		●		1014 3181	C	83,00
Oak   Sasso	46°	brushed	2	●		●		1014 3185	C	83,00
Oak slightly smoked   Cacao	15*	deep brushed	2	●		●		1004 3090	S	142,00
Oak smoked	14*	deep brushed	2			●		1002 1695	S	146,00

PRODUCT   CERTIFICATES	Cradle to Cradle® Certified Silver	Cradle to Cradle® Certified Bronze	Eco-Institut-Label
Studiopark	for B-Protect® surfaces	✓	Excl. smoked products, incl. slightly smoked products

You will find an overview of the certificates on p. 73

## STUDIO PARK®



\* without sapwood

° For production reasons, every second box can contain one layer with two half-size planks

### Wood index 46

The rustic grading 46 is also available in Studiopark format.

The somewhat smaller 1-strip-plank is standing out by an interesting play of colours, cracks and big knots – a lively look at an attractive price.

---

*Creative patterns*

# DESIGN MEETS COMPETENCE

Parquet is like nature itself: an artist of transformation. In the subtle play of wood characteristics, colours, formats and installation patterns, parquet is the natural synonym for limitless variety. Our precisely crafted floors are the result of many years of experience and state-of-the-art technology. But only with the help and expertise of our partner installers Bauwerk Parquet can bring unique designs to the floor.

More laying patterns: [bauwerk-parkett.com/creative-patterns](http://bauwerk-parkett.com/creative-patterns)

## CLEVERPARK 1250



Laying pattern 3

Oak Creta 14



Laying pattern 5

Oak smoked 14

## CLEVERPARK 900



Laying pattern 1

Oak Caramello 34



Laying pattern 12


Oak Mandorla 34



Laying pattern 14

Oak Farina 14

## FORMPARK



## FORMPARK QUADRATO



## FORMPARK ROMBICO



# FORMPARK® 780

780 × 260 × 11 mm



Package unit: 1 pallet = 28 boxes à 2.84 m² = 79.52 m²

Wood type   Colour	New	grading surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art.No	availability	Price FCA in €/m²
Oak	14*	deep brushed	4		●			1001 9913	S	167,00
	35	deep brushed	4		●			1001 9915	A	146,00
Oak   Avorio	14*	deep brushed	4	●	●			1001 9919	S	170,00
Oak smoked	14*	deep brushed	4		●			1002 1691	S	188,00
	24	deep brushed	4		●			1002 1692	A	167,00

all "right"-strips

Wood type   Colour	New	grading surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art.No	availability	Price FCA in €/m²
Oak	14*	deep brushed	4		●			1001 9914	S	167,00
	35	deep brushed	4		●			1001 9916	A	146,00
Oak   Avorio	14*	deep brushed	4	●	●			1001 9920	S	170,00
Oak smoked	14*	deep brushed	4		●			1002 1693	S	188,00
	24	deep brushed	4		●			1002 1694	A	167,00

all "left"-strips

# FORMPARK® 520

520 × 260 × 11 mm



Package unit: 1 pallet = 42 boxes à 1.89 m² = 79.38 m²

Wood type   Colour	New	grading surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art.No	availability	Price FCA in €/m²
Oak	14*	deep brushed	4		●			1001 9909	S	163,00
	35	deep brushed	4		●			1001 9911	A	141,00
Oak   Avorio	14*	deep brushed	4	●	●			1001 9917	S	166,00
Oak smoked	14*	deep brushed	4		●			1002 1687	S	184,00
	24	deep brushed	4		●			1002 1688	A	164,00

all "right"-strips

Wood type   Colour	New	grading surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art.No	availability	Price FCA in €/m²
Oak	14*	deep brushed	4		●			1001 9910	S	163,00
	35	deep brushed	4		●			1001 9912	A	141,00
Oak   Avorio	14*	deep brushed	4	●	●			1001 9918	S	166,00
Oak smoked	14*	deep brushed	4		●			1002 1689	S	184,00
	24	deep brushed	4		●			1002 1690	A	164,00

all "left"-strips

## FORMPARK® 780 & 520



## PRACTICAL APPLIANCES



On the [formpark.bauwerk.com](http://formpark.bauwerk.com) website you'll find important information, picture galleries, exciting references and installation stalmert data sheets for Formpark and Formpark Mini as well as a helpful Formpark calculator that allows you to calculate order quantities for the various patterns.

\* without sapwood

# FORMPARK® MINI 570

570 × 190 × 9.5 mm



Package unit: 1 pallet = 48 boxes à 1.95 m<sup>2</sup> = 93.60 m<sup>2</sup>

FSC® Mix 70 % – For information on products with FSC® certification, see page 72.

Wood type   Colour	New	grading surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art.No	availability	Price FCA in €/m <sup>2</sup>
<b>Oak (FSC® Mix 70 %)</b>	14*	deep brushed	4		●			1002 4707	S	117,00
	35	deep brushed	4		●			1002 4711	A	107,00
<b>Oak   Avorio (FSC® Mix 70 %)</b>	14*	deep brushed	4	●	●			1002 4715	S	120,00
<b>Oak smoked (FSC® Mix 70 %)</b>	14*	deep brushed	4		●			1002 4719	S	138,00
	24	deep brushed	4		●			1002 4723	A	122,00

all "right"-strips

<b>Oak (FSC® Mix 70 %)</b>	14*	deep brushed	4		●			1002 4708	S	117,00
	35	deep brushed	4		●			1002 4712	A	107,00
<b>Oak   Avorio (FSC® Mix 70 %)</b>	14*	deep brushed	4	●	●			1002 4716	S	120,00
<b>Oak smoked (FSC® Mix 70 %)</b>	14*	deep brushed	4		●			1002 4720	S	138,00
	24	deep brushed	4		●			1002 4724	A	122,00

all "left"-strips

# FORMPARK® MINI 380

380 × 190 × 9.5 mm



Package unit: 1 pallet = 72 boxes à 1.30 m<sup>2</sup> = 93.60 m<sup>2</sup>

FSC® Mix 70 % – For information on products with FSC® certification, see page 72.

Wood type   Colour	New	grading surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art.No	availability	Price FCA in €/m <sup>2</sup>
<b>Oak (FSC® Mix 70 %)</b>	14*	deep brushed	4		●			1002 4705	S	113,00
	35	deep brushed	4		●			1002 4709	A	102,00
<b>Oak   Avorio (FSC® Mix 70 %)</b>	14*	deep brushed	4	●	●			1002 4713	S	116,00
<b>Oak smoked (FSC® Mix 70 %)</b>	14*	deep brushed	4		●			1002 4717	S	134,00
	24	deep brushed	4		●			1002 4721	A	118,00

all "right"-strips

<b>Oak (FSC® Mix 70 %)</b>	14*	deep brushed	4		●			1002 4706	S	113,00
	35	deep brushed	4		●			1002 4710	A	102,00
<b>Oak   Avorio (FSC® Mix 70 %)</b>	14*	deep brushed	4	●	●			1002 4714	S	116,00
<b>Oak smoked (FSC® Mix 70 %)</b>	14*	deep brushed	4		●			1002 4718	S	134,00
	24	deep brushed	4		●			1002 4722	A	118,00

all "left"-strips

## FORMPARK® MINI 570 & 380



### SMALL FORMAT, BIG IMPACT



For those who love architectural patterns and maximum creative freedom: Bauwerk's Formpark Mini brings the fascinating visual characteristics of the unconventional Formpark products to smaller surfaces.

\* without sapwood

*Formpark Quadrato*

# CARAMELLO

The new colour in our range: elegant  
and gently warming, to melt away.



FORMPARK QUADRATO, Oak Caramello 14\*, laying pattern N° 12

# FORMPARK® QUADRATO

650 × 130 × 11 mm



Package unit: 1 pallet = 32 boxes à 2.36 m<sup>2</sup> = 75.52 m<sup>2</sup>

Wood type   Colour	New	grading surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art.No	availability	Price FCA in €/m <sup>2</sup>
Oak		14*		-		●		1011 6525	S	101,00
Oak   Caramello	●	14*		-		●		1015 6886	S	104,00
Oak   Crema		14*		-		●		1011 6524	S	104,00
	●	14* brushed		-		●		1012 0006	S	105,00
Oak   Farina	●	14*		-		●		1015 6884	S	104,00
	●	14*		-		●		1015 6885	S	107,00
	●	14* brushed		-		●		1012 0455	S	108,00
Oak   Mandorla	●	14*		-		●		1015 2834	S	104,00
	●	14*		-		●		1015 2835	S	107,00
Oak smoked		14*		-		●		1011 6526	S	122,00

# FORMPARK® ROMBICO

735 × 130 × 9.5 mm



Package unit: 1 pallet = 42 boxes à 1.53 m<sup>2</sup> = 64.26 m<sup>2</sup>

Wood type   Colour	New	grading surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art.No	availability	Price FCA in €/m <sup>2</sup>
Oak		14* brushed		-		●		1011 6629	C	141,00
Oak   Farina		14* brushed		-	●	●		1011 6630	C	144,00
Oak   Mandorla		14* brushed		-	●	●		1011 6631	C	144,00

PRODUCT | CERTIFICATES

Cradle to Cradle® Certified Silver

Cradle to Cradle® Certified Bronze

Eco-Institut-Label

Formpark | Formpark Mini

for natural oiled surfaces

Excl. smoked products, incl.  
slightly smoked products

Formpark Quadrato

Formpark Rombico

You will find an overview of the certificates on p. 73

## FORMPARK® QUADRATO & FORMPARK® ROMBICO

\* without sapwood




## A HERRINGBONE REVIVAL



The herringbone laying pattern is going through something like a revival in current interior decorating and architecture magazines. This classic and elegant laying pattern lends every room a touch of an urban villa.

Whereas the introduced Formpark Rombico can be installed in the chevron pattern, Formpark Quadrato highlights on the classic herringbone-pattern. The perfect precision-fit allows a relaxed way of installation.



Package unit: 1 pallet = 35 boxes à 2.64 m² = 92.40 m²

Wood type   Colour	New C O M P A S S*	grading surface	bewel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art.No	availability	Price FCA in €/m²
Oak	14*		-	●				1001 1713	S	105,00
	●	14* brushed	-		●			1013 7633	S	106,00
	14*		-		●			1001 3191	S	108,00
	●	14* brushed	-			●		1013 7634	S	109,00
	●	35 brushed	-	●				1013 7644	S	97,00
	●	35 brushed	-		●			1013 7645	S	100,00
Oak   Avorio	35	brushed	-	●	●			1013 7646	S	103,00
Oak   Crema	14*		-			●		1009 7281	S	111,00
	●	14* brushed	-			●		1013 7635	S	112,00
	●	35 brushed	-			●		1013 7647	S	103,00
Oak   Deserto	14*	used-look	-	●	●			1013 8034	C	143,00
Oak   Farina	14*		-	●	●	●		1001 3681	S	111,00
	●	14* brushed	-	●	●	●		1013 7637	S	112,00
	●	14* brushed	-	●	●	●		1013 7636	S	115,00
	●	35 brushed	-	●	●	●		1013 7648	S	103,00
	●	35 brushed	-	●	●	●		1013 7649	S	106,00
Oak   Mandorla	●	14* brushed	-	●	●	●		1013 7638	S	109,00
	●	14* brushed	-	●	●	●		1013 7640	S	112,00
	●	14* brushed	-	●	●	●		1013 7642	S	115,00
	●	35 brushed	-	●	●	●		1013 7650	S	100,00
	35		-	●	●	●		1013 7651	S	102,00
	●	35 brushed	-	●	●	●		1013 7652	S	103,00
	●	35 brushed	-	●	●	●		1013 7653	S	106,00
Oak   Mocca	14*		-	●	●			1013 7677	S	108,00
Oak   Sasso	●	14* brushed	-	●	●	●		1013 7643	C	115,00
	●	35 brushed	-	●	●	●		1013 7654	C	106,00
Oak   Tabacco	14*	used-look	-	●	●	●		1013 8035	C	143,00
Oak slightly smoked	15*		-			●		1013 8033	C	122,00
Oak slightly smoked   Crema	15*	brushed	-			●		1011 6487	C	126,00
Oak smoked	14*		-	●	●			1013 7655	S	134,00
	●	14* brushed	-	●	●			1013 7656	S	135,00
	14*		-		●	●		1001 1718	S	137,00
	●	14* brushed	-		●	●		1013 7657	S	138,00
	●	14* brushed	-		●	●		1013 7658	S	141,00
Oak smoked   Crema	14*		-	●	●			1001 1720	S	140,00
	24		-	●	●			1001 5018	A	117,00

PRODUCT   CERTIFICATES	Cradle to Cradle® Certified Silver	Cradle to Cradle® Certified Bronze	Eco-Institut-Label
Trendpark	for B-Protect® surfaces	for natural oiled and mat lacquered surfaces	Excl. smoked products, incl. slightly smoked products

You will find an overview of the certificates on p. 73

## Ordering products with proof of FSC® compliance

All parquet products marked 'FSC® 100%' or 'FSC® Mix 70%' in the Bauwerk price list are always delivered with proof of FSC® compliance (as a statement on our delivery documents). All other 2-layer products (except for North American wood types) can be ordered with proof of FSC® compliance on request.

### Important to know

- › if proof of FSC® compliance is required for a project, one can use both, either products certified as FSC® 100% or also ones certified as FSC® Mix 70%
- › proof of FSC® compliance is provided not as a certificate, but as information on the invoice.

If you have any questions, or if you would like to order products with proof of FSC® compliance, please ask your personal contact person.



The mark of  
responsible forestry

## TRENDPARK®




- › Because of production reasons the boxes can contain some shorter strips. These strips can easily be used as start or end piece or be inserted in the surface.

\* without sapwood

# CLEVERPARK® 1250

1250 × 100 × 9.5 mm




Package unit: 1 pallet = 48 boxes à 2.00 m² = 96.00 m²

Wood type   Colour	New COMPASS*	grading surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art.No	availability	Price FCA in €/m²
Oak	14*		-	●				1001 1650	S	75,00
	●	14* brushed	-		●			1013 7659	S	76,00
	14*		-		●	●		1001 7488	S	78,00
	●	14* brushed	-			●		1001 9901	S	79,00
	●	34 brushed	-	●				1013 7666	S	66,00
	●	34 brushed	-		●	●		1013 7667	S	69,00
Oak   Avorio	34	brushed	-	●	●			1001 9905	S	72,00
Oak   Crema	14*		-			●		1002 3102	S	81,00
	●	14* brushed	-			●		1002 2976	S	82,00
	34		-			●		1003 9222	S	71,00
	●	34 brushed	-			●		1004 3124	S	72,00
Oak   Creta	14*	brushed	-	●	●	●		1014 3313	S	82,00
Oak   Farina	14*		-	●	●	●		1001 1636	S	78,00
	14*		-	●	●	●		1013 7660	S	81,00
	●	14* brushed	-	●	●	●		1001 9902	S	82,00
	14*		-	●	●	●		1002 3922	S	84,00
	●	14* brushed	-	●	●	●		1002 3103	S	85,00
	●	34 brushed	-	●	●	●		1013 5854	S	72,00
	●	34 brushed	-	●	●	●		1004 3125	S	75,00
Oak   Farro	14*	slightly brushed	-	●	●	●		1014 3314	S	85,00
Oak   Grano	34		-	●	●	●		1001 8178	S	68,00
Oak   Mandorla	●	14* brushed	-	●	●	●		1013 7663	S	79,00
	●	14* brushed	-	●	●	●		1012 3585	S	82,00
	●	14* brushed	-	●	●	●		1012 3586	S	85,00
	●	34 brushed	-	●	●	●		1013 7668	S	69,00
	●	34 brushed	-	●	●	●		1002 2968	S	72,00
	●	34 brushed	-	●	●	●		1004 3075	S	75,00
Oak   Sasso	●	14* brushed	-	●	●	●		1013 7665	C	85,00
	●	34 brushed	-	●	●	●		1011 6490	C	75,00
Oak slightly smoked	15*		-		●	●		1013 8038	S	87,00
Oak slightly smoked   Cacao	15*	brushed	-	●	●	●		1004 3091	S	91,00
Oak slightly smoked   Crema	15*	brushed	-			●		1011 6486	S	91,00
Oak smoked	14*		-		●			1001 1641	S	88,00
	●	14* brushed	-		●			1013 7669	S	89,00
	14*		-			●		1013 7670	S	91,00
	●	14* brushed	-			●		1001 9903	S	92,00
	24	brushed	-			●		1001 9904	A	84,00
	●	14* brushed	-			●		1002 3106	S	95,00
Maple Canadian	14*		-		●			1001 1634	C	104,00
Ash   Farina	13	brushed	-	●	●			1002 3923	C	79,00
Cherry American	14*		-		●			1001 1645	C	87,00
	34		-		●			1001 2797	A	71,00
Walnut American	14*		-		●			1001 1647	C	127,00
	14*		-			●		1001 3222	C	130,00
	34		-		●			1001 2064	A	112,00
	34		-			●		1009 7683	A	115,00

# CLEVERPARK® 1250 SILENTE

1250 × 100 × 12.8 mm



Package unit: 1 pallet = 48 boxes à 1.50 m<sup>2</sup> = 72.00 m<sup>2</sup>

Wood type   Colour	N <sub>w</sub>	grading surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art.No	availability	Price FCA in €/m <sup>2</sup>
Oak	14*		-	●				1001 9906	C	101,00
Oak   Farina	14*		-	●	●			1001 9907	C	104,00
Oak smoked	14*		-	●				1001 9908	C	114,00

## CLEVERPARK® 1250



- Because of production reasons the boxes can contain some shorter strips. These strips can easily be used as start or end piece or be inserted in the surface.

\* without sapwood

\* Bauwerk Compass consists of a simple core assortment of 75 top sellers of the Bauwerk two-layer range and a smart sales concept - to find the right product for your customer.

## CLEVERPARK® 1250 SILENTE



Cleverpark Silente impresses through a very good ambient sound reduction as well as an optimal impact sound insulation. Therefore it is the ideal product for new constructions but especially for renovation.

The Bauwerk Silente-products need to be installed by using Bauwerk MS40. Should another type of glue be used, the manufacturer's guarantee automatically expires and no liability for possible damages can be granted.

\* without sapwood

# CLEVERPARK® 900

900 × 100 × 9.5 mm



Package unit: 1 pallet = 50 boxes à 2.16 m<sup>2</sup> = 108.00 m<sup>2</sup>

Wood type   Colour	New grading surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art.No	availability	Price FCA in €/m <sup>2</sup>
Oak	● 14*	-	●				1015 6872	S	74,00
	● 14* brushed	-		●			1015 6871	S	78,00
	● 34	-	●				1015 6874	S	66,00
	● 34 brushed	-		●			1015 6873	S	70,00
Oak   Avorio	● 34 brushed	-	●	●			1015 7148	S	73,00
Oak   Caramello	● 34 brushed	-	●	●			1015 6883	S	73,00
Oak   Crema	● 14* brushed	-			●		1015 6875	S	81,00
	● 34 brushed	-			●		1015 6876	S	73,00
Oak   Farina	● 14* brushed	-	●	●			1015 6877	S	81,00
	● 14* brushed	-	●		●		1015 6879	S	84,00
	● 34 brushed	-	●	●			1015 6878	S	73,00
	● 34 brushed	-	●		●		1015 6880	S	76,00
Oak   Mandorla	● 34 brushed	-	●	●			1015 6881	S	73,00
	● 34 brushed	-	●		●		1015 6882	S	76,00

PRODUCT   CERTIFICATES	Cradle to Cradle® Certified Gold	Cradle to Cradle® Certified Silver	Cradle to Cradle® Certified Bronze	Eco-Institut-Label
Cleverpark 1250 Cleverpark 1250 Silente Cleverpark 900	for products Cleverpark Silente	for B-Protect® surfaces	for natural oiled and mat lacquered surfaces	Excl. smoked products, incl. slightly smoked products

You will find an overview of the certificates on p. 73

## CLEVERPARK® 900



- Because of production reasons the boxes can contain some shorter strips. These strips can easily be used as start or end piece or be inserted in the surface.

\* without sapwood


## CLEVER MEETS CREATIVE



Cleverpark 900 is the longest parquet plank in our product range that can be used to form a herringbone pattern. Thanks to its elegant 1:9 dimension ratio, Cleverpark 900 works well not only with herringbone but many other classic and modern laying patterns such as parallel ladder and cube.

# UNOPARK® 11

470 × 70 × 11 mm (right strips)



Package unit: 1 pallet = 36 boxes à 2.64 m<sup>2</sup> = 95.04 m<sup>2</sup>

Wood type   Colour	New grading surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art.No	availability	Price FCA in €/m <sup>2</sup>
Oak	14*	-	●				1013 8902	S	71,00
	14*	-		●			1013 8903	S	74,00
Oak   Crema	14*	-		●			1013 8994	S	77,00

# UNOPARK® 11

470 × 70 × 11 mm (right and left strips)



Package unit: 1 pallet = 36 boxes à 2.64 m<sup>2</sup> = 95.04 m<sup>2</sup>

Wood type   Colour	New grading surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art.No	availability	Price FCA in €/m <sup>2</sup>
Oak	14*	-	●				1013 8999	S	75,00
	14*	-		●			1013 9000	S	78,00
Oak   Avorio	14* slightly brushed	-	●	●			1013 9373	S	82,00
Oak   Crema	14*	-			●		1013 9002	S	81,00
Oak   Deserto	14* used-look	-	●	●			1013 9374	C	113,00
Oak   Farina	14*	-	●	●			1013 9004	S	81,00
Oak   Tabacco	14* used-look	-	●	●			1013 9375	C	113,00
Oak slightly smoked	15*	-		●			1001 9956	C	100,00
Oak smoked	14*	-	●				1000 2600	S	98,00
	14*	-		●			1001 1732	S	101,00
Maple Canadian	15*	-	●				1015 3185	C	92,00
Acacia steamed	14*	-	●				1000 3569	C	97,00
	14*	-		●			1015 3186	C	100,00

PRODUCT |  
CERTIFICATES

Eco-Institut-Label

Unopark Excl. smoked products,  
incl. slightly smoked products

You will find an overview of the certificates on p. 73

# UNOPARK®




- Because of production reasons the boxes can contain some shorter strips. These strips can easily be used as start or end piece or be inserted in the surface.

\* without sapwood

# SOLOPARK®

470 × 70 × 10 mm



Package unit: 1 pallet = 36 boxes à 2.64 m<sup>2</sup> = 95.04 m<sup>2</sup>

Wood type   Colour	New grading surface	bevel on sides	stained	mat lacquered	natural/oiled	B-Protect®	Art.No	availability	Price FCA in €/m <sup>2</sup>
Oak	14*	-	●				1013 9010	S	67,00
	14*	-		●			1013 9011	S	70,00
	15	-	●				1013 9012	C	63,00
Oak   Crema	14*	-			●		1013 9015	C	73,00
	15	-		●			1013 9016	C	69,00
Oak   Farina	14*	-	●	●			1013 9018	S	70,00
	14*	-	●		●		1013 9019	S	73,00
Oak   Mandorla	15	-	●	●			1015 3292	S	66,00
	15	-	●		●		1015 3293	S	69,00

PRODUCT   CERTIFICATES	Eco-Institut-Label
Solopark	Excl. smoked products, incl. slightly smoked products

You will find an overview of the certificates on p. 73


## SOLOPARK®



- › Because of production reasons the boxes can contain some shorter strips. These strips can easily be used as start or end piece or be inserted in the surface.
- \* without sapwood

# MONOPARK®

470 × 70 × 9.6 mm (right strips)



Package unit: 1 pallet = 36 boxes à 2.11 m² = 75.96 m²

Wood type   Colour	New COMPASS® grading surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art.No	availability	Price FCA in €/m²
Oak	13	-	●				1000 5323	S	66,00
	13	-		●			1001 6615	S	69,00
	● 15	-	●	●			1000 5325	S	57,00
	● 15	-			●		1001 8499	S	60,00
Oak   Avena	15	-	●	●			1001 3668	S	60,00
Oak   Caffelatte	15	-	●	●			1001 3669	S	60,00
Oak   Crema	● 15	-			●		1002 3902	S	63,00
Oak   Farina	15	-	●	●			1000 8675	S	60,00
	● 15	-	●		●		1001 6944	S	63,00
	● 15	-	●		●		1002 3903	S	66,00
	● 15	-	●	●			1001 8378	S	60,00
Oak   Grano	15	-	●	●			1001 3668	S	60,00
Oak   Mandorla	● 15	-	●	●			1013 9061	S	60,00
	● 15	-	●		●		1011 7160	S	63,00
	● 15	-	●		●		1011 7159	S	66,00
	● 15	-	●		●		1011 7158	S	66,00
Oak   Sasso	● 15	-	●		●		1011 7157	S	92,00
Oak slightly smoked   Crema	15*	-			●				
Oak smoked	● 14*	-		●			1000 5327	S	87,00
	● 14*	-			●		1001 6982	S	90,00
	24	-		●			1000 6898	A	82,00
	● 14*	-			●		1002 3900	S	93,00
Maple Canadian	15	-		●			1000 5316	C	81,00
Beech steamed	13	-		●			1015 3182	C	58,00
	15	-		●			1015 3181	C	48,00
Ash	15	-		●			1000 6717	C	48,00
Cherry American	13	-		●			1000 5329	C	76,00
Walnut American	14	-		●			1000 5330	C	118,00
	14	-			●		1001 6651	C	121,00
	34	-		●			1000 6531	A	103,00

# MONOPARK®

470 × 70 × 9.6 mm (right and left strips)



Package unit: 1 pallet = 36 boxes à 2.11 m<sup>2</sup> = 75.96 m<sup>2</sup>

Wood type   Colour	New	grading surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art.No	availability	Price FCA in €/m <sup>2</sup>
Oak	13			●				1015 3183	C	70,00
	13				●			1015 3184	C	73,00
	15			●				1014 1851	C	61,00
	15		-		●			1012 9419	C	64,00
Oak   Crema	15		-		●			1012 9386	C	67,00
Oak   Farina	15		-	●		●		1012 9422	C	70,00

# MONOPARK® COMFORT

470 × 70 × 10.8 mm



Package unit: 1 pallet = 36 boxes à 1.84 m<sup>2</sup> = 66.24 m<sup>2</sup>

Wood type   Colour	New	grading surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art.No	availability	Price FCA in €/m <sup>2</sup>
Oak	15		-	●				1011 7889	S	72,00
Oak   Crema	15		-		●			1011 7895	S	78,00

PRODUCT | CERTIFICATES

Eco-Institut-Label

Monopark | Monopark Comfort Excl. smoked products, incl. slightly smoked products

You will find an overview of the certificates on p. 73

## MONOPARK® & MONOPARK® Comfort



- › Because of production reasons the boxes can contain some shorter strips. These strips can easily be used as start or end piece or be inserted in the surface.
- \* without sapwood
- + Bauwerk Compass consists of a simple core assortment of 75 top sellers of the Bauwerk two-layer range and a smart sales concept - to find the right product for your customer.

# TRIOPARK®

2200 × 215 × 14 mm



Package unit: 1 pallet = 50 boxes à 2.84 m<sup>2</sup> = 142.00 m<sup>2</sup>

Wood type   Colour	Nett grading surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art.No	availability	Price FCA in €/m <sup>2</sup>
Oak	14	-	●				1002 4111	S	65,00
	14	-		●			1002 4110	S	68,00
	15	-	●		●		1002 4113	S	60,00
	15	-		●			1002 4112	S	63,00
Oak   Farina	14	-	●	●			1002 4115	S	68,00
	14	-	●		●		1002 4114	S	71,00
Maple Canadian	15	-	●				1014 3694	S	84,00
Beech steamed	14	-	●				1002 4119	S	60,00

PRODUCT   CERTIFICATES	Eco-Institut-Label
Triopark	Excl. smoked products, incl. slightly smoked products; excl. natural oiled products

You will find an overview of the certificates on p. 73

## TRIOPARK®


\* without sapwood



## 5G-INTERLOCKING SYSTEM




Triopark ship deck flooring is basing on the 5G-interlocking system. The so-called "single-action" method is a proven, user friendly and fast connection method.



# MULTIPARK® 10

1200 × 140 × 10 mm



Package unit: 1 pallet = 35 boxes à 2.69 m<sup>2</sup> = 94.15 m<sup>2</sup>

Wood type   Colour	New	grading surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art.No	availability	Price FCA in €/m <sup>2</sup>
Oak	14		-	●				1011 6507	S	59,00
	14	brushed	-		●			1011 6510	S	63,00
Beech steamed	13*		-	●				1015 3305	S	58,00
	14*		-	●				1015 3306	S	54,00

# MULTIPARK® 9.5

1200 × 140 × 9.5 mm



Package unit: 1 pallet = 40 boxes à 2.18 m<sup>2</sup> = 87.20 m<sup>2</sup>

Wood type   Colour	New	grading surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art.No	availability	Price FCA in €/m <sup>2</sup>
Oak	14		-	●				1013 7672	S	52,00
Oak   Crema	14		-		●			1013 7673	S	58,00
Oak   Farina	14		-	●		●		1013 7674	S	61,00

# MULTIPARK® SILENTE

1200 × 140 × 12.8 mm



Package unit: 1 pallet = 40 boxes à 1.51 m<sup>2</sup> = 60.40 m<sup>2</sup>

Wood type   Colour	New	grading surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art.No	availability	Price FCA in €/m <sup>2</sup>
Oak	14		-	●				1013 7675	C	78,00

PRODUCT   CERTIFICATES	Cradle to Cradle® Certified Gold	Cradle to Cradle® Certified Silver	Cradle to Cradle® Certified Bronze	Eco-Institut-Label
Multipark		for B-Protect® surfaces	for natural oiled and mat lacquered surfaces	
Multipark Silente	✓			Excl. smoked products, incl. slightly smoked products

You will find an overview of the certificates on p. 73

## MULTIPARK® 10, MULTIPARK® 9.5 & MULTIPARK® SILENTE




- Because of production reasons the boxes can contain some shorter strips. These strips can easily be used as start or end piece or be inserted in the surface.

- The Multipark-Silente-Product features the same advantages as the Cleverpark-Silente-Products (page 25).

\* without sapwood

# PREPARK®

480 × 117 × 8 mm




Package unit: 1 pallet = 50 boxes à 3.80 m<sup>2</sup> = 190.00 m<sup>2</sup>

Wood type   Colour	Grading surface	bevel on sides versiegelt	Art.No	availability	Price FCA in €/m <sup>2</sup>
Oak   Mosaic	14	- ●	1100 9809	S	62,00
Oak   Parallel	14	- ●	1100 9840	S	62,00

# PREPARK® COMFORT

480 × 117 × 10 mm



Package unit: 1 pallet = 50 boxes à 3.01 m<sup>2</sup> = 150.50 m<sup>2</sup>

Wood type   Colour	Grading surface	bevel on sides versiegelt	Art.No	availability	Price FCA in €/m <sup>2</sup>
Oak   Mosaic	14	- ●	1100 9807	S	68,00
	15	- ●	1000 3179	A	59,00
Oak   Parallel	14	- ●	1100 9808	S	68,00
	15	- ●	1000 3180	A	59,00

With a laminated 2 mm thick cork-sublayer for better walking comfort and impact sound reduction.


PRODUCT   CERTIFICATES	Eco-Institut-Label
Prepark   Prepark Comfort	Excl. smoked products, incl. slightly smoked products; Details on request

You will find an overview of the certificates on p. 73

## PREPARK® & PREPARK® COMFORT



Mosaic



Parallel




## THE PRACTICAL MASSIVE FLOORING



Quick and uncomplicated installation is guaranteed thanks to the prepared elements prefabricated in the factory including lacquering.

# SOLID PARQUET

160 × 23 × 8 mm



Package unit: Mosaic = 36 boxes à 4.92 m<sup>2</sup> = 177.12 m<sup>2</sup>      Parallel = 36 boxes à 4.92 m<sup>2</sup> = 177.12 m<sup>2</sup>      English = 21 boxes à 4.92 m<sup>2</sup> = 103.32 m<sup>2</sup>


FSC® 100 % – For information on products with FSC® certification, see page 72.

Wood type   Colour	New	grading surface	bevel on sides	Art.No	availability	Price FCA in €/m <sup>2</sup>
Oak   Mosaic (FSC® 100 %)		12		– 1100 9721	S	32,00
		24*		– 1100 9722	S	31,00
		35		– 1100 9720	A	29,00
Oak   Parallel (FSC® 100 %)		12		– 1100 9739	S	32,00
		24*		– 1100 9740	S	31,00
		35		– 1100 9738	A	29,00
Oak   English (FSC® 100 %)		12		– 1100 9757	S	35,00
		24*		– 1100 9758	S	34,00
		35		– 1100 9756	A	32,00

Unterseitig netzverklebt

# ON-EDGE

160 × 8 × 23 mm




Package unit: 23 mm = 36 boxes à 1.64 m<sup>2</sup> = 59.04 m<sup>2</sup>

FSC® 100 % – For information on products with FSC® certification, see page 72.

Wood type   Colour	New	grading surface	bevel on sides	Art.No	availability	Price FCA in €/m <sup>2</sup>
Oak (FSC® 100 %)		15		– 1101 0734	A	56,00

# SOLID PARQUET

Solid parquet, Format 160 mm / \* = without sapwood



# ON-EDGE

On-Edge, Format 320 x 160 mm





---

# BAUWERK COMPASS ASSORTMENT

*at a glance*

**BAUWERK®**  
*Parquet*

---

# BAUWERK COMPASS ASSORTMENT

Wood type   Colour	Product	New	grading surface	bevel on sides	stained	mat lacquered	natural oiled	B-Protect®	Art.No	availability	Price FCA in €/m²
Oak	Monopark	15		-	●				1000 5325	S	57,00
	Monopark	15		-		●			1001 8499	S	60,00
	Cleverpark	14*	brushed	-	●				1013 7659	S	76,00
	Cleverpark	14*	brushed	-		●			1001 9901	S	79,00
	Cleverpark	34	brushed	-	●				1013 7666	S	66,00
	Cleverpark	34	brushed	-		●			1013 7667	S	69,00
	Trendpark	14*	brushed	-	●				1013 7633	S	106,00
	Trendpark	14*	brushed	-		●			1013 7634	S	109,00
	Trendpark	35	brushed	-	●				1013 7644	S	97,00
	Trendpark	35	brushed	-		●			1013 7645	S	100,00
	Villapark	14*	brushed	2	●				1001 8160	C	141,00
	Villapark	14*	deep brushed	2		●			1001 1169	S	144,00
	Villapark	35*	brushed	2		●			1001 8161	S	112,00
	Villapark	● 46	brushed	2	●				1015 5452	S	91,00
	Villapark	35*	brushed	2		●			1001 1170	S	115,00
	Villapark	46	deep brushed	2		●			1012 4089	S	94,00
Oak   Crema	Monopark	15		-			●		1002 3902	S	63,00
	Cleverpark	14*	brushed	-		●			1002 2976	S	82,00
	Cleverpark	34	brushed	-			●		1004 3124	S	72,00
	Trendpark	14*	brushed	-		●			1013 7635	S	112,00
	Trendpark	35	brushed	-		●			1013 7647	S	103,00
	Villapark	14*	brushed	2		●			1002 2972	S	147,00
	Villapark	35*	brushed	2			●		1002 2973	S	118,00
Oak   Farina	Villapark	● 46	brushed	2			●		1015 5453	S	97,00
	Monopark	15		-	●	●			1001 6944	S	63,00
	Monopark	15		-	●		●		1002 3903	S	66,00
	Cleverpark	14*	brushed	-	●		●		1001 9902	S	82,00
	Cleverpark	14*	brushed	-	●			●	1002 3103	S	85,00
	Cleverpark	34	brushed	-	●	●		●	1013 5854	S	72,00
	Cleverpark	34	brushed	-	●		●		1004 3125	S	75,00
	Trendpark	14*	brushed	-	●		●		1013 7637	S	112,00
	Trendpark	14*	brushed	-	●			●	1013 7636	S	115,00
	Trendpark	35	brushed	-	●		●		1013 7648	S	103,00
	Trendpark	35	brushed	-	●			●	1013 7649	S	106,00
	Villapark	14*	deep brushed	2	●		●		1001 3853	S	147,00
	Villapark	14*	brushed	2	●			●	1002 3949	S	150,00
	Villapark	35*	deep brushed	2	●		●		1001 1172	S	118,00
	Villapark	46	deep brushed	2	●		●		1012 4090	S	97,00
	Villapark	35*	brushed	2	●			●	1002 3950	S	121,00
	Villapark	● 46	brushed	2	●			●	1015 5454	S	100,00



VILLAPARK . . . . . 2100 x 190 x 9,5 mm



TRENDPARK . . . . . 1450 x 130 x 11 mm



CLEVERPARK . . . . . 1250 x 100 x 9,5 mm



MONOPARK . . . . . 470 x 70 x 9,6 mm

S = stock program

C = commission program

\* = without sapwood

Package unit:

Villapark 1 pallet = 45 boxes à 2.40 m<sup>2</sup> = 108,00 m<sup>2</sup>  
 Trendpark 1 pallet = 35 boxes à 2.64 m<sup>2</sup> = 92,40 m<sup>2</sup>  
 Cleverpark 1 pallet = 48 boxes à 2.00 m<sup>2</sup> = 96,00 m<sup>2</sup>  
 Monopark 1 pallet = 36 boxes à 2.11 m<sup>2</sup> = 75,96 m<sup>2</sup>



Wood type   Colour	Product	New	grading surface	bevel on sides	stained	mat lacquered	natural/oiled	B-Protect®	Art.No	availability	Price FCA in €/m <sup>2</sup>
Oak   Mandorla	Monopark	15		-	●	●			1013 9061	S	60,00
	Monopark	15		-	●		●		1011 7160	S	63,00
	Monopark	15		-	●			●	1011 7159	S	66,00
	Cleverpark	14*	brushed	-	●	●			1013 7663	S	79,00
	Cleverpark	14*	brushed	-	●		●		1012 3585	S	82,00
	Cleverpark	14*	brushed	-	●			●	1012 3586	S	85,00
	Cleverpark	34	brushed	-	●	●			1013 7668	S	69,00
	Cleverpark	34	brushed	-	●		●		1002 2968	S	72,00
	Cleverpark	34	brushed	-	●			●	1004 3075	S	75,00
	Trendpark	14*	brushed	-	●	●			1013 7638	S	109,00
	Trendpark	14*	brushed	-	●		●		1013 7640	S	112,00
	Trendpark	14*	brushed	-	●			●	1013 7642	S	115,00
	Trendpark	35	brushed	-	●	●			1013 7650	S	100,00
	Trendpark	35	brushed	-	●		●		1013 7652	S	103,00
	Trendpark	35	brushed	-	●			●	1013 7653	S	106,00
	Villapark	14*	brushed	2	●	●			1013 7622	C	144,00
	Villapark	14*	deep brushed	2	●		●		1002 2963	C	147,00
	Villapark	14*	brushed	2	●			●	1013 7623	C	150,00
	Villapark	35*	brushed	2	●	●			1013 7621	S	115,00
	Villapark	46	brushed	2	●	●			1015 5455	S	94,00
	Villapark	35*	deep brushed	2	●		●		1011 4346	S	118,00
	Villapark	46	deep brushed	2	●			●	1011 5654	S	97,00
	Villapark	35*	brushed	2	●			●	1012 5523	S	121,00
	Villapark	46	brushed	2	●			●	1012 5439	S	100,00
Oak   Sasso	Monopark	15		-	●		●		1011 7158	S	66,00
	Cleverpark	14*	brushed	-	●		●		1013 7665	C	85,00
	Cleverpark	34	brushed	-	●		●		1011 6490	C	75,00
	Trendpark	14*	brushed	-	●		●		1013 7643	C	115,00
	Trendpark	35	brushed	-	●		●		1013 7654	C	106,00
	Villapark	14*	brushed	2	●		●		1013 7624	C	150,00
	Villapark	35*	brushed	2	●		●		1011 6488	C	121,00
Oak smoked	Villapark	46	brushed	2	●			●	1015 5456	C	100,00
	Monopark	14*		-		●			1000 5327	S	87,00
	Monopark	14*		-			●		1001 6982	S	90,00
	Cleverpark	14*	brushed	-		●			1013 7669	S	89,00
	Cleverpark	14*	brushed	-			●		1001 9903	S	92,00
	Trendpark	14*	brushed	-		●			1013 7656	S	135,00
	Trendpark	14*	brushed	-			●		1013 7657	S	138,00
	Villapark	14*	brushed	2		●			1001 8162	S	163,00
Oak smoked   Crema	Villapark	14*	deep brushed	2			●		1001 1171	S	166,00
	Monopark	14*		-				●	1002 3900	S	93,00
	Cleverpark	14*	brushed	-				●	1002 3106	S	95,00
	Trendpark	14*	brushed	-				●	1013 7658	S	141,00
	Villapark	14*	brushed	2				●	1002 2974	S	169,00



## PERSONAL WELL-BEING

---

Bauwerk's wooden floors introduce a true piece of nature to your home, bringing warmth to your everyday life. Its palpable natural character appeals to all senses and creates a healthy, perfectly balanced atmosphere of well-being in every room.



## INGENIOUS DESIGN

---

Thanks to our flair for aesthetics and a strong sense of intelligent functionality, we highlight and reimagine the unrivalled features of authentic wood. This is how Bauwerk makes parquet to suit personal needs: clear, valuable, timeless.



## SWISS PRECISION

---

Our ideas and work have always been marked by passion, precision and care. This is how we make top-quality parquet to meet the highest expectations. Every floor made by Bauwerk is a result of decades of experience and the closest attention to detail. These traits make our floors unique, life-long companions.



## INNOVATIVE PARQUET SOLUTIONS

---

For us, innovation means continuously looking at wood in new ways — as a full product solution and in terms of our customer service, care and renovation. However, our goal is always the same: making floors that provide an unforgettable living experience.



# ACCESSORIES IN WOOD

*A love for detail*



SKIRTING



STAIR STEPS  
& STAIR NOSES



VENTILATION GRIDS

# Skirting Matrix

	SOLID SKIRTING	MDF	VENEERED SKIRTING
	Coverline 2400/10/20	Altberliner-Profil 2500/60/18	Classicline Kubus 2700/58/16
		Altberliner-Profil 2500/120/18	Classicline Kubus 2700/40/16
White covering after RAL 9010			
White covering after RAL 9016			
White laminated after RAL 9003			
Schwarz			
Oak			
Oak unfinished			
Oak   Ambra			
Oak   Avena			
Oak   Avorio			
Oak   Caffè			
Oak   Caffelatte			
Oak   Caramello			
Oak   Crema			
Oak   Creta			
Oak   Deserto			
Oak   Fango			
Oak   Farina			
match Oak Farina B-Protect®			
Oak   Farro			
Oak   Fulvo			
Oak   Fumo			
Oak   Gold			
Oak   Grano			
Oak   Mandorla			
match Oak Mandorla B-Protect®			
Oak Mocca			
Oak   Nuvola			
Oak   Roccia			
Oak   Sasso			
match Oak Sasso B-Protect®			
Oak   Silver			
Oak   Tabacco			
Oak slightly smoked			
Oak slightly smoked   Cacao			
Oak slightly smoked   Canneto			
Oak slightly smoked   Terra			
Oak smoked			
Oak smoked   Crema			
Oak smoked   Farina			
Oak smoked   Lava			
Oak black limed			
Maple Canadian			
Acacia steamed			
Beech steamed			
Beech unsteamed			
Ash			
Ash   Farina			
Cherry American			
Walnut American			

# SOLID SKIRTING

Solid Skirting. Available in bundles only. Due to production-related variances, the individual board lengths can vary between 1800 and 3750 mm. Most lengths are between 3000 and 3500 mm, and a bundle lot is guaranteed to have 25 running metres.

Description	Format mm	N <sub>var</sub>	Wood type   Colour	mat lacquered	Art.No	availability	Price FCA in €/m <sup>1</sup>
<b>Coverline M 3500/10</b>	<b>10/20/17</b> <b>Length:</b> <b>2400 mm</b> <b>Bundle lot 24 m<sup>1</sup></b>		Oak unfinished		1009 7718	S	6,20
			Oak	●	1009 7720	S	6,60
			Oak   Crema	●	1009 7721	S	7,90
			Oak   Farina	●	1009 7722	S	7,50
			Oak smoked	●	1009 7723	S	7,50

› All mat lacquered skirting boards also go well with nature oiled floors.

# VENEERED SKIRTING – CLASSICLINE

Veneered skirting. Bundle with 10 pieces. Available in bundles only.

Description	Format mm	N <sub>var</sub>	Wood type   Colour	mat lacquered	Art.No	availability	Price FCA in €/m <sup>1</sup>
<b>Classicline Kubus 2700/95</b>	<b>95/16/16</b> <b>Length: 2700 mm</b> <b>Bundle lot 27 lfm</b>		White covering after RAL 9010	●	1014 3780	S	10,40
			White covering after RAL 9016	●	1014 3781	S	10,40
			Oak	●	1014 3782	S	10,10
			Oak   Avorio	●	1014 3783	S	12,70
			Oak   Caffè	●	1014 3784	S	12,70
			Oak   Crema	●	1014 3785	S	12,70
			Oak   Farina	●	1014 3786	S	12,70
			Oak   Fulvo	●	1014 3788	S	12,70
			Oak   Fumo	●	1014 3790	S	12,70
			Oak   Gold	●	1014 3791	S	12,70
			Oak   Mandorla	●	1014 3792	S	12,70
			Oak   Silver	●	1014 3794	S	12,70

# VENEERED SKIRTING – CLASSICLINE

Veneered Skirting. Bundle with 10 pieces.  
Available in bundles only.

Description	Format mm	Wood type   Colour	mat lacquered	Art.No	availability	Price FCA in €/m <sup>1</sup>
<b>Classicline Kubus 2700/58 R 3</b>	<b>58/16/16 Length: 2700 mm Bundle lot 27 m<sup>1</sup></b>	White covering after RAL 9010	●	1011 8508	S	6,10
		White covering after RAL 9016	●	1011 8509	S	6,10
		Oak	●	1000 9546	S	6,00
		Oak   Crema	●	1009 7689	S	7,20
		Oak   Farina	●	1001 1931	S	7,20
		Oak smoked	●	1000 9539	S	7,20
<b>Classicline Kubus 2700/40 R 3</b>	<b>40/16/16 Length: 2700 mm Bundle lot 27 m<sup>1</sup></b>	White covering after RAL 9010	●	1011 8510	S	5,20
		White covering after RAL 9016	●	1011 8511	S	5,20
		Oak	●	1000 9444	S	5,10
		Oak   Ambra	●	1011 7969	S	6,40
		Oak   Avena	●	1001 1924	S	6,40
		Oak   Avorio	●	1001 8976	S	6,40
		Oak   Caffelatte	●	1001 1923	S	6,40
		Oak   Caramello	●	1015 7660	S	6,40
		Oak   Crema	●	1002 3179	S	6,40
		Oak   Creta	●	1011 7974	S	6,40
		Oak   Fango	●	1011 7997	S	6,40
		Oak   Farina	●	1001 1926	S	6,40
		match Oak Farina B-Protect®	●	1002 4240	S	6,40
		Oak   Farro	●	1014 3508	S	6,40
		Oak   Gold	●	1001 8906	S	6,40
		Oak   Grano	●	1001 8908	S	6,40
		Oak   Mandorla	●	1002 3180	S	6,40
		match Oak Mandorla B-Protect®	●	1009 7690	S	6,40
		Oak   Mocca	●	1014 0045	S	6,40
		Oak   Nuvola	●	1014 3511	S	6,40
		Oak   Roccia	●	1014 3509	S	6,40
		Oak   Sasso	●	1013 8375	S	6,40
		match Oak Sasso B-Protect®	●	1011 9834	S	6,40
		Oak slightly smoked	●	1002 2232	S	6,40
		Oak slightly smoked   Cacao	●	1009 7691	S	6,40
		Oak slightly smoked   Canneto	●	1012 5425	S	6,40
		Oak slightly smoked   Terra	●	1013 8371	S	6,40
		Oak smoked	●	1000 9450	S	6,40
		Oak smoked   Crema	●	1002 4169	S	6,40
		Oak smoked   Farina	●	1001 1927	S	6,40
		Oak smoked   Lava	●	1013 8373	S	6,40
		Oak black limed	●	1002 2234	S	6,40
		Maple Canadian	●	1000 9446	S	5,30
		match Maple Canadian B-Protect®	●	1009 7693	S	6,40
		Acacia steamed	●	1002 4142	S	6,40
		Beech steamed	●	1000 9445	S	5,20
		Beech unsteamed	●	1011 8512	S	5,20
		Ash	●	1002 4246	S	6,40
		Cherry American	●	1000 9448	S	5,50
		Walnut American	●	1000 9449	S	5,50

# VENEERED SKIRTING – CLASSICLINE

Veneered Skirting. Bundle with 10 pieces.  
Available in bundles only..

Description	Format mm	Wood type   Colour	mat lacquered	Art.No	availability	Price FCA in €/m <sup>1</sup>
<b>Classicline Kubus 2700/58</b>	<b>58/12/12 Length: 2700 mm Bundle lot 27 m<sup>1</sup></b>	White covering after RAL 9010	●	1011 8513	S	5,70
		White covering after RAL 9016	●	1011 8514	S	5,70
		Oak	●	1001 1944	S	5,60
		Oak   Avena	●	1001 1917	S	7,00
		Oak   Caffelatte	●	1001 1916	S	7,00
		Oak   Crema	●	1009 7696	S	7,00
		Oak   Farina	●	1001 1919	S	7,00
		Oak smoked	●	1001 1949	S	7,00
		Walnut American	●	1001 1950	S	6,00
<b>Classicline Kubus 2700/40</b>	<b>40/12/12 Length: 2700 mm Bundle lot 27 m<sup>1</sup></b>	White covering after RAL 9010	●	1011 8516	S	5,10
		White covering after RAL 9016	●	1011 8517	S	5,10
		Black	●	1011 8518	S	6,80
		Oak	●	1001 1781	S	5,00
		Oak   Ambra	●	1011 7999	S	6,30
		Oak   Avena	●	1001 1913	S	6,30
		Oak   Avorio	●	1001 8975	S	6,30
		Oak   Caffelatte	●	1001 1912	S	6,30
		Oak   Caramello	●	1015 7658	S	6,30
		Oak   Crema	●	1002 3174	S	6,30
		Oak   Creta	●	1011 8000	S	6,30
		Oak   Deserto	●	1002 4147	S	6,30
		Oak   Fango	●	1011 8001	S	6,30
		Oak   Farina	●	1001 1915	S	6,30
		Oak   Farro	●	1014 3462	S	6,30
		match Oak Farina B-Protect®	●	1002 4241	S	6,30
		Oak   Gold	●	1001 8898	S	6,30
		Oak   Grano	●	1001 8900	S	6,30
		Oak   Mandorla	●	1002 3175	S	6,30
		match Oak Mandorla B-Protect®	●	1009 7697	S	6,30
		Oak   Mocca	●	1014 0043	S	6,30
		Oak   Nuvola	●	1014 3507	S	6,30
		Oak   Roccia	●	1014 3505	S	6,30
		Oak   Sasso	●	1013 8376	S	6,30
		match Oak Sasso B-Protect®	●	1011 9833	S	6,30
		Oak   Tabacco	●	1002 4148	S	6,30
		Oak slightly smoked	●	1002 2226	S	6,30
		Oak slightly smoked   Cacao	●	1009 7698	S	6,30
		Oak slightly smoked   Canneto	●	1012 5424	S	6,30
		Oak slightly smoked   Terra	●	1013 8372	S	6,30
		Oak smoked	●	1001 1794	S	6,30
		Oak smoked   Crema	●	1002 4168	S	6,30
		Oak smoked   Farina	●	1001 1793	S	6,30
		Oak smoked   Lava	●	1013 8374	S	6,30
		Oak black limed	●	1011 3449	S	6,30
		Maple Canadian	●	1001 1797	S	5,20
		match Maple Canadian B-Protect®	●	1009 7699	S	6,20
		Acacia steamed	●	1002 4149	S	6,30
		Beech unsteamed	●	1011 8564	S	5,10
		Ash   Farina	●	1002 2229	S	6,30
		Cherry American	●	1001 1799	S	5,30
		Walnut American	●	1001 1800	S	5,90

› All mat lacquered skirting boards also go well with nature oiled floors.

# VENEERED SKIRTING – SOFTLINE

Veneered Skirting. Bundle with 10 pieces.  
Available in bundles only.

Description	Format mm	N <sub>vev</sub>	Wood type   Colour	mat lacquered	Art.No	availability	Price FCA in €/m <sup>1</sup>
<b>Softline F 2400/38</b>	<b>38/18/12</b> <b>Length: 2400 mm</b> <b>Bundle lot 24 m<sup>1</sup></b>		White covering after RAL 9010	●	1011 8566	C	4,90
			Oak	●	1011 8568	S	4,80
			Oak   Farina	●	1101 1239	C	4,80

All mat lacquered skirting boards also go well with nature oiled floors.

# LAMINATED SKIRTING (ON MDF BACKING MATERIAL)

Laminated skirting on MDF backing material. Bundle with 10 pieces. Available in full bundles only.

Description	Format mm	N <sub>vev</sub>	Wood type   Colour	mat lacquered	Art.No	availability	Price FCA in €/m <sup>1</sup>
<b>Profile "Old Berlin" F 2400/60</b>	<b>60/18/9</b> <b>Length: 2400 mm</b> <b>Bundle lot 25 m<sup>1</sup></b>		White laminated after RAL 9003	●	1015 6549	S	5,30
<b>Profile "Old Berlin" 2400/120</b>	<b>120/18/9</b> <b>Length: 2400 mm</b> <b>Bundle lot 12 m<sup>1</sup></b>		White laminated after RAL 9003	●	1015 6550	S	8,90
<b>Plinth blocks</b>	<b>125/21/21</b> <b>Verpackungseinheit. 4 piece</b>		White covering after RAL 9003	●	1002 4173	C	30,00
	<b>65/21/21</b> <b>Verpackungseinheit. 4 piece</b>		White covering after RAL 9003	●	1002 4172	C	21,00

All mat lacquered skirting boards also go well with nature oiled floors.

# VENEERED SKIRTING – CUBE

Veneered Skirting. Bundle with 10 pieces.  
Available in bundles only.

Description	Format mm	Wood type   Colour	mat lacquered	availability	Price FCA in €/m <sup>1</sup>
<b>Cube 2700/20</b>	<b>20/17.5/17.5</b> <b>Length: 2700 mm</b> <b>Bundle lot 27 m<sup>1</sup></b>	White covering after RAL 9010	●	S	5,90
		Oak	●	S	5,10
		Oak   Farina	●	C	5,70
		Oak smoked	●	C	5,70

All mat lacquered skirting boards also go well with nature oiled floors.

## FARINA SKIRTING MATRIX

What Farina products can be combined with which Skirting? The table below helps you find this out.

Format	Surface treatment	Matching skirting boards
Casapark   Villapark   Studiopark   Formpark Rombico   Trendpark   Cleverpark   Solopark   Monopark (Comfort)   Triopark	natural oiled	1001 1915 (Classicline Kubus 2700/40/12) 1001 1926 (Classicline Kubus 2700/40/16) 1001 1919 (Classicline Kubus 2700/58/12) 1001 1931 (Classicline Kubus 2700/58/16) 1002 3171 (Cube) 1101 1239 (Softline F2400/38/18)
Casapark   Cleverpark (Silente)   Unopark   Solopark   Monopark (Comfort)   Triopark   Multipark 10	mat lacquered	1101 1239 (Softline F2400/38/18) 1001 1915 (Classicline Kubus 2700/40/12) 1001 1926 (Classicline Kubus 2700/40/16) 1001 1919 (Classicline Kubus 2700/58/12) 1001 1931 (Classicline Kubus 2700/58/16) 1002 3171 (Cube 2700/20) / 1009 7722 (Coverline M 2400/10/20)
Casapark   Villapark   Studiopark   Trendpark   Cleverpark   Monopark (Comfort)   Multipark 9.5	B-Protect®	1002 4241 (Classicline Kubus 2700/40/12) 1002 4240 (Classicline Kubus 2700/40/16)
Silverline Edition   Unicopark	natural oiled	1014 3786 (Classicline Kubus 95/16/16)

# STAIR NOSES, MADE FROM PARQUET (groove/edging)

Standard type suitable for Villapark, Trendpark, Cleverpark, Monopark, Casapark and Triopark.

Angle 90°, horizontal section with groove, vertical section with tongue. Made from parquet, mitre joint, beveled edge.


Format	Wood type   Colour	N <sub>EW</sub>	grading surface	b <sub>perp</sub> on sides	stained	mat lacquered	natural oiled	B-Protect®	Art.No	availability	Price FCA in €/m <sup>1</sup>
<b>Villapark – 150/40</b> <b>Length: 2100 mm</b> <b>Bundle lot 4.20 lfm</b>	Oak	14	deep brushed	2		●			1011 7618	S	63,00
	Oak   Avorio	14	deep brushed	2	●	●			1011 7619	C	65,00
	Oak   Crema	14	brushed	2			●		1011 7620	C	65,00
	Oak   Farina	14	deep brushed	2	●	●			1011 7621	C	65,00
	Oak   Farina	14	brushed	2	●		●		1011 7623	C	66,00
	Oak   Mandorla	14	deep brushed	2	●	●			1011 7624	S	65,00
	Oak   Mandorla	14	brushed	2	●		●		1012 5486	C	66,00
	Oak smoked	14	deep brushed	2		●			1011 7622	C	70,00
<b>Trendpark – 90/40</b> <b>Length: 1450 mm</b> <b>Bundle lot 2.90 lfm</b>	Oak	14		-		●			1014 3605	C	62,00
	Oak	14		-		●					
<b>Cleverpark – 60/40</b> <b>Length: 1250 mm</b> <b>Bundle lot 2.50 lfm</b>	Oak	14		-	●				1011 7628	S	55,00
	Oak	14		-		●			1011 7629	C	56,00
	Oak   Avorio	34	brushed	-	●	●			1014 3607	S	58,00
	Oak   Crema	14		-			●		1012 5487	S	58,00
	Oak   Crema	14	brushed	-			●		1011 7630	S	58,00
	Oak   Farina	14	brushed	-	●		●		1011 7632	S	59,00
	Oak   Mandorla	14	brushed	-	●		●		1013 9438	S	58,00
	Oak	13		-	●				1011 7635	S	60,00
<b>Monopark° – 100/40</b> <b>Length: 1400 mm</b> <b>Bundle lot 2.80 lfm</b>	Oak	13		-		●			1011 7636	C	61,00
	Oak   Crema	15		-			●		1011 7639	S	63,00
	Oak	14	brushed	2		●			1011 7640	S	61,00
<b>Casapark – 100/40</b> <b>Length: 2200 mm</b> <b>Bundle lot 4.40 lfm</b>	Oak	● 15		2		●			1011 7641	C	60,00
	Oak   Crema	14	brushed	2			●		1011 7642	S	63,00
	Oak   Farina	● 45	brushed	2	●	●			1011 7643	S	63,00
	Oak   Sasso	15	brushed	2	●		●		1011 7645	S	63,00
	Oak   Ambra	● 15*	brushed	2	●		●		1013 9466	S	65,00
<b>Casapark – 142/40</b> <b>Length: 2200 mm</b> <b>Bundle lot 4.40 lfm</b>	Oak   Farina	● 14	brushed	2	●		●		1012 5489	C	66,00
	Oak	14		-		●			1011 7646	S	61,00
<b>Triopark – 161/40</b> <b>Length: 2200 mm</b> <b>Bundle lot 4.40 lfm</b>	Oak										

## GENERAL INFORMATION



- › Available in bundles only.
- ° Due to production reasons these stair noses do have transverse joints.

STAIR NOSING  
with tongue/edge band  
made from parquet



# STAIR NOSES, MADE FROM PARQUET (groove/tongue)

Standard type suitable for Villapark, Trendpark, Cleverpark, Monopark, Casapark and Triopark.

Angle 90°, horizontal section with groove, vertical section with edging. Made from parquet, mitre joint, beveled edge.


Format	Wood type   Colour	N <sub>EW</sub>	grading surface	bereft on sides	stained	mat lacquered	natural/oiled	B-Protect®	Art.No	availability	Price FCA in €/m <sup>1</sup>
<b>Villapark - 150/40</b> <b>Length: 2100 mm</b> <b>Bundle lot 4.20 m<sup>1</sup></b>	Oak	14	deep brushed	2		●			1011 7647	S	59,00
	Oak   Avorio	14	deep brushed	2	●	●			1011 7648	S	60,00
	Oak   Crema	14	brushed	2			●		1011 7649	S	60,00
	Oak   Farina	14	deep brushed	2	●	●			1011 7650	S	60,00
	Oak   Farina	14	brushed	2	●		●		1011 7651	S	61,00
	Oak   Mandorla	14	deep brushed	2	●	●			1011 7653	S	60,00
	Oak   Mandorla	14	brushed	2	●		●		1012 5490	S	61,00
	Oak smoked	14	deep brushed	2		●			1011 7652	C	66,00
<b>Trendpark - 90/40</b> <b>Length: 1450 mm</b> <b>Bundle lot 2.90 m<sup>1</sup></b>	Oak	14		-		●			1014 3606	C	59,00
	Oak	14		-			●				
<b>Cleverpark - 60/40</b> <b>Length: 1250 mm</b> <b>Bundle lot 2.50 m<sup>1</sup></b>	Oak	14		-	●				1011 7657	S	51,00
	Oak	14		-		●			1011 7658	S	52,00
	Oak   Avorio	34	brushed	-	●	●			1014 3608	C	54,00
	Oak   Crema	14		-			●		1012 5491	S	54,00
	Oak   Crema	●	14	brushed	-		●		1011 7659	S	54,00
	Oak   Farina	●	14	brushed	-	●	●		1011 7661	S	55,00
	Oak   Mandorla	14	brushed	-	●	●			1013 9439	S	54,00
	Oak	13		-	●				1011 7664	S	56,00
<b>Monopark° - 100/40</b> <b>Length: 1400 mm</b> <b>Bundle lot 2.80 m<sup>1</sup></b>	Oak	13		-		●			1011 7665	S	58,00
	Oak   Crema	15		-			●		1011 7668	S	59,00
	Oak	14	brushed	2		●			1011 7669	S	58,00
<b>Casapark - 100/40</b> <b>Length: 2200 mm</b> <b>Bundle lot 4.40 m<sup>1</sup></b>	Oak	●	15	2		●			1011 7670	S	56,00
	Oak   Crema	14	brushed	2				●	1011 7671	S	59,00
	Oak   Farina	●	45	brushed	2	●	●		1011 7672	S	59,00
	Oak   Sasso	15	brushed	2	●	●			1011 7674	S	59,00
	Oak   Ambra	●	15*	brushed	2	●	●		1013 9467	S	60,00
<b>Casapark - 142/40</b> <b>Length: 2200 mm</b> <b>Bundle lot 4.40 m<sup>1</sup></b>	Oak   Farina	●	14	brushed	2	●		●	1012 5493	S	61,00
	Oak	14		-		●			1011 7675	C	58,00
<b>Triopark - 175/40</b> <b>Length: 2200 mm</b> <b>Bundle lot 4.40 m<sup>1</sup></b>	Oak										

## GENERAL INFORMATION



- › Available in bundles only.
- ° Due to production reasons these stair noses do have transverse joints.

STAIR NOSING  
with tongue and groove  
made from parquet



*Tasteful integration*

# PARQUET STAIRS

No matter the type of staircase, be it cantilever, classic, modern, straight or spiral: with stair steps, stair noses or panels from Bauwerk one can create sophisticated, creative solutions. All these products are produced in our factory in Switzerland. A unique production technology allows to fold stair noses without harming its surface.

## Your advantages

- › consistency in colour, gloss level and surface finish
- › innovative production technology: no damaging of the surface
- › swiss product in best Bauwerk quality
- › efficient solutions thanks to prefabricated step-panels or steps
- › endless freedom of design



## STEP (*with solid edge or tongue / groove*)

Large-size panel for stair steps, made from parquet, wood type oak, carrier plate MDF 4 mm, both longitudinal sides with stair nosing 40 mm high, mitre joint, beveled edge, comes with solid edge or tongue / groove connection, shipdeck installation pattern, surface according to parquet, formats according to table.

Product group	Width step	Length of steps 1100 (Art. No.)	Price FCA in €*	Length of steps 1400 (Art. No.)	Price FCA in €*	Length of steps 1700 (Art. No.)	Price FCA in €*
Silverline Edition	700	1003 9129	536,00	1003 9130	680,00	1003 9131	826,00
Casapark 209	756	1003 9132	369,00	1003 9133	470,00	1003 9134	570,00
Casapark 181	825	1003 9135	347,00	1003 9136	441,00	1003 9137	536,00
Casapark 139	756	1003 9138	272,00	1003 9139	423,00	1003 9140	514,00
Villapark	680	1003 9141	376,00	1003 9142	478,00	1003 9143	459,00
Studiopark	820	1003 9144	311,00	1003 9145	395,00	1003 9146	479,00
Trendpark	700	1003 9150	311,00	1003 9151	395,00	1003 9152	479,00
Cleverpark	720	1003 9156	282,00	1003 9157	358,00	1003 9158	435,00
Unopark/Solopark	760	1003 9162	303,00	1003 9163	386,00	1003 9164	469,00
Monopark	760	1003 9159	282,00	1003 9160	325,00	1003 9161	435,00
Triopark	780/752	1003 9165	282,00	1003 9166	325,00	1003 9167	435,00

## RISER (*with tongue / groove*)


Riser for large-size panel, made from parquet, wood type oak, carrier plate MDF 4 mm, comes with solid edge or tongue / groove connection, shipdeck installation pattern, surface according to parquet, formats according to table.

Product group	Width step	Length of steps 1100 (Art. No.)	Price FCA in €*	Length of steps 1400 (Art. No.)	Price FCA in €*	Length of steps 1700 (Art. No.)	Price FCA in €*
Silverline Edition	260	1003 9168	152,00	1003 9169	192,00	1003 9170	233,00
Casapark 209	209	1003 9171	108,00	1003 9172	137,00	1003 9173	167,00
Casapark 181	181	1003 9174	94,00	1003 9175	119,00	1003 9176	145,00
Casapark 139	278	1011 8004	131,00	1011 8005	167,00	1011 8006	203,00
Villapark	190	1003 9177	108,00	1003 9178	137,00	1003 9179	167,00
Studiopark	300	1003 9180	101,00	1003 9181	129,00	1003 9182	157,00
Trendpark	260	1003 9186	101,00	1003 9187	129,00	1003 9188	157,00
Cleverpark	200	1003 9192	86,00	1003 9193	111,00	1003 9194	135,00
Unopark/Solopark	210	1003 9198	94,00	1003 9199	119,00	1003 9200	145,00
Monopark	210	1003 9195	86,00	1003 9196	111,00	1003 9197	135,00
Triopark	215	1003 9201	86,00	1003 9202	111,00	1003 9203	135,00


## GENERAL INFORMATION

- › Order on commission (C)
- › 20% surcharge on small quantities of up to 5 units
- › Other types of wood, oak smoked, oak slightly smoked and used-look-products available on request
- › Other installation patterns available on request

STEP  
(with solid edge or tongue / groove)



RISER  
(with tongue / groove)



# SPECIAL STAIR NOSES, MADE FROM PARQUET

Special assortment to match all types of parquet. Dimensions, angle and finishing details variable. Lengths up to 2200 mm. Anti slippery profile available on demand.


Wood type   Colour	Format	Versiegelt mat lacquered natural oiled B-Protect®	Art.No	availability	Price FCA in €/m <sup>1</sup>	unit
Oak		● ● ●	1002 3427	C	94,00	m <sup>1</sup>
Oak coloured		● ● ●	1002 3441	C	96,00	m <sup>1</sup>
Oak smoked		● ● ●	1002 3443	C	103,00	m <sup>1</sup>
Ash		●	1002 3444	C	91,00	m <sup>1</sup>
Ash coloured		●	1002 3445	C	93,00	m <sup>1</sup>
Beech steamed		●	1002 3447	C	91,00	m <sup>1</sup>
Beech unsteamed		●	1002 3448	C	91,00	m <sup>1</sup>
Maple Canadian		●	1002 3449	C	96,00	m <sup>1</sup>
Acacia steamed		● ●	1002 3450	C	97,00	m <sup>1</sup>
Cherry American		●	1002 3451	C	97,00	m <sup>1</sup>
Walnut American		● ●	1002 3452	C	118,00	m <sup>1</sup>
<b>Edging (loose)</b> made from parquet top layers	Length 470–700 mm, Width 10–70 mm, thickness corresponding to relevant top layer		1002 4140	C	26,00	piece
Anti slippery profile in bulk,   beige	10 mm large		1002 3395	C	20,00	m <sup>1</sup>
Anti slippery profile in bulk   black	10 mm large		1002 3396	C	20,00	m <sup>1</sup>
Anti slippery profile in bulk   grey	10 mm large		1002 3397	C	20,00	m <sup>1</sup>
Anti slippery profile in bulk   brown	10 mm large		1002 3398	C	20,00	m <sup>1</sup>
Anti slippery profile in bulk   black	20 mm large		1002 3399	C	20,00	m <sup>1</sup>
Anti slippery profile in bulk   grey	20 mm large		1002 3400	C	20,00	m <sup>1</sup>
Anti slippery profile in bulk   brown	20 mm large		1002 3401	C	20,00	m <sup>1</sup>
Anti slippery profile in bulk   beige	20 mm large		1002 3402	C	20,00	m <sup>1</sup>
Anti slippery profile fixed, over the whole length of the stair nose			1002 3497	C	17,00	m <sup>1</sup>
Surcharge for clipped off ends			1002 3499	C	14,00	piece

## GENERAL INFORMATION




- › Manufactured from parquet (own production).
- › Length and angle as requested and mitred
- › Comes either with tongue/edge band, tongue/groove or 5G connection
- › 20% surcharge on small quantities up to 5 metres.
- › Due to production reasons these stair noses do have transverse joints.

STAIR NOSING  
with tongue/edge band made  
from parquet



STAIR NOSING  
with tongue and groove or 5G  
made from parquet




# STAIR TREADS

We can make one-sided or two-sided stair treads on request. The visible edge is slightly beveled or rounded. Surfaces are sealed or naturally oiled. These treads are made to measure for each order. Price and delivery times available on request.


## CLOSED TREADS

Full tread 4-6 sided with insert




## TREADS

Single angled tread




## ANGLED STEPS

Stair angle 90 degrees



## FASCIA BOARD

made from parquet



## Prefabricated panels for stair steps

**By using large-size step-panels from Bauwerk, you can easily and efficiently customize two individual stair steps on site - no matter how complex the staircase is.** Take advantage from this clever stair solution from Bauwerk, making two out of one.

### Stairs made brilliantly simple

- › for straight, curved and spiral staircases
- › customization of two „ready to install“ steps
- › the staircase is walkable again within short
- › available in 3 lengths and all surfaces from the current assortment

● step rectangular shape


● step conical shape I

● step conical shape II



# FEATURE STRIPS

Prefinished parquet feature strips, solid.  
Adapted for Unopark and Trendpark.



<i>Nr.ew</i>	Format	<i>Versiegelt</i>	<i>mat lacquered</i>	<i>non-lacquered</i>	Art.No	availability	Price FCA in €/m <sup>1</sup>
<b>Maple european</b> <b>Length: 1000 mm</b> <b>Bundle lot 20 m<sup>1</sup></b>	11 mm*	●			1002 3706	S	9,00
	11 mm*		●		1002 3707	C	9,00
<b>Wenge</b> <b>Length: 1000 mm</b> <b>Bundle lot 20 m<sup>1</sup></b>	11 mm	●			1014 3207	S	13,00
	11 mm		●		1002 3709	C	13,00
	9.5 mm		●		1014 3209	C	13,00
	9.5 mm	●			1014 3208	S	13,00
<b>Tongue only</b> (Bundle lot 50 m <sup>1</sup> )					1002 3705	S	1,50

› Available in full bundles only (feature strips)

\* while stocks last

# VENTILATION GRID / WALL PANEL

Wir stellen Lüftungsgitter- und Konvektorabdeckungen aus Bauwerk-Parkett auf Maß her.

We produce ventilation grids and wall elements for all Bauwerk parquets on customization.



Different models of ventilation grids from the Villapark Oak range

*Parquet that has a story to tell*

# USED-LOOK SURFACE

Used-look products tell a story and give a room a feeling of warmth. The worn edges and beautiful patina are typical of these on-trend products. It is the traces of use that give these floors their distinctive appearance, and they will only get more beautiful over time. This makes used look products easy to handle and care for.

The structure of the wood is clearly visible through the patina and gives it its unique charm that captivates and makes you dream about times gone by. Its 'used' look is exactly what makes these floors the perfect partner for a modern furnishing style with personality.

## 3 colours

Used-look is available in the shades Tabacco, Deserto and Tango.

## All used-look surfaces are naturally oiled

Casapark page 14  
Trendpark page 26  
Unopark page 31



BAUWERK  
Burkett

# ACCESSORIES



BAUWERK WARRANTY PACKAGE  
CLEANING & CARE



PRIMER, GLUE  
& TROWELS



MEASURING DEVICES



SOUND INSULATION  
MATS & COVER FLEECE

# WARRANTY PACKAGE

The warranty package for your customers

Product	Package unit	Art.No	availability	Price FCA in €/unit	unit
<b>Warranty package for oiled surfaces</b>   Bauwerk Parquet Cleaner, Bauwerk Mop Care and Bauwerk Care oil "Eco" (Colourless)	1 piece	see matrix	S	119,00	piece
<b>Warranty package for parquet with lacquered, mat lacquered and B-Protect® surfaces</b>   Bauwerk Cleaning and Care "Eco"	1 piece	see matrix	S	88,00	piece

Parquet formats	Surface treatment	
	natural oiled	B-Protect®, mat lacquered
<b>Silverline/Formpark</b>	1014 3537	1012 3345
<b>Unicopark 200 mm</b>	1014 3548	–
<b>Unicopark 250 mm</b>	1014 3549	–
<b>Unicopark 300 mm</b>	1014 3550	–
<b>Unicopark 350 mm</b>	1014 3551	–
<b>Unicopark 395 mm</b>	1014 3552	–
<b>Casapark 139</b>	1014 3538	1002 4677
<b>Casapark 181</b>	1014 3539	1002 4679
<b>Casapark 209</b>	1015 2856	1015 2855

Parquet formats	Surface treatment	
	natural oiled	B-Protect®, mat lacquered
<b>Villapark/Formpark Mini</b>	1014 3541	1002 4683
<b>Studiopark</b>	1014 3542	1002 4685
<b>Formpark Rombico</b>	1014 3543	–
<b>Trendpark</b> <b>Formpark Quadrato</b>	1014 3544	1002 4687
<b>Cleverpark 1250 / Cleverpark 900</b>	1014 3545	1002 4689
<b>Unopark/Monopark/Solopark</b>	1014 3546	1002 4692
<b>Multipark</b>	1014 3547	1002 4698

Every floor by Bauwerk is a unique piece, an authentic element of living space, made by Bauwerk following top quality standards, and professionally installed by you as a Bauwerk Partner. With the individually numbered Bauwerk ID, we can seal the deal on this cooperation.

## Content of Warranty Package

- › An aluminium Bauwerk ID with your personal identification number
- › A 10-year product warranty after successful registration
- › 1 set of cleaning and care products, matched to the type of parquet
- › Special cleaning and care tips for the floor

## Ordering and installing a Bauwerk ID

Order a warranty package for every residential unit. For every format, there is either a package suitable for natural oiled, lacquered or natural waxed surfaces.

**Important:** Before the floor is installed, please determine the optimal location for the Bauwerk ID with the client. The warranty extension only becomes valid for the Bauwerk product after it is registered and the Bauwerk ID is installed



## Your advantages:

- › Increased customer satisfaction: The warranty is an important service for end customers.
- › Customers can access the lodged information at any time (product and contact details) even when the property is sold.
- › Installed Bauwerk IDs promote recommendations.
- › Bauwerk reminds end customers of the required floor cleaning and care which increases demand for your services as well as for cleaning and care products.

# CLEANING

suitable for all surfaces

CLEANING PRODUCTS	New	Package unit	Art.No	availability	Price FCA in €/unit	unit
<b>Bauwerk Parquet Cleaner</b> For regular cleaning. Add to mopping water.		Container 1 liter Box of 10 pieces	1101 0989	S	11,00	container
<b>BASIC CLEANER</b>						
<b>Bauwerk Intensive Cleaner</b>   Basic Cleaner for heavily contaminated surfaces and for removing old layers of care products. Apply pure.		Container 1 liter	1101 0992	S	17,00	container
<b>SPOT REMOVER</b> for all surfaces Bauwerk						
<b>Bauwerk Universal Spot Remover Spray</b> Removes dark rings and spots on oiled surfaces effectively.		Container 0.15 liter	1014 3558	S	13,00	container
<b>SPOT REMOVER</b> for natural-oiled surfaces						
<b>Bauwerk Tannin Spot Remover Spray</b> For dealing with rust, iron oxide and greying		Container 0.25 liter	1014 3555	S	23,50	container
<b>Bauwerk Universal Spot Remover Plus</b> For dealing with oil and grease		Container 1 liter	1014 3556	S	51,00	container
<b>CLEANING DEVICES AND CLEANING WIPES</b>						
<b>Bona mops with telescoping handle (with cloth)</b> surface mop for regular parquet care.		1 piece	1001 8936	S	50,00	piece
<b>Bauwerk Sprymop</b> Mop with practical spray function, including Bauwerk parquet cleaner and microfiber cleaning cloth		1 piece	1012 4109	S	58,50	piece
<b>Bauwerk microfiber cleaning cloth</b> suitable for Bauwerk Sprymop and Bona mop		1 piece	1012 4110	S	17,50	piece
<b>Refillable Bauwerk Spray Mop 0.65 liter</b> Without content		Container 0.65 liter	1012 5638	S	8,00	container
<b>Refillable Spray Mop 4 liter</b> Ready-to-use cleaner in disposable container, (not suitable with Bauwerk Sprymop 1012 4109)		Container 4 liter	1002 2242	S	45,00	container

## Care oil matrix for natural oiled parquet

	Oak	Oak black   limed	Oak slightly smoked	Oak   Nuvola	Oak   Roccia	Oak smoked   Farina	Oak   Avena	Oak   Caffelatte	Oak   Creta	Oak   Fango used-look	Oak slightly smoked   Cannetto	Oak   Sasso	Oak   Silver	Oak   Deserto used-look	Oak slightly smoked   Cacao	Oak   Ambra	Oak   Fumo	Oak   Gold	Oak   Mandorla	Oak   Tabacco used-look	Oak slightly smoked   Terra	Oak smoked   Lava	Oak smoked	Acacia   steamed	Cherry American	Walnut American	Oak   Caffè	Oak   Caramello	Oak   Fulvo
<b>Colourless</b>																													
<b>White</b>																													
<b>Beige</b>																													
<b>Grey</b>																													
<b>Light brown</b>																													
<b>Golden brown</b>																													
<b>Brown</b>																													
<b>Black</b>																													

 available as Care oil

 available as Care oil and Care oil Plus

 Alternative: colours more intense than brown

# CARE OF NATURALLY OILED PARQUET

For first treatment and maintenance

MOP CARE	New	Package unit	Art.No	availability	Price FCA in €/unit	unit
<b>Bauwerk Mop Care</b> also for cleaning of lightly dirty parquets.		Container 1 liter, Box of 12 pieces	1101 0994	S	23,50	liter
<b>BAUWERK CARE OIL "ECO"</b> (Watery care oil with short drying time, VOC-free. consumption: 1 liter/ 40 – 50 m <sup>2</sup> )						
<b>Bauwerk Care oil "Eco" (Colourless)</b>		Container 1 liter, Box of 12 pieces	1002 2243	S	28,00	liter
<b>Bauwerk Care oil Eco (White)</b>		Container 1 liter, Box of 12 pieces	1002 2244	S	35,00	liter
<b>BAUWERK CARE OIL</b> (Care oil with short drying time, solvent-based, consumption: 1 liter/ 50 – 60 m <sup>2</sup> )						
<b>Bauwerk Care oil (Colourless)</b>		Container 1 liter, Box of 6 pieces	1101 0996	S	26,00	liter
		Container 2,5 liter	1101 0997	S	24,50	liter
<b>Bauwerk Care oil   White</b>		Container 1 liter, Box of 6 pieces	1001 8888	S	30,50	liter
<b>Bauwerk Care oil   Grey</b>		Container 1 liter, Box of 6 pieces	1001 8890	S	30,50	liter
<b>Bauwerk Care oil   Beige</b>		Container 1 liter, Box of 6 pieces	1001 8889	S	30,50	liter
<b>Bauwerk Care oil   Light Brown</b>		Container 1 liter, Box of 6 pieces	1001 8886	S	30,50	liter
<b>Bauwerk Care oil   Golden Brown</b>		Container 1 liter, Box of 6 pieces	1001 8887	S	30,50	liter
<b>Bauwerk Care oil   Brown</b>		Container 1 liter, Box of 6 pieces	1001 8885	S	30,50	liter
<b>Bauwerk Care oil   Black</b>		Container 1 liter, Box of 6 pieces	1001 8884	S	30,50	liter
<b>BAUWERK CARE OIL PLUS</b> (Care oil with high solid content for first treatment and maintenance, consumption: 1 liter/ 50 m <sup>2</sup> )						
<b>Bauwerk Care oil Plus   Colourless</b>		Container 1 liter, Box of 6 pieces	1012 6153	S	31,00	liter
<b>Bauwerk Care oil Plus   White</b>		Container 1 liter, Box of 6 pieces	1012 6154	S	36,00	liter
<b>Bauwerk Care oil Plus   Grey</b>		Container 1 liter, Box of 6 pieces	1012 6157	S	36,00	liter
<b>Bauwerk Care oil Plus   Golden Brown</b>		Container 1 liter, Box of 6 pieces	1012 6156	S	36,00	liter
<b>Bauwerk Care oil Plus   Brown</b>		Container 1 liter, Box of 6 pieces	1013 5500	S	36,00	liter
<b>Bauwerk Care oil Plus   Black</b>		Container 1 liter, Box of 6 pieces	1012 6155	S	36,00	liter
<b>BAUWERK HARD WAX CARE</b> Care product for all oiled parquet floors, removes even stubborn stains, contains solvents, consuption: 1 liter/80-100m <sup>2</sup>						
<b>Bauwerk Hard Wax Care</b>	●		1015 3294	S	34,00	unit

\* Product for professional use. Can only be used with a single-disc machine.

# CARE OF LACQUERED PARQUET

Care of parquet with lacquered and mat lacquered surfaces

Product	New	Package unit	Art.No	availability	Price FCA in €/unit	unit
<b>Bauwerk parquet care "Eco"</b> Water based care product for initial treatment and maintenance. Apply undiluted and let dry. consumption: 1 litre for approx. 100 m <sup>2</sup>		Container 1 liter, Box of 12 pieces	1002 3187	S	22,00	liter
<b>Bauwerk Wax Polish</b> Polish for an initial treatment to protect edges directly after laying. Apply undiluted and polish. consumption: 1 litre for approx. 200 m <sup>2</sup> . <i>Bauwerk Wax Polish is not intended for B-Protect® surfaces</i>		Container 1 liter	1002 2750	S	44,00	liter

## CLEANING AND MAINTENANCE SET

Product	New	Package unit	Art.No	availability	Price FCA in €/unit	unit
<b>Bauwerk Cleaning and Care Set for oiled surfaces</b> Parquet cleaner, mop and care oil "Eco" colourless		1 piece	1014 3559	S	60,00	piece
<b>Bauwerk Cleaning and Care "Eco" set for parquet with lacquered, mat lacquered and B-Protect® surfaces</b> Parquet cleaner, parquet care "Eco"		1 piece	1002 3212	S	30,00	piece

# REPAIR OIL

For adjusting the colour of parquet, stairs, furniture, etc. Consumption: approx. 1 litre/20 m<sup>2</sup>

Product	New	Package unit	Art.No	availability	Price FCA in €/unit	unit
Bauwerk Repair oil   Colourless		Container 1 liter, Box of 6 pieces	1012 5634	S	42,00	liter
Bauwerk Repair oil   Ambra		Container 1 liter, Box of 6 pieces	1011 8494	S	50,50	liter
Bauwerk Repair oil   Argento		Container 1 liter, Box of 6 pieces	1001 8116	S	50,50	liter
Bauwerk Repair oil   Avena		Container 1 liter, Box of 6 pieces	1001 3901	S	50,50	liter
Bauwerk Repair oil   Avorio		Container 1 liter, Box of 6 pieces	1002 4027	S	50,50	liter
Bauwerk Repair oil   Cacao		Container 1 liter, Box of 6 pieces	1009 7710	S	50,50	liter
Bauwerk Repair oil   Caffè		Container 1 liter, Box of 6 pieces	1014 3560	S	50,50	liter
Bauwerk Repair oil   Caffelatte		Container 1 liter, Box of 6 pieces	1001 3903	S	50,50	liter
Bauwerk Repair oil   Caramello	●	Container 1 liter, Box of 6 pieces	1015 7179	S	50,50	liter
Bauwerk Repair oil   Creta		Container 1 liter, Box of 6 pieces	1011 8495	S	50,50	liter
Bauwerk Repair oil   Deserto		Container 1 liter, Box of 6 pieces	1001 8117	S	50,50	liter
Bauwerk Repair oil   Fango		Container 1 liter, Box of 6 pieces	1011 8496	S	50,50	liter
Bauwerk Repair oil   Farina		Container 1 liter, Box of 6 pieces	1001 3900	S	50,50	liter
Bauwerk Repair oil   Fulvo		Container 1 liter, Box of 6 pieces	1014 3562	S	50,50	liter
Bauwerk Repair oil   Fumo		Container 1 liter, Box of 6 pieces	1014 3563	S	50,50	liter
Bauwerk Repair oil   Gold		Container 1 liter, Box of 6 pieces	1001 8120	S	50,50	liter
Bauwerk Repair oil   Mandorla		Container 1 liter, Box of 6 pieces	1004 3419	S	50,50	liter
Bauwerk Repair oil   Sasso		Container 1 liter, Box of 6 pieces	1002 2950	S	50,50	liter
Bauwerk Repair oil   Silver		Container 1 liter, Box of 6 pieces	1001 8121	S	50,50	liter
Bauwerk Repair oil   Tabacco		Container 1 liter, Box of 6 pieces	1001 8118	S	50,50	liter

## REPAIR OIL TRUE COLOURS EDITION

2-component repair oil for adjusting the colours of the True Colours Edition, consumption: approx. 1 litre/20 m<sup>2</sup>

Bauwerk Repair oil   Canneto	container 1 liter, Box of 6 pieces	1012 5485	S	50,50	liter
Bauwerk Repair oil   Terra	container 2 liter, Box of 6 pieces	1013 9283	S	50,50	liter
Bauwerk Repair oil   Lava	container 2 liter, Box of 6 pieces	1013 9281	S	50,50	liter
Bauwerk Repair oil   Nuvola	container 2 liter, Box of 6 pieces	1014 3564	S	50,50	liter
Bauwerk Repair oil   Roccia	container 2 liter, Box of 6 pieces	1014 3565	S	50,50	liter

# BAUWERK B-PROTECT® REPAIR

2-component repair oil for colour matching to True Colours Edition colours, approx. 1 litre/20 m<sup>2</sup> required

Product	New	Package unit	Art.No	availability	Price FCA in €/unit	unit
Bauwerk B-Protect® Repair   Crema light		Container 30 ml	1014 5746	S	21,00	piece
Bauwerk B-Protect® Repair   Crema dark		Container 30 ml	1014 5747	S	21,00	piece
Bauwerk B-Protect® Repair   Farina		Container 30 ml	1014 5748	S	21,00	piece
Bauwerk B-Protect® Repair   Sasso		Container 30 ml	1014 5749	S	21,00	piece
Bauwerk B-Protect® Repair   Mandorla		Container 30 ml	1014 5750	S	21,00	piece
Bauwerk B-Protect® Repair   Oak smoked Crema light		Container 30 ml	1014 5751	S	21,00	piece
Bauwerk B-Protect® Repair   Oak smoked Crema dark		Container 30 ml	1014 5752	S	21,00	piece
Bauwerk B-Protect® Repair   Mocca		Container 30 ml	1015 2824	S	21,00	piece
Bauwerk B-Protect® Repair   Farro		Container 30 ml	1015 2825	S	21,00	piece
Bauwerk B-Protect® Repair   Ash Farina		Container 30 ml	1015 2826	S	21,00	piece
Bauwerk B-Protect® Repair   Oak slightly smoked		Container 30 ml	1015 2827	S	21,00	piece

# BAUWERK HARD WAX OIL

Hard Wax Oil for the initial care of naturally oiled building surfaces subject to heavy wear and tear as well as for the execution of on-site natural oil surfaces. Natural oil surfaces, solvent-based, consumption 0.75 litres/18–25 m<sup>2</sup>.

Product	New	Package unit	Art.No	availability	Price FCA in €/unit	unit
<b>Bauwerk Hard Wax Oil   2.5 liter</b>	●	Container 2.5 liter	1015 3291	S	70,00	unit
<b>Bauwerk Hard Wax Oil   0.75 liter</b>	●	Container 0.75 liter	1015 4104	S	22,00	unit
<b>Osmo Floor roller</b>	●	1 piece	1009 7771	S	25,00	piece
<b>Osmo Floor brush</b>	●	1 piece	1009 7759	S	65,00	piece

# PRIMER FOR GLUES

Product	New	Package unit	Art.No	availability	Price FCA in €/unit	unit
<b>Bona D515 (Primer, concentrate)</b> Primer under Bauwerk F5 on calcium sulphate flowing screed.	✓	Container 10 liter	1014 5896	S	16,50	liter
<b>Bona R590</b> Moisture barrier on cement screed with a moisture content of up to max. 5 %. Only in combination with Bauwerk MS40 or MS35. Classification EC1 Plus (please use trowel type A3)	✓	Container 8 kg	1009 7716	S	30,00	kg
<b>Bona D501</b>   Dust-binding primer for silane-based adhesives Bauwerk MS40 and MS35.	✓	Container 5 liter	1014 3557	S	10,50	liter

# GLUE & TROWEL

MS-HYBRID PARQUET ADHESIVE		Package unit	Art.No	availability	Price FCA in €/unit	unit
<b>Bauwerk MS40</b> Silane-modified-prepolymer single-component parquet adhesive.	✓ ✓	Container 15 kg pallet: 44×15 kg	1000 4114	S	9,50	kg
<b>Bauwerk MS35</b> Silane-modified-prepolymer single-component parquet adhesive.	✓	Container 15 kg pallet: 44×15 kg	1000 9142	S	8,00	kg
<b>Bona Quantum</b> Hard elastic 1-component silane-modified adhesive.	✓	Container 15 kg pallet: 44×15 kg	1014 5215	S	13,50	kg
DISPERSION ADHESIVES						
<b>Bauwerk F5</b>   Dispersion adhesive with reduced swelling for raw and prefinished parquet.	✓ ✓	Container 22 kg pallet: 24×22 kg	1000 4109	S	10,00	kg
ADHESIVE TROWEL						
<b>Bauwerk adhesive Trowel, Type 1, 18 cm large (TKB Type B6)</b> rate of application approx. 850 g/m <sup>2</sup>		1 piece, Box of 10 pieces	1000 4272	S	4,50	piece
<b>Bauwerk adhesive Trowel, Type 1, 25 cm large (TKB Type B6)</b> rate of application approx. 850 g/m <sup>2</sup>		1 piece, Box of 10 pieces	1000 5456	S	5,00	piece
<b>Bauwerk adhesive Trowel, Type 2, 18 cm large (TKB Type B10)</b> rate of application approx. 1000 g/m <sup>2</sup>		1 piece, Box of 10 pieces	1000 4273	S	4,50	piece
<b>Bauwerk adhesive Trowel, Type 2, 25 cm large (TKB Typ eB10)</b> rate of application approx. 1000 g/m <sup>2</sup>		1 piece, Box of 10 pieces	1000 5457	S	5,00	piece
<b>Bauwerk adhesive Trowel, Type 4, 18 cm large (TKB Type B13)</b> rate of application approx. 1250 g/m <sup>2</sup>		1 piece, Box of 10 pieces	1002 3680	S	4,50	piece
<b>Bauwerk adhesive Trowel, Type 4, 25 cm large (TKB Type B13)</b> rate of application approx. 1250 g/m <sup>2</sup>		1 piece, Box of 10 pieces	1002 3681	S	5,00	piece
<b>Bauwerk adhesive Trowel, Type A3, 25 cm large</b> For the application of Bona R590. Rate of application approx. 500 g/m <sup>2</sup>		1 piece, Box of 10 pieces	1001 3961	S	6,00	piece

# Bauwerk glue scale

✓ Recommended by Bauwerk ✓ Possible alternative

Format	MS 40*	MS 35*	Quantum	F5**	Adhesive Trowel type
<b>Unicopark ***   Silverline Edition</b>	✓		✓		2/4
Villapark   Studiopark	✓	✓	✓		2
Casapark	✓	✓	✓		4
Formpark 780 & 520   Formpark Mini 570 & 380   Formpark Quadrato   Formpark Rombico	✓	✓			2
Trendpark   Cleverpark	✓	✓			2
Unopark   Solopark   Monopark   Monopark Comfort	✓	✓		✓	1
Multipark 10   Multipark 9.5	✓	✓			2
Solid parquet   On-Edge	✓ <sup>1</sup>			✓	1
Prepark   Prepark Comfort	✓	✓		✓	1
Cleverpark Silente   Multipark Silente	✓				2
Triopark	✓	✓			4
<b>Bauwerk Silente mat</b>	✓		✓		1

## Note:

\* for cement screeds with an increased moisture content of up to max. 5% apply first Bona R590 moisture barrier

\*\* when applying F5 on calcium sulphate flowing screed, apply first Bona D515

\*\*\* In harsh and very dry indoor climate conditions, we recommend using an adhesive classified as 'hard elastic', as per ISO EN 17178. Simply ask our Application Technology unit regarding the best-suited hard elastic adhesive.

<sup>1</sup> Applies to oiled surfaces, for lacquered surfaces only use Bona lacquer

## General Information

- › this table is applicable for examined, suitable subfloors for parquet such as cement-, calcium sulphate- and calcium sulphate flowing screed, chipboards and fibreboards.
- › all types of glue listed in this overview are suitable for underfloor heating
- › for any further information please address to your Bauwerk contact person

# MEASURING DEVICES

MEASURING DEVICES	New Package unit	Art.No	availability	Price FCA in €/unit	unit
<b>Fidbox® V6</b> Sensor for measuring and recording of temperature and humidity under the parquet	1 piece	1002 3183	S	284,50	piece
<b>FP Desktop Professional</b> Software to read out and analyse Fidbox V6. Available for download under <a href="http://www.floorprotector.at">www.floorprotector.at</a> . Smart USB-Dongle 4.0 is sent by Floor Protector after download and registration.		Annual subscription 120 €			

# SOUND INSULATION MAT & COVER FLEECE

	<i>New</i>	<i>Package unit</i>	Art.No	<i>availability</i>	Price FCA in €/unit	<i>unit</i>
IMPACT-SOUND ABSORPTION MAT only for floating installation						
<b>Cork underlayer</b> Cork for floating installation.		Roll 30 m <sup>2</sup> , width 100 cm, ca. 2 mm thick	1101 1466	S	5,00	m <sup>2</sup>
<b>Viscoh Air</b>   Only or floating installation.		Roll 12,5 m <sup>2</sup> , width 100 cm, ca. 2 mm thick	1011 9821	S	5,30	m <sup>2</sup>
IMPACT-SOUND ABSORPTION MAT to be fully bonded						
<b>Cork</b> Also for glue down installation.		Roll 32,20 m <sup>2</sup> , width 41,50 cm, ca. 2 mm thick	1000 1293	S	7,00	m <sup>2</sup>
COVER FLEECE						
<b>Cover Fleece</b> Breathable, self adherend and water tight, to protect the parquet floor		Roll 50 m <sup>2</sup> , width 100 cm, ca. 2 mm thick	1002 2248	S	3,50	m <sup>2</sup>

\* The Bauwerk Silente-products need to be installed by using Bauwerk MS40. Should another type of glue be used, the manufacturer's guarantee automatically expires and no liability for possible damages can be granted.

# GENERAL TERMS OF BUSINESS AND RETURN CONDITIONS

**Our general terms of business are to be found on the Bauwerk website under the following link:**

<http://www.bauwerk-parkett.com/en/terms-and-conditions.html>

for download and/or for printing.

All important conditions in context with your order are clearly specified on our order confirmation.


In addition, the following return conditions apply:

## **Return conditions**

- Return of goods (up to a max. of 5 % of the relevant delivery) are only accepted within 30 days after date of the invoice. Thereafter, returns are not accepted anymore.
- Damaged and/or opened boxes, solid parquet mosaic and on-edge, promotion and best value (2<sup>nd</sup> choice) articles specially produced articles, parquet from exotic timbers and skirting are excluded from the right to return.
- Solely accepted are goods in perfect condition and packed in its original packaging.
- Generally, a deduction of 40% is made on the net value of the goods. The goods need to be returned at the customers expense to our central warehouse.
- Possible, further incurring costs will be deducted.

*A love for detail*

# SPECIAL PARQUET SOLUTIONS



“Wood is changeable and flexible,  
which makes it the perfect  
material to design your living  
space consciously with your  
individual creations.”

# ORIGIN OF WOOD & CERTIFICATES

*Subject to changes in certification standards each year.*

All the types of wood we use come from managed forests. In 2022, 55% of the wood and wood-based materials used were either FSC® or PEFC®-certified. Although not all of the volume required can be procured on the market with FSC® or PEFC® certification, all the wood used comes from managed, sustainable forests. The legality of the wood's origin is checked by internal and independent external audits.



The mark of responsible forestry

**FSC®:** All parquet products marked 'FSC® 100%' (products with spruce-fir-substrate) or 'FSC® Mix 70%' (products with HDF substrate) in the Bauwerk price list are always delivered with proof of FSC® compliance. All other 2-layer products (except for North American wood types) can be ordered with proof of FSC® compliance on request. FSC® proof cannot be supplied retrospectively. Important to know: if proof of FSC® compliance is required for a project, one can use both, either products certified as FSC® 100% or also ones certified as FSC® Mix 70%. Proof of FSC® compliance is provided not as a certificate, but as information on delivery and invoice documents.



**Eco-Institut-Label:** The Eco-Institut Label is recognised as an international quality seal for low-pollutant, low-emission products by e.g. the building assessment programmes LEED, BREEAM and DGNB. The certified Bauwerk products were tested by the Eco-Institut for any emissions or substances that may be harmful to health and meet the strict requirements. The table to the right shows a selection of the permitted limits.



**Cradle to Cradle®:** All our 2-layer products manufactured at our facility in St. Margrethen have all been awarded at least the Cradle to Cradle® Bronze certificate. Floors made there with B-Protect® surfaces achieve Cradle to Cradle® Silver, while all Bauwerk Silente products are even certified Cradle to Cradle® Gold.



**The Institut Bauen und Umwelt e. V. (IBU):** is an association of building product manufacturers who have joined forces to operate an international environmental product declaration programme. IBU stands for sustainability in construction and advocates the following opinion: if you advertise sustainability, you must be able to prove it. This is precisely what the construction materials industry is doing in working with the IBU to create environment product declarations (EPD) - an internationally recognised and standardised tool for the sustainability certification of buildings. This EPD is the EPD of an association of which Bauwerk Parkett is a member.

Wood specie	Origin
Spruce	Switzerland, Europe
Oak / Oak smoked	Europe
Ash	Europe
Beech	Europe
Acacia steamed	Europe
Walnut american	USA, Europe
Maple canadian	Canada
Cherry american	USA

Eco-Institut parameters	Limits
TVOC after 28 days	≤ 300 µg/m³
Formaldehyde after 28 days	≤ 36 µg/m³
Ammonia after 28 days (smoked products only)	≤ 100 µg/m³
Mutagenic substances and substances toxic to human reproduction	≤ 1 µg/m³ per individual value
AOX, EOX, phthalates, organotin compounds	individual limits

Status 15 December 2021

# CERTIFICATE BY PRODUCT

PRODUCT   CERTIFICATES				
Unicopark				✓ Excl. smoked products, incl. slightly smoked products
Silverline Edition		✓ for B-Protect® surfaces	✓	✓
Casapark				✓ Excluded natural oiled products
Villapark   Villapark True Colours Edition		✓ for B-Protect® surfaces	✓	✓
Studiopark		✓ for B-Protect® surfaces	✓	✓
Formpark   Formpark Mini			✓ for natural oiled surfaces	✓
Formpark Quadrato		✓ for B-Protect® surfaces	✓ for natural oiled surfaces	✓
Formpark Rombico				✓
Trendpark		✓ for B-Protect® surfaces	✓ for natural oiled and mat lacquered surfaces	✓
Cleverpark 1250 Cleverpark 1250 Silente Cleverpark 900	✓ for products Cleverpark Silente	✓ for B-Protect® surfaces	✓ for natural oiled and mat lacquered surfaces	✓
Unopark				✓
Solopark				✓
Monopark   Monopark Comfort				✓
Triopark				✓ Excluded natural oiled products
Multipark		✓ for B-Protect® surfaces	✓ for natural oiled and mat lacquered surfaces	✓
Multipark Silente	✓			✓
Prepark   Prepark Comfort				✓ Details on request
Solid parquet				
On-Edge				
Solid skirting				
Veneered skirting – Cassicline				


FSC®: Products that are supplied with FSC® certification as standard are marked accordingly on the respective collection pages.

# DIGITAL TOLLS FOR YOU

## Online promotions in the Bauwerk Marketplace

At [marketplace.bauwerk-parkett.com](http://marketplace.bauwerk-parkett.com), you can find over 200 parquet floors at attractive net prices. Browse wherever you are and order your favourites in just a few clicks. Your order will be processed immediately by your personal sales adviser and shipped. We hope you have lots of fun buying Bauwerk Parkett online.

Benefit from attractive promotions



### Questions?

Get in touch with your Bauwerk contact or send an email to: [marketplace@bauwerk.com](mailto:marketplace@bauwerk.com)

## Online Parquet Visualiser for remote consultations

The Bauwerk Parquet Visualiser supports you and your customers when making a decision about a new parquet floor. A photograph of the room in question can be taken on a smartphone or tablet and the image uploaded to the visualiser. The user can now choose from over 200 Bauwerk parquet floors and alter the colour, format and installation pattern. The tool makes choosing a suitable parquet floor much easier and turns the decision process into an interactive experience.

Try it out now and let your customers know:  
[visualizer.bauwerk-parkett.com](http://visualizer.bauwerk-parkett.com)



## The most important product information at a glance

Our website offers a detailed overview for each product with the most important technical information and related downloads.

Simply enter [www.bauwerk-parkett.com/articlenumber](http://www.bauwerk-parkett.com/articlenumber) into the browser and get access to the following information and documents:

- › Product details (format, structure etc.)
- › Certificates
- › Grading sheet
- › Technical data sheet
- › Textures
- › Cleaning & care instructions



# BROCHURES FOR YOUR CLIENTS

## Inspiration:



### Artwork 2023

An inspiring magazine with useful tips and news for conscious living space design. A perfect tool for consultations.

1015 6845 german | 1015 6849 french  
1015 6848 italian | 1015 6846 english



### A love for detail

Custom solutions for stairs, ventilation grids and other elements. The Bauwerk product range offers countless combinations for designing architectural details.

1014 4060 german | 1014 4063 french  
1014 4062 italian | 1014 4061 english

### Style Books

Inspiring room pictures, background information and colour overview.



#### Style Book Silverline Edition

1014 4048 german  
1014 4051 french  
1014 4050 italian  
1014 4049 english



#### Style Book Unicopark

1014 4056 german  
1014 4059 french  
1014 4058 italian  
1014 4057 english



#### Style Book True Colours Edition

1014 4044 german  
1014 4047 french  
1014 4046 italian  
1014 4045 english



#### Style Book Formpark & Formpark Mini

1015 6673 german  
1015 6676 french  
1015 6675 italian  
1015 6674 english



#### Style Book Formpark Quadrato & Formpark Rombico

1015 6677 german  
1015 6680 french  
1015 6679 italian  
1015 6678 english



#### Product Brochure Cleverpark

1015 6681 german  
1015 6682 french  
1015 6683 italian  
1015 6684 english

## Information before purchase:



### Parquet selection folder

The parquet selection folder provides enough space to enclose the desired print media and documents for the customer. It also provides an overview of the advantages of parquet and other useful information.

1014 5623 german | 1014 5624 french  
1014 5625 italian | 1014 5630 english



### Healthy living

Under the slogan of Healthy Living, Bauwerk makes an important contribution to improving quality of life. This brochure contains all information about this topic.

1015 1639 german | 1015 1640 french  
1015 1641 italian | 1015 1642 english



### Good to know

#### Cleaning & Care

With proper cleaning and care, parquet will bring you joy for a long time. This brochure offers a number of useful tips about this.

1015 1643 german | 1015 1644 french  
1016 1645 italian | 1015 1646 english



### Good to know

#### Warranty package & Bauwerk ID

Useful information about the Bauwerk warranty package and Bauwerk ID.

1015 1561 german | 1015 1562 french  
1015 1563 italian | 1015 1564 english



### Good to know Renovation

Useful information about renovation.

1015 1647 german | 1015 1648 french  
1015 1649 italian | 1015 1650 english

## Information after purchase



### User guide for parquet flooring

This brochure is provided to the client once the floor is completed. With product - information and tips on handling and maintaining parquet floors.

1015 1627 german | 1015 1629 french  
1015 1630 italian | 1015 1631 english

Bauwerk Group Schweiz AG  
Neudorfstrasse 49  
CH-9430 St.Margrethen  
T +41 71 747 74 74  
F +41 71 747 74 75  
[info@bauwerk.com](mailto:info@bauwerk.com)  
[bauwerk-parkett.com](http://bauwerk-parkett.com)